nts MART

CONSULTATION

COMMERCIAL KITCHEN DESIGN

INSTALLATION

AFTER SALES SERVICE & SPARE PARTS

NTS MART CO., LTD.


161/735-740 Soi Charansanitwong 27 Lane 22, Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand


Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail: sales@ntsmart.co.th GPS: N13° 49.434′ E100°25.376′

www.ntsmart.co.th



nts MART

20,000 ONLINE LOWEST PRICE FOODSERVICE AND HOSPITALITY PRODUCTS 2015-2017 Volume 1















nts MART

Foodservice Equipment • Guestroom & Lobby • Cleaning Supplies • Furniture & Outdoor


ONE-STOP SHOP 20,000 ONLINE LOWEST PRICE
FOODSERVICE AND HOSPITALITY PRODUCTS

www.ntsmart.co.th

2015-2017

NTS MART (THAILAND)



NTS MART (TANZANIA)





NTS MART (MYANMAR)

NTS MART (CHINA)



About NTS MART

NTS MART CO.,LTD. is one-stop shop for foodservice and hospitality with professional service to customers in Thailand and ASEAN. Founded in 2012, NTS Mart is a joint venture company between Nantian Sources Co.,Ltd. (China), Seven Five Distributor Co.,Ltd. (Thailand) and Yaowawong Holding Co.,Ltd. (Thailand).

Nantian Sources Co.,Ltd. established Guangzhou Nantian International Hotel Facilities Wholesale Center (NTI) and has been dedicated to expand distribution channel for hotel supply since 1998. After 15 years development, NTI has become the world-renown foodservice and hospitality supply purchasing center that has attracted buyers from all over the world.

Seven Five Distributor Co.,Ltd. has been Thailand's leading importer in commercial foodservice industry since 1982. With more than 33 years of foodservice experience, Seven Five serves more than 500 dealers and 30,000 customers in Thailand and neighbouring countries through a network of dealers, global chains, hotels, restaurants, department stores, schools, hospitals and factories.

Yaowawong Holding Co.,Ltd. specializes in finance and investment. At present, YWW's core investments are in three strategic business groups namely, property/real estate group, travel and hotel group, and trading and financial related business.

One-stop solution for foodservice & hospitality

Supported by resource superiority, we offer more than 20,000 products in commercial foodservice equipment, tableware & buffet ware, guestroom & lobby supplies, cleaning supplies, furniture and outdoor supplies.

Quality products with the best price

We are committed on high quality product, professional service, best price and research to react to the needs and fulfill our customer satisfaction.

Servicing customer locally and globally

NTS Mart has established showrooms and service centers in China, Thailand, Myanmar and Tanzania to fulfill the increasing demand for product diversification of global buyers and creates a more convenient, more economical and more professional purchasing environment for customers.

CHINA THAILAND MYANMAR TANZANIA

CONTENTS

FOODSERVICE

COOKER

	PAGES
Automatic wok machine	37
Burners - floor type	8-12
Burners - counter type	22-23
Boiling pan	20-21
Cabinet for counter top equipment	23
Ceramic hob	14
Char broiler - floor type	15
Char broiler - counter type	27-28
Char rock broiler - floor type	16
Char rock broiler - counter type	29
Chinese burner	38
Combi steamer	39-43
Contact grill	34-35
Deep fryer - floor type	16-18
Deep fryer - counter type	31-33
Frying plate for burner	36
Griddle - floor type	15
Griddle - counter type	24-27
Hot plate - floor type	13-14
Hot plate - counter type	23
Induction cooker	23-24
Lava rock	36
Microwave	44
Noodle cooker - floor type	19-20
Noodle cooker - counter type	33-34
Pasta cooker - floor type	19
Pasta cooker - counter type	21
Popcorn machine	45
Rice cooker	43
Rotisserie machine	43
Salamander	29-31
Steamer	38-39
Tilting bratt pan	21
Work table with cabinet	36

WARMING EQUIPMENT

	PAGES
Bain marie	50-52
Carving station with heat lamp	58
Chip warmer	54
Chocolate fountain machine	48-49
Chocolate tempering machine	50
Display steamer	53
Display warmer	54
Drawer warmer	53
Food warming cabinet trolley	52
Heat lamp station	55-57
Hot dog warmer	59
Infrared strip heater	59
Plate warmer	60
Revolving display warmer	53
Soup warmer	48
Towel warmer	60

FOOD PREPARATION

	PAGES
Bone saw machine	72-73
Food blender	81-84
Food cutter & vegetable slicer	77-79
Food cutter mixer	80
Hamburger press	75
Hand mixer	86
Immersion mixer	85
Kneading noodle machine	87
Kneading noodle slicer machine	87
Mandoline vegetable slicer	88
Manual pasta machine	88
Meat mincer	63-66
Meat slicer	67-71
Pasta machine	87
Potato peeler	75
Sausage stuffer	74
Sous vide circulator	89
Tomato wedge	88
Vacuum machine	90
Vegetable cutter	76
Zester	88

BAKERY EQUIPMENT

	PAGES
1 deck oven	98
1 deck oven with steam	98
2 decks oven	98
2 decks oven with steam	98
3 decks oven	98
3 decks oven with steam	98
4 slots toaster	104
6 slots toaster	104
Bread slicer	101
Convection oven	100-101
Conveyor toaster	104
Crepe machine	103
Donut fryer	103
Dough rounder & divider	95
Dough sheeter	96
Pizza oven	99
Planetary mixer	93
Proofer	97
Spiral mixer	94
Stand mixer	92
Waffle machine	102

BEVERAGE EQUIPMENT

	PAGES
Automatic juicer	111
Citrus juicer	112-113
Coffee warmer	109
Coffee boiler/warmer	109
Coffee decanter	109
Coffee grinder	107-108
Coffee machine	107
Coffee paper filter	109
Coffee urn	109
Drink blender	114-118
Drink mixer	123-125
Espresso coffee machine	108
High performance blender	119-122
Juice dispenser - refrigerated	126
Juice extractor	112
Kettle	110
Water boiler	110

REFRIGERATOR

	PAGES
Bakery show case	148-150
Back bar / glass door	141
Drawer refrigerator	137
Gelato show case	144
Glass door merchandisers	142
Ice cream dipping cabinet	143
Ice cube machine	156
Open case	146-147
Pizza prep	140
Salad prep	138-139
Sandwich show case	145
Sushi display case	151
Under counter chiller and freezer	136
Under counter refrigerator	135
Upright chiller and freezer	134
Upright refrigerator	132-133
Walk-in cold room	157-159
Wine refrigerator	152-155

WAREWASHING

	PAGES
Detergent	177
Dishwasher - hood type	164
Dishwasher - rack conveyor	165
Dishwasher - under counter	163
Faucet	167-170
Glasswasher	162
Hose reel	171
Pre-rinse	166
Warewashing rack	172-176

STAINLESS STEEL FABRICATION

	PAGES
4 tiers plain shelf	202
4 tiers slatted shelf	202
Bain marie	195-196
Burner Chinese range	192
Burner Thai range	191
Cabinet slidind doors	184
Cabinet swing door	185
Clean dish table	188
Cocktail unit	182
Equipment stand	182
Exhaust hood	197-198
Flour bin cabinet	204
Footing	207
Garbage bin	204
Grease trap	187
Ice bin cabinet	182
Noodle range	193
Open cabinet	183
Over high rack shelf	201
Over high shelf	201
Plate warmer cabinet	194
Pot rail	202
Room service cart	204
Sink	205-207
Sink table	186-187
Soiled dish table	189-190
Soup range	193
Stock pot stove	193
Tray slide	202
Trolley	203-204
Wall cabinet	199-200
Wall rack shelf	201
Wall shelf	201
Work table	180-182

PROJECT DESIGN

	PAGES
Kitchen project	209
Main kitchen	210-211
Electric system	212

STORAGE & TROLLEY

	PAGES
Storage	
Bus box	230
Cutlery box	230
Dunnage rack	216
Food storage box	229
Food storage container	228
Ice caddie	234
Ingredient bin	230
Pizza dough box	220
Shelving	124-125
Trolley	
Adjustable tray & dish trolley	233
Dish caddy	233
Dry linen trolley	220
Gastronorm trolley	216-220
Rack dolly	322
Utility trolley	231-232

KITCHEN UTENSILS

	PAGES
Baker spatula	248
Bread slicer	248
Butter knife	247
Can opener	259-261
Cheese knife	247
Chinese spatula	245
Conical strainer	246
Corer	247
Cup brushes	264
Cutting board	258
Dredger	263

KITCHEN UTENSILS

	PAGES
Egg slicer	251
Filter bucket	241
Flatwaer cylinder	264
Fryed egg mould	250
Frying pan	240
Funnel	242
Insect killer	261
Knives	253-257
Ladle	245
Lemon cutter	247
Mandoline	252
Measuring spoon and cup	243
Meat tenderizer	252
Melon baller	247
Metal mesh glove	259
Order rack/ Check rack	242
Paella pan	240
Peeler	247
Roast pan	240
Sauce bucket	241
Sauce pot	237-239
Scoop	244
Scraper	248
Shear	259
Shakers	263
Skimmer	246
Soup bucket	241
Spatula	249
Squeeze	251
Stock pot	236
Turner	248
Wet area matting	262
Whisk	250
Zester	247

BAKERY UTENSILS

	PAGES
Sheet pan	266
Baking Mould	267
Basket	282
Biscut sheet	266
Bread Mould	269
Cake mould	271-274
Chocolate mould	275-278
Chocolate plugger	284
Cooling rack	266
Display tray	282
Knives	283
Loaf pan	268-269
Measuring cup and spoon	284
Mould ring	270
Nylon cutter set	288
Oven mitt	291
Pastry bag	291
Pastry cutter	287,289
Pastry tip	292
Pizza board	284
Pizza cutter	290
Pizza pan	271
Roller docker	290
Rolling pin	286
Scraper	285-286
Sieves	284
Silicone mould	278-281
Spatula	287
Tag holder	282
Wool brush	285
Whisk	284

BAR SUPPLIES

	PAGES
Ashtray	306
Bar caddies	299
Bar keep & squeeze dispensers	299
Bar spoon	303
Bottle holder	303
Bottle opener	301-302

BAR SUPPLIES

	PAGES
Cambar	297
Cocktail shaker	303
Cocktail strainer	303
Coffee knock box	307
Coffee tamper	307
Condiment dispensers	298
Cream whipper	306
Decanter	296
French press pot	306
Goblet	296
Ice bucket	303
Ice scoop	303
Ice tong	303
Jigger	302
Milk jug and milk frother	306
Organizers	298
Pitcher	297
Pourer	300-301
Service tray	304-306
Tea filter	306
Tray stand	306
Tumbler	295
Wine bucket	307-308
Wine bucket stand	308

TABLEWARE & BUFFETWARE

	PAGES
Basket	313
Bottle	319
Bowl	313
Cake stand	315
Card holder	321
Coffee pot	318
Creamers	317
Dome cover & plate cover	316-317
Dome displsy tray	315
Egg cup	317
Gravy boat	317
Ladle	311
Lobster cracker & lobster picker	312
Milk pot	317-318
Milk tin	310
Pasta grabber	312
Pastry stand	313
Pepper mill	310
Ramekins	321
Service jar	320
Shakers	319
Squeeze dispenser	320-321
Sugar bowl	318
Table stand	321
Tea pot	317
Tray	314
Tong	311-312

GUESTROOM & LOBBY

GUESTROOM & LOBBY

	PAGES
Guestroom supplies	
Hair dryer	342-343
Hot box	344
Kettle	343
Leather set	345-350
Mini bar	340
Safe box	339
Service table	344
Telephone	341
Torch	339
Towel bar	351
Towel rack	352
Towel ring	352
Tumbler	356
Tumbler holder with cup	355
Bathroom Supplies	
Bath mat	362
Clothes line	353
Dust bin	359
Glass shelf	368
Paper holder	358
Paper towel dispenser	360-361
Robe hook	353
Shaving mirror	357
Soap dispenser	360
Soap holder with dish	355
Toilet brush holder	359
Towel bar	351
Towel rack	352
Towel ring	352
Tumbler	356
Tumbler holder with cup	355
Lobby Supplies	
Entrance mat	368
Lobby rubbish bin	369
Luggage cart	366-367
Painting	363-365
Railing stand	367
Umbrella rack	367

CLEANING SUPPLIES

CLEANING SUPPLIES

	PAGES
Broom	375
Cleaning Machine	371
Dust bin	380
Dust mop	374
Floor brush	374
Floor squeegee	374
Housekeeping cart	379
Linen trolley	378
Microfiber cloth	375
Mop	374
Mop bucket trolley	373
Multipurpose trolley	377
Sign board	375
Telescopic lever	376
Water and dust collector	372
Wet area mat	381
Window squeegee	376
Window wiper	376
Windproff rubbish shovel	375

FURNITURE & OUTDOOR

FURNITURE & OUTDOOR

	PAGES
Bar counter	388
Chair	383
Dinning set	389
Lazy susan	387
Mobile stage	387
Rectangular table	384
Round table	385
Sofa set	389
Sunbed	390
Trolley	386
Umbrella (Outdoor)	390
Waste bin and dust bin	391-392
Wooden top table	388

น้ำหนักและค่ามาตราต่างๆ (Weight and measures)

ระบบอังกฤษเทียบกับอเมริกัน (American and British English Usage, With approximate metric equivalents)

มาตราวัดความยาว (Linear measurement)

1 inch (in)	25.4 Millimetre (mm)
1 foot (ft)	12 Inch (in)
	0.3048 Metre (Metre exactly)
1 yard (yd)	3 Feet (ft)
	0.9144 Metre (m)
1 mile	1.760 Yard (yd)
	1.609 Kilometre (km)

มาตราวัดพื้นที่ (Square measurement)

1 square inch(in^2)	6.45 cm^2
1 square foot(ft^2)	144 in^2
	929 cm^2
1 acre	4,840 ตารางหลา (sq. yards)
	0.405 Hectare
1 ตารางไมล์(square mile)	640 Acres
	2.599 km^2

มาตราวัดปริมาณ (Cubic measurement)

1 cubic inch (in^3)	16.4 cm^3
1 cubic foot (ft^3)	1,728 in^3
	0.028 m^3
1 ลูกบาศก์หลา(cubic yard)	27 ft^3
	0.765 m^3

มาตราวัดความจุ (Capacity measurement)

1 ไพนท์ (pint)	20 Fluid oz.
	34.68 in^3
	0.568 Litre
1 gallon	4 Quart
	4.546 Litre
1 peck	2 Gallon
	9.092 Litre
1 bushel	4 Peck
	36.4 Litre
1 quarter	8 Bushel
	2.91 Litre

มาตราวัดแบบอเมริกัน (American dry)

1 ไพนท์ (pint)	33.60 in^3
	0.550 Litre
1 quart	1 ไพนท์(Pint)
	1.101 Litre
1 peck	1 Quart
	8.81 Litre
1 bushel	4 Peck
	35.3 Litre

แบบอเมริกัน (American liquid)

1 Pint	16 fluid oz.
	28.88 in^3
	0.473 Litre
1 Quart	2 Pint
	0.964 Pint
1 Gallon	4 Quart
	3.785 Litre

มาตราชั่งแบบ (Avoirdupois weight)

1 Grain	0.065 Gram
1 Dram	1.772 Gram
1 Ounce	16 Dram
	28.35 Gram
1 Pound	16 Ounce
	7,000 grain
	0.4536 Kilogram
1 สโตน(Stone)	14 Pound
	6.35 Kilogram
1 Quarter	2 Stone
	12.70 Kilogram
1 ฮันเดรดเวต(Hundredweight)	4 ควอเตอร์ (Quart)
	50.80 Kilogram
1 ชอร์ตตัน (short ton)	2,000 Pound
	0.907 Tonne
1 ลองตัน (Long ton)	20 ฮันเดรดเวต (Hundredweight)
	1,106 ตัน (Tonne)

ระบบเมตริกกับระบบอังกฤษ (Metric with Approimate British Equivalents)

มาตราวัดความยาว (Linear Measurement)

1 Millimetre (mm)	0.039 Inch (in)
1 Centimetre (cm)	140 Millimetre (mm)
	0.039 Inch (in)
1 Metre (m)	10 Decimetre (dm)
	1.094 Yards (yd)
1 Hectometre	100 Metre (m)
	109.4 Yard (yd)
1 Kilometre (km)	1,000 Metre (m)
	0.6214 Mile

มาตราวัดพื้นที่ (Square Measurement)

1cm^2	0.155 in^2
1 m^2	1.196 ตารางหลา (sq.yards)
	100 m^2
	119.6 ตารางหลา (sq. yard)
1 Hectare	100 Ares
	2.471 acres
1 cm^2	0.386 ตารางไมล์ (sq.mile)

น้ำหนักและค่ามาตราต่างๆ (Weight and measures)

มาตราวัดความจุ (Capacity measurement)

1 cubic centimetre	0.061 cu.inch
1 cubic metre	1.308 cu.yard

มาตราวัดความจุ (Capacity measurement)

1 Millilitre	0.002 Pint(แบบอังกฤษ)
1 Centilitre	10 ml
	0.018 Pint
1 Decilitre	10 Centilitre(cl)
	0.176 Pint
1 Litre	10 Decilitre (dl)
	1.76 Pint
1 Decalitre	100 Litre
1 Hectolitre	2.75 Bushel
	3.44 Quarter (square quarters)

น้ำหนัก

1 Milligram(mg)	0.015 Grain
1 Centigram	10 mg
	0.154 ml
1 Decagram	10 Centigram(cg)
	1.543 Grain
1 Decagram	10 Gram
	5.64 Drams
1 เฮกโตกรัม	100 Gram
	3.527 Ounces
1 Kilogram	1000 Gram
	2.205 Pound
1 ตัน (เมตริกตัน)/ (Tonne(Metric ton))	1000 kg
	0.984 ลองตัน (Long ton)

ตารางเปรียบเทียบ ขนาดท่อตามขนาดเส้นผ่านศูนย์กลางท่อ

1/4 in	0.635 cm
3/8 in	0.950 cm
1/2 in	1.270 cm
3/4 in	1.900 cm
1 in	2.540 cm
1 1/4 in	3.180 cm
1 1/2 in	3.180 cm
2 in	5.080 cm
3 in	7.620 cm
3 1/2 in	8.910 cm
4 in	10.20 cm
4 1/2 in	11.40 cm
6 in	15.20 cm
8 in	20.30 cm

อุณหภูมิ (Temperature)

ฟาเรนไฮต์ (Fahrenheit)	น้ำเดือดที่ 212°F และเยือกแข็งที่ 32°F
เซลเซียส(Celsius)	น้ำเดือดที่ 100 °C และเยือกแข็งที่ 0 °C
เคลวิน (Kelvin)	น้ำเดือดที่ 373.15 K และเยือกแข็งที่ 273.15 K
เปลี่ยนเซลเซียสเป็นฟาเรนไฮต์	F=9/5(°C)+32
เปลี่ยนฟาเรนไฮต์เป็นเซลเซียส	°C=(5/9)(°F-32)
เปลี่ยนเซลเซียสเป็นเคลวิน	K=°C+273.15

ชนิดของหัวเตาในเมืองไทย

หัว LOW	C-20 =	35,000 Btu/hr
	C-30 =	40,000 Btu/hr
	C-40 =	45,000 Btu/hr
หัว HI	KB5 =	50,000 Btu/hr
	KB7 =	70,000 Btu/hr
	KB8 =	80,000 Btu/hr
	KB10 =	100,000 Btu/hr

ตารางเปรียบเทียบแผ่น Stainless steel 304 ขนาด 1220 x 2440 มม.

Thickness	sheet number	kg/m^2	kg/sheet
0.55	24	3.97	11.80
0.60	23	4.79	14.16
0.70	22	5.55	16.52
0.80	21	6.35	18.88
0.90	20	7.14	21.24
1.00	19	7.94	23.60
1.20	18	9.52	28.32
1.50	16	11.90	35.40

การเปรียบเทียบ kcal/hr - Btu/hr, Kw - Btu/hr

1 kcal/hr	4 Btu/hr
1 Kw	3.413 x 10^3 Btu/hr

สูตรการคำนวณหาหน่วยต่างๆ ของไฟฟ้า

I = Electric current	หน่วย Ampere (A)
P = Power	หน่วย Watt (W)
V = Voltage	หน่วย Volt (V)

1. สูตรคำนวณหากระแสไฟฟ้า(220 V)

$$I = \frac{P}{V}$$

2. การกระแสไฟฟ้า(380V)

$$I = \frac{P}{\sqrt{3}\ x\ 380\ x\ \cos\theta}$$

ค่า $\cos\Theta = 0.85$

3. การหาค่าแรงม้า เป็นกำลังไฟฟ้า

1 hp = 746 W

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

COOKER



Automatic wok machine 37
Burners - floor type 8-12
Burners - counter type 22-23
Boiling pan 20-21
Cabinet for counter top equipment 23
Ceramic hob 14
Char broiler - floor type 15
Char broiler - counter type 27-28
Char rock broiler - floor type 16
Char rock broiler - counter type 29
Chinese burner 38
Combi steamer 39-43
Contact grill 34-35
Deep fryer - floor type 16-18
Deep fryer - counter type 31-33
Frying plate for burner 36
Griddle - floor type 15
Griddle - counter type 24-27
Hot plate - floor type 13-14
Hot plate - counter type 23
Induction cooker 23-24
Lava rock 36
Microwave 44
Noodle cooker - floor type 19-20
Noodle cooker - counter type 33-34
Pasta cooker - floor type 19
Pasta cooker - counter type 21
Popcorn machine 45
Rice cooker 43
Rotisserie machine 43
Salamander 29-31
Steamer 38-39
Tilting bratt pan 21
Work table with cabinet 36

MADE IN CHINA

4 Gas Burner with Cabinet



Model: JZH-RA-4

- American style burner
- Piezoelectric igniter included
- With flame-failure protection system
- Heat resistant handle

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	4 x 7.8kW (4 x 26613.5 Btu)
Gas consumption	106454 Btu LPG: 2800 Pa
Net weight	100 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

4 Gas Burner with Gas Oven



Model: JZH-RQ-4

- American style burner
- Oven use SIT630 valve
- Equipped with 1 rack
- Piezoelectric igniter included
- With flame-failure protection system
- Heat resistant handle

Dimensions	700 x 700 x 850 + 70mm
Oven chamber dimensions	560 x 600 x 270mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	4 x 7.8kW
Gas oven power	5.8kW
Gas consumption	125560 Btu LPG: 2800 Pa
Oven temperature range	120 -330 °C
Net weight	117 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

4 Gas Burner with Oven (without Rear Plate)



Model: S24-2

- Oven internal dimensions 524 x 655 x 348mm
- Oven temperature range: 100 - 320°C
- Oven power: 28000 Btu
- Gas stove power: 4 x 28000 Btu
- 4 Burners
- Rear plate equipped
- Italy SABAF valve in oven
- Excellent craft

Dimensions	609 x 830 x 911mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	112000 Btu LPG: 2800 Pa
Net weight	127 kg
Front panel material	High quality food grade stainless steel
Side plate material	Stainless Steel with Aluminum plating
Handle material	Stainless Steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

4 Gas Burner with Gas Oven (with Rear Plate)

- Oven internal dimensions 524 x 655 x 348mm
- Oven temperature range: 100 - 320°C
- Oven power: 28000 Btu
- Gas stove power: 4 x 28000 Btu
- 4 Burners
- Rear plate equipped
- Italy SABAF valve in oven
- Excellent craft

Dimensions	609 x 830 x 911+ 621mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	112000 Btu LPG: 2800 Pa
Net weight	130 kg
Front panel material	High quality food grade stainless steel
Side Plate material	Stainless steel with aluminum plating
Handle material	Stainless steel
Color	Satin finish



Model: S24

4 Gas Burner with Electric Oven

- American style burner
- Oven uses EGO thermostat 320℃
- Equipped with 1 rack
- With flame-failure protection system
- Heat resistant handle

Dimensions	700 x 700 x 850 + 70mm
Oven chamber dimensions	560 x 600 x 290mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	4 x 7.8kW
Electric oven power	4.8kW
Gas consumption	106000 Btu LPG: 2800 Pa
Voltage	380V/50Hz
Net weight	111 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TQ-4

4 Gas Burner with Cabinet

- European style burner
- With flame-failure protection system
- Heat resistant handle

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	2 x 4.5kW + 2 x 3.5kW
Gas consumption	54590 Btu LPG: 2800 Pa
Net weight	168 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-RA-4

MADE IN CHINA

4 Gas Burner with Gas Oven

- European Style Burner
- Oven use SIT630 valve
- Equipped with 1 rack
- With flame-failure protection system
- Heat resistant handle
- Piezoelectric igniter included



Model: JUS-RQ-4

Dimensions	700 x 700 x 850+70mm
Oven chamber dimensions	560 x 600 x 270mm
Oven temperature range	120 - 330 ℃
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	2 x 3.5kW + 2 x 4.5kW
Gas oven power	5.8kW
Gas consumption	54590 Btu LPG: 2800 Pa
Net weight	117 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

4 Gas Burner with Electric Oven

- European style burner
- With flame-failure protection system
- Heat resistant handle
- Oven equipped with 1 rack (573 x 538mm)



Model: JUS-TQ-4

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	2 x 3.5kW + 2 x 4.5kW
Electric oven voltage	380V/50Hz/3PH
Electric oven power	4.8kW
Gas consumption	54592 Btu LPG: 2800 Pa
Front counter-top material	Stainless steel 304
Side and rear plate	High quality food grade stainless steel
Color	Satin finish

6 Gas burner with Cabinet

- American style burner
- 2 doors cabinet
- With flame-failure protection system
- Heat resistant handle
- Equipped with heavy hobs and extra long handle
- Maximum burner output at 7.8kW
- Annular flame ensures high efficiency



Model: JZH-RA-6

Dimensions	1050 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	6 x 7.8kW
Gas consumption	159680 Btu LPG:2800Pa
Net weight	115 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

6 Gas Burner with Gas Oven

- American style burner
- Oven uses SIT630 valve
- Equipped with 1 rack ,1 cabinet and 1 oven
- Piezoelectric igniter included
- With flame-failure protection system

Dimensions	1050 x 700 x 850 + 70mm
Oven chamber dimensions	560 x 600 x 270mm
Outer carton	1160 x 910 x 1130mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	6 x 7.8kW
Gas oven power	5.8kW
Gas consumption	178790 Btu LPG: 2800 Pa
Oven temperature	120-330 °C
Net weight	155 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RQ-6

- Chamber dimensions: 524 x 655 x 348mm
- Oven temperature range 100 -320°C
- Oven power: 28000 Btu
- Gas stove power: 6 x 28000 Btu
- 6 burners
- Rear plate equipped
- Italy SABAF valve in oven
- Excellent craft



Model: S36-2

6 Gas Burner with Gas Oven (without Rear Plate)

Dimensions	900 x 830 x 911mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	168000 Btu LPG: 2800 Pa
Net weight	162 kg
Front panel material	High quality food grade stainless steel
Side plate material	Stainless steel with aluminum plating
Handle material	Stainless steel
Color	Satin finish

6 Gas Burner with Gas Oven (with Rear Plate)

Dimensions	900 x 830 x 911+ 621mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	168000 Btu LPG: 2800 Pa
Oven temperature range	100 -320°C
Net weight	166 kg
Frontpanel material	High quality food grade stainless steel
Side plate material	Stainless steel with Aluminum plating
Handle material	Stainless steel
Color	Satin finish



Model: S36

MADE IN CHINA

6 Gas Burner with Electric Oven



Model: JZH-TQ-6

- American style burner
- Oven use EGO thermostat 320℃
- Equipped with 1 cabinet and 1 oven
- With flame-failure protection system
- Heat resistant handle

Dimensions	1050 x 700 x 850 + 70mm
Oven chamber dimensions	560 x 600 x 270mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	6 x 7.8kW
Electric oven power	4.8kW
Gas consumption	159000 Btu LPG: 2800 Pa
Voltage	380V/50 Hz
Net weight	144 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

6 Gas Burner with Cabinet



Model: JUS-RA-6

- European style burner
- Heat resistant handle
- 2 doors cabinet
- With flame-failure protection system

Dimensions	1050 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	3 x 3.5kW + 3 x 4.5kW
Gas consumption	81888 Btu LPG: 2800 Pa
Net weight	Stainless steel 304
Front panel material	155 kg
Side plate material	High quality food grade stainless steel
Color	Satin finish

6 Gas Burner with Gas Oven



Model: JUS-RQ-6

- European style burner
- Oven use SIT630 valve
- Equipped with 1 cabinet and 1 oven
- Piezoelectric igniter included
- With flame-failure protection system
- Heat resistant handle

Dimensions	1050 x 700 x 850 + 60mm
Oven chamber dimensions	560 x 600 x 270mm
Outer carton	1160 x 910 x 1130mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Burner power	3 x 3.5kW + 3 x 4.5kW
Gas oven power	5.8kW
Gas consumption	81888 Btu LPG: 2800 Pa
Oven temperature	120 - 330 °C
Net weight	100 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Hot Plate with Cabinet

- The thickness of the hot plate 20mm
- Heat resistant handle
- Piezoelectric igniter included
- Itailian valve
- 2 doors cabinet

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	34120 Btu LPG: 2800 Pa
Net weight	87 kg
Front panel	Stainless steel 304
Side plate	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RE

Gas Hot Plate Burner with Gas Oven

- The thickness of the hot plate 20mm
- Heat resistant handle
- Hot plate uses Italian Value
- Oven uses SIT630 valve

Dimensions	700 x 700 x 850 + 70mm
Oven chamber dimensions	560 x 600 x 270mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	53910 Btu LPG: 2800 Pa
Net weight	122 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RT

4 Electric Plate Cooker with Cabinet

- Heat resistant handle
- 2 doors cabinet
- EGO round heating element
- EGO thermostat & swith

Dimensions	700 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Heating element power	9.2kW
Net weigh	55 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TE-4

MADE IN CHINA



Model: JZH-TT-4

4 Electric Plate Cooker with Electric Oven

- EGO heating element power: 14kW (2 x 2.6kW + 2 x 2kW)
- Oven chamber dimensions: 560 x 600 x 270mm
- Heat resistant handle
- Equipped with 1 rack
- EGO round heating element
- EGO thermostat & swith

Dimensions	700 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Electric oven power	4.8kW
Net weight	94 kg
Front panel material	Stainless steel 304
Side plate material stainless	High quality food grade stainless steel
Color	Satin finish



Model: JZH-HQ-4

- All stainless steel body with nice look. The smooth and flat surface ensures that it will not collect dirt and can be completely cleaned
- Key components are supplied by world-renowned manufacturers
- The stainless steel feet are adjustable and user-friendly
- EGO proportioner
- Easy to clean

4 Electric Ceramic Hob with Cabinet

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	7.2kW (4 x 1.8kW)
Net weight	66 kg
Front & counter-top materia	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-HP-4

4 Electric Ceramic Hob with Electric Oven

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	4.8kW (4 x 1.8kW)
Net weight	94 kg
Front & counter-top materia	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

MADE IN CHINA

Gas Griddle (2/3 flat & 1/3 grooved) with Cabinet

- Heat resistant handle
- Piezoelectric igniter included
- Itailian PEL valve
- 2 doors cabinet
- 2 knobs control left/right griddle area repately

Dimensions	700 x 700 x 850 + 70mm
Griddle plate dimensions	625 x 496 x 20mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	40262 Btu LPG: 2800 Pa
Net weight	95 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RG

Electric Griddle (2/3 flat & 1/3 grooved) with Cabinet

- 2 knobs control left/right griddle area sperately
- Heat resistant handle
- 2 doors cabinet
- EGO Thermostat

Dimensions	700 x 700 x 850 + 70mm
Griddle plate dimensions	625 x 496 x 20mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	9kW
Net weight	86 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TG

Electric Radiant Grill with Cabinet

- Grill dimension: 494 x 155mm
- Grill material: Cast Iron
- 1 item uses 4 pcs grill
- Heat resistant handle
- EGO proportioner

Dimensions	700 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	9kW
Net weigh	95 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TH

MADE IN CHINA

Gas Lava Rock Grill with Cabinet



Model: JZH-RH

- High power output, quick heating and high efficiency
- 1 item uses 4 pcs grill
- Heat resistant handle
- Piezoelectric igniter included
- 2 doors cabinet

Dimensions	700 x 700 x 850 + 70mm
Grill dimensions	494 x 155 mm
Outer carton	890 x 810 x 1160mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	49306 Btu LPG: 2800 Pa
Net weight	113 kg
Grill material	Cast Iron
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Gas Fryer



Model: NYGF300-RF

- Robertshaw brand thermostat – ensure stability and reliability
- The fryer has been designed to reduce the number of parts and can be easily accessed for service from the front
- Pilot is located up front, convenient for service
- Stainless steel cabinet is designed for durability and appearance
- Removable flue design to save loading space
- Solid state temperature control
- Matchless Ignition
- Detachable chimney
- Safety oil drain

Dimensions	394 x 759 x 1195 mm
Gas consumption	90000 Btu LPG: 2800Pa
Capacity	21 Litre
Net weight	49 kg
Material	Stainless steel
Color	Satin finish

1 Tank Gas Fryer (1 Basket) with Cabinet



Model: JZH-RC-1

- Tank cover thickness: 1.0mm
- Temperature range up to190 ℃
- Basket material: Q235 with nickel-plated
- Heat resistant handle
- Piezoelectric igniter included
- EGO 238°C temperature limiter
- 1door cabinet
- SIT 710 safety valve

Dimensions	360 x 700 x 850 + 70mm
Outer carton	470 x 890 x 1150mm
Tank cover dimension	405 x 295mm
Basket dimensions	190 x 300 x 145mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	52886 Btu LPG: 2800 Pa
Capacity	21 Litre
Net weight	53 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Tank cover material	Stainless steel 304
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

1 Tank Electric Fryer (1 Basket) with Cabinet

- Basket material: Q235 with nickel-plated
- 1 door cabinet and door handle material is bakelite
- Oil tank cover stainless steel 304 with thickness 1.0mm
- Oil tank cover dimension is 405 x 295mm
- Heat resistant handle
- EGO thermostat

Dimensions	360 x 700 x 850 + 70mm
Basket dimension	190 x 300 x 145mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Power	12kW
Capacity	21 Litre
Net weight	53 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TC-1

Electric Fryer (Computer Version)

- 1 tank 2 baskets
- High efficiency heating elements
- Flat heating elements
- Accurate control with micro-computer
- Editable menu mode

Dimension	400 x 800 x 1100mm
Front panel thickness	1.5mm
Side plate thickness	1.2mm
Oil tank material thickness	1.2mm
Voltage	380V/50Hz
Power	18kW
Net weight	28 kg
Side plate material	Aluminum
Material	Stainless steel
Color	Satin finish



Model: DZL28

2 Tanks Gas Fryer (2 Baskets) with Cabinet

- Basket material: Q235 with nickel-plated
- 2 doors cabinet and doors the handle material is bakelite
- Heat resistant handle
- Piezoelectric igniter included
- EGO temperature limiter
- SIT 710 safety valve

Dimensions	700 x 700 x 850 + 70mm
Basket dimensions	190 x 300 x 145mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	105772 Btu LPG: 2800 Pa
Net weight	85 kg
Capacity	2 x 21 Litre
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RC-2

MADE IN CHINA

2 Tanks Electric Fryer (2 Baskets) with Cabinet



Model: JZH-TC-2

- Basket material: Q235 with nickel-plated
- Heat resistant handle
- 2 doors cabinet
- EGO Thermostat

Dimensions	700 x 700 x 850 + 70mm
Basket dimensions	190 x 300 x 145mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Power	24kW
Voltage	380V/50Hz
Net weight	77 kg
Capacity	2 x 21 Litre
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

2 Tanks Electric Fryer with 4 baskets (Computer Version)



Model: DZL28-2

- 2 tanks with 2 baskets and each tank capacity is 28 litre
- Store up to 10 programmes
- Programable PCB
- High-efficiency heating pipe with rapid heating function
- High quality stainless steel

Dimensions	800 x 800 x 1100mm
Tank thickness	1.2mm
Exterior plate thickness	1.0mm
Alumium with thickness	1.2mm
Voltage	380V/50Hz
Power	36kW
Net weight	130 kg
Capacity	2 x 28 Litre
Tank material	High quality food grade stainless steel
Exterior plate material	High quality food grade stainless steel
Side plate material	Aluminum
Color	Satin finish

Shortening Filter Cart



Model: LG-20

- Stainless steel structure
- Durable use
- High effciency filter rate
- Increase oil utilization rate
- Filtering capacity: 5 Liters/min.
- Oil pump flowing capacity: 20 Liter/min
- Discharge input: 0.33Mpa

Dimensions	450 x 330 x 350mm
Voltage	220V/50Hz
Power	0.55kW
Net weight	42 kg
Material	Stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Pasta Cooker with Cabinet

- Tank material is stainless steel 316 with thickness 1.5mm
- 1 unit equipped with 4 pieces basket and 1 basket equipped 2 handles
- The baskets are made of stainless steel 304
- Heat resistant handle
- Piezoelectric igniter included
- 2 doors cabinet

Dimensions	700 x 700 x 850 + 70mm
Tank dimensions	380 x 540 x 180mm
basket dimension	260 x 145 x 180mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	75328 Btu LPG: 2800 Pa
Net weight	82 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-RM-S4

Electric Pasta Cooker with Cabinet

- Tank material is stainless steel 316 with thickness 1.5mm
- 1 item equipped with 4 pieces basket and 1 basket equipped
- 2 handles basket material is stainless steel 304
- 2 door cabinet, door handle material is bakelite
- Heat resistant handle
- EGO Thermostat

Dimensions	700 x 700 x 850 + 70 mm
Tank dimensions	380 x 540 x 180mm
Basket dimensions	260 x 145 x 180mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	12kW
Net weight	75 kg
Front counter-top material	Stainless steel 304
Side, rear and cabinet material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TM-S4

Gas Noodle with Cabinet (6 Baskets)

- Basket 125mm each
- Stainless steel handle
- Fully made of stainless steel
- Easy to clean
- Satin finish

Dimensions	400 x 744 x 902mm
Side and rear plate thickness	1.2mm
Gas consumption	34120 Btu LPG: 2800 Pa
Net weight	60 kg
Side and rear plate material	High quality food grade stainless steel
Tank material	Stainless steel 316



Model: WJRM16

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Noodle Cooker with Cabinet



Model: JZH-RM-12

- Tank material: stainless steel 316 with thickness 1.5mm
- Heat resistant handle
- Piezoelectric igniter included
- 2 doors cabinet
- Equipped with 12 baskets

Dimensions	700 x 700 x 850 + 60mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Basket depth	125mm
Side plate thickness	1.0mm
Gas consumption	75067 Btu LPG: 2800 Pa
Net weight	82 kg
Front panel material	Stainless steel 304
Basket material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Electric Noodle Cooker with Cabinet



Model: JZH-TM-12

- Tank stainless steel 316 with thickness 1.5mm
- 1 item equipped with 12 pieces basket
- Basket material is stainless steel 304 with depth 125mm
- 2 doors cabinet, door handle material is bakelite
- High-end commercial design
- Heat resistant handle

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	12kW
Net weight	75 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Gas Boiling Pan



Model: JZH-RO

- Outer pan material: stainless steel 439 with thickness 1.5mm
- Jacket pan material: stainless steel 316 with thickness 1.5mm
- Interlayer pressure: ≤50k Pa
- Piezoelectric igniter included
- Italian safety valve and pressure gauge

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	54574 Btu LPG: 2800 Pa
Capacity	60 Litre
Net weight	112 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Electric Boiling Pan

- Outer pan material: stainless steel 439 with thickness 1.5mm
- Jacket pan material: stainless steel 316 with thickness 1.5mm
- Interlayer pressure: ≤50k Pa
- EGO proportioner
- EGO thermostat 110℃
- Italian safety valve and pressure gauge

Dimensions	700 x 700 x 850 + 70 mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	12kW
Capacity	60 Litre
Net weight	88 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TO

Gas Tilting Pan

- Piezoelectric igniter included
- Panasonic microswitch
- EGO thermostat 320℃
- SIT820 safety valve
- Pan can be tilted to 85 degree

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	61416 Btu LPG: 2800 Pa
Capacity	60 Litre
Net weight	122 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Pan material	Stainless steel 444
Pan bottom material	Stainless steel 304
Color	Satin finish



Model: JZH-RS

Electric Tilting Pan

- EGO thermostat 300℃
- Pan can be tilted to 85 degree

Dimensions	700 x 700 x 850 + 70 mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	10.5kW
Capacity	60 Litre
Net weight	122 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Pan material	Stainless steel 444
Pan bottom material	Stainless steel 304
Color	Satin finish



Model: JZH-TS

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Burner



- Valve type: adjustable low-pressure valves
- Independent crumb collector
- Pilot flame design
- Easy to use
- High - end commercial design

Dimensions	300 x 692 x 246 +100mm
Gas consumption	45000 Btu LPG: 2800 Pa
Burners	2
Net weight	35 kg
Side plate material	Aluminum
Bottom side plate material	High quality food grade stainless steel
Color	Satin finish

Model: LFB-2S

Gas Burner



Dimensions	600 x 692 x 246 +100mm
Gas consumption	95000 Btu LPG: 2800 Pa
Burners	4
Net weight	59 kg
Side plate material	Aluminum
Bottom side plate material	High quality food grade stainless steel
Color	Satin finish

Model: LFB-4S

Gas Burner



- 4 American-type burner
- Pilot flame design
- Easy to use
- Low pressure regulating valves
- The grates com be dismounted
- With an independent scrap-collecting plate

Dimensions	600 x 770 x 360 + 60mm
Front panel thickness	1.2mm
Side plate thickness	1.0mm
Power	25.2kW
Gas consumption	86000 Btu LPG: 2800 Pa
Net weight	59 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Handle material	Stainless steel
Color	Satin finish

Model: RB-4

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Burner

- 6 American-type burners
- Pilot flame design
- Easy to use

Dimensions	900 x 770 x 360 + 60mm
Front panel thickness	1.2mm
Side plate thickness	1.0mm
Power	46.6kW
Gas consumption	159000 Btu LPG: 2800 Pa
Net weight	84 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Handle material	Stainless steel
Color	Satin finish



Model: RB-6

4 Electric Cooker

- EGO switch
- EGO heating plate
- Easy to clean

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	9.2kW (2 x 2.6kW + 2 x 2kW)
Net weight	31.4 kg
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-TZ-4

Absolute

MADE IN CHINA

Induction Cooker

- High technology
- Energy saving
- Environmental friendly
- Solid and durable
- Power selection level: 1~6
- Water resistant grade: IPX3

Dimensions	300 x 300 x 70mm
Voltage	220V/50Hz
Power	2kW
Material	Polyethylene




Model: IND-2000

Absolute

MADE IN CHINA

CE

Induction Cooker



Model: IND-3500

- High technology
- Energy saving
- Environmental friendly
- Solid and durable
- Temperature range: 60~220°C
- Electronic control panel
- Water resistant grade: IPX3

Model: IND-3500

Dimensions	350 x 450 x 130mm
Voltage	220V/50Hz
Power	3.5kW
Material	Non - magnetic stainless steel



Model: IND-3500W

Model: IND-3500W

Dimensions	400 x 500 x 190mm
Voltage	220V/50Hz
Power	3.5kW
Material	Non - magnetic stainless steel



Model: IND-5000

Model: IND-5000

Dimensions	400 x 500 x 190mm
Voltage	220V/50Hz
Power	5kW
Material	Non - magnetic stainless steel

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Gas Griddle

- Temperature:120 - 300°C
- SABAF valve
- Easy to clean



Model: JUS-TRG60

Dimensions	600 x 650 x 475mm
Griddle plate dimensions	596 x 514.5 x 14mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Gas consumption	34120 Btu LPG:2800 Pa
Net weight	58 kg
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Griddle

- Stainless steel body
- 2 burners
- Equipped with 2 pieces of H-type burners
- Pilot flame design
- Easy to use
- One knob control one burner

Dimensions	610 x 840 x 360 + 60mm
Griddle plate dimension	606 x 612 x 20mm
Front panel thickness	1.2mm
Side plate thickness	1.0mm
Gas consumption	60000 Btu LPG: 2800 Pa
Net weight	91 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: RGT-24

Gas Griddle

- Stainless steel body
- 3 burners
- Equipped with 3 pieces of H-type burners
- Pilot flame design
- Easy to use
- One knob control one burner

Dimensions	915 x 840 x 360 + 60mm
Griddle plate dimension	911 x 612 x 20mm
Front panel thickness	1.2mm
Side plate thickness	1.0mm
Gas consumption	90000 Btu LPG: 2800 Pa
Net weight	129 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: RGT-36

Electric Griddle

- Temperature: 50 - 300 ℃
- EGO thermostat & switch 300 ℃
- Easy to clean

Dimensions	600 x 650 x 475mm
Griddle plate dimensions	596 x 510 x 14mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	7.8kW
Net weight	60.4 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-DGH-60

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Electric Griddle (Flat)



Model: GH-818

- 1-piece flat grill board
- Economic style for small restaurants
- CE approval

Dimensions	550 x 450 x 230mm
Griddle plate dimension	548 x 350 x 10mm
Voltage	220V/50Hz
Power	3kW
Net weight	23 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Electric Griddle (1/2 Grooved)



Model: GH-822

- 1 piece grill board with 1/2 grooved + 1/2 flat design
- 2 knobs control 2 pieces heating elements
- Economic style
- Energy saving

Dimensions	730 x 500 x 230mm
Griddle board dimension	728 x 400 x 10mm
Voltage	380V/50Hz
Power	4.4kW
Net weight	31.6 kg
Material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Electric Griddle (Flat Plate)



Model: SH-24

- High quality stainless steel
- Shell thickness: 1.0mm
- High effciency heating elements
- Stainless steel structure
- Adjustable footstand
- Heating elements power is 1.35kW
- EGO thermostat
- Satin finished

Dimensions	609 x 616 x 406mm
Grilled plate size	605 x 490 x 20mm
Heating element	6 pieces
Voltage	380V/50Hz
Power	8kW
Net weight	72 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Electric Griddle (Flat Plate)

- High quality stainless steel
- Shell thickness: 1.0 mm
- High effciency heating elements
- Stainless steel structure
- Adjustable footstand
- Heating elements power is 1.35kW
- EGO thermostat
- Satin finished

Dimensions	914 x 616 x 406mm
Grilled plate size	910 x 490 x 20mm
Heating element	9 pieces
Voltage	380V/50Hz
Power	12kW
Net weight	102 kg



Model: SH-36

Electric Griddle (Flat Plate)

- High quality stainless steel
- Shell thickness: 1.0 mm
- High effciency heating elements
- Stainless steel structure
- Adjustable footstand
- Heating elements power is 1.35kW
- EGO thermostat
- Satin finished

Dimensions	1216 x 616 x 406mm
Grilled plate size	605 x 490 x 20mm
Heating element	12 pieces
Voltage	380V/50Hz
Power	16kW
Net weight	135 kg



Model: SH-48

Gas Thermal Radiant Grill（15"）

- Equipped with 2 pieces of grill net
- Pilot flame design
- Easy to use

Dimensions	404 x 660 x 400mm	
Front panel thickness	1.0mm	
Side plate thickness	1.0mm	
Gas consumption	25000 Btu	LPG: 2800 Pa
Net weight	32 kg	
Top side plate material	Aluminum	
Bottom side plate material	High quality food grade stainless steel	
Color	Satin finish	



Model: LFH-400S

Gas Thermal Radiant Grill（24"）

- High-end commercial design
- Equipped with 4 pieces of grill net
- Equipped with 2 drain valves

Dimensions	604 x 660 x 400mm	
Front panel thickness	1.5mm	
Side plate thickness	1.2mm	
Gas consumption	50000 Btu	LPG: 2800 Pa
Net weight	54 kg	
Top side plate material	Aluminum	
Bottom side plate material	High quality food grade stainless steel	
Color	Satin finish	



Model: LFH-600S

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Gas Thermal Radiant Gril（36"）



Model: LFH-900S

- Equipped with 4 pieces of grill
- Pilot flame design
- Easy to use

Dimensions	904 x 660 x 400mm	
Top panel thickness	1.2mm	
Side plate thickness	1.5mm	
Gas consumption	75000 Btu	LPG: 2800 Pa
Net weight	74 kg	
Top side plate material	Aluminum	
Bottom side plate material	High quality food grade stainless steel	
Color	Satin finish	

Gas Thermal Radiant Grill



Model: QR-24

- Barbecue grill dimensions: 545 x 135mm
- Equipped with 4 pieces barbecue grill and 4 pieces radiant cover
- 4 burners
- Chamber plate thickness: 2.0 mm
- One knob control one burner
- Energy saving

Dimensions	610 x 770 x 360 + 100mm	
Front panel thickness	1.0mm	
Side plate thickness	1.0mm	
Gas consumption	100000 Btu	LPG: 2800 Pa
Net weight	94 kg	
Front panel material	Stainless steel 304	
Side plate material	High quality food grade stainless steel	
Chamber plate material	Hot rolled plate	
Color	Satin finish	

Gas Thermal Radiant Grill



Model: QR-36

- Barbecue grill dimensions: 545 x 135mm
- Equipped with 6 pieces barbecue grill and 6 pieces radiant cover
- 6 Burners
- Chamber plate thickness: 2.0 mm
- One knob control one burner
- Energy saving

Dimensions	915 x 770 x 360 + 100mm	
Front panel thickness	1.0mm	
Side plate thickness	1.0mm	
Gas consumption	150000 Btu	LPG: 2800 Pa
Net weight	134 kg	
Front panel material	Stainless steel 304	
Side plate material	High quality food grade stainless steel	
Chamber plate material	Hot rolled plate	
Color	Satin finish	

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

- The upper worktop is stretch forming and can be completely cleaned
- The grid is durable and will not deform easily
- Equipped with flame failure device and thermocouple safty devices
- High heat efficiency, energy conservation, low fumes, great safety and reliability
- EGO proportioner
- Easy to clean
- Temperature 120-200℃

Gas Lava Rock Grill

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Gas consumption	49132 Btu LPG:2800Pa
Net Weight	67kg
Counter top part material	Stainless Steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-TRH60

Electric Lava Rock Grill

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	7.5kW
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-TH-60





Gas Salamander

- Equipped with rack
- Grid rail structure
- Economic Style
- Rack up-down style
- Made of stainless steel
- Satin finish
- Lift up structure

Dimensions	855 x 550 x 587mm
Gas consumption	39238 Btu LPG: 2800Pa
Net weight	74 kg



Model: REB-02

MADE IN CHINA

Gas Salamander



Model: REB-03

- Equipped with rack
- Grid rail structure
- Economic style
- Rack up-down style
- Made of stainless steel
- Satin finish
- Lift up structure

Dimensions	885 x 550 x 587mm	
Thickness	1.0mm	
Gas consumption	39238 Btu	LPG: 2800 Pa
Net Weight	74 kg	

Gas Infrared Salamander



Model: RG-14

- Anti-slip footing
- Easy to clean
- Equipped with 1 piece grid net
- Equipped with 4 valves
- Made of high quality food grade stainless steel
- Satin finish

Dimensions	620 x 440 x 610mm	
Grid net dimensions	411 x 366 mm	
Thickness	0.7mm	
Gas consumption	23884 Btu	LPG: 2800 Pa
Net weight	41 kg	
Shell material	High quality food grade stainless steel	
Chamber material	High quality food grade stainless steel	

Gas Infrared Salamander



Model: RG-16

- Anti-slip footing
- Easy to clean
- Equipped with 1 piece grid
- Equipped with 6 valves
- Made of high quality food grade stainless steel
- Satin finish

Dimensions	880 x 440 x 610mm	
Grid net dimensions	671 x 366 mm	
Thickness	0.7mm	
Gas consumption	35143 Btu	LPG: 2800 Pa
Net weight	47 kg	
Shell material	High quality food grade stainless steel	
Chamber material	High quality food grade stainless steel	
Material	Stainless steel	

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Electric Salamander

- Heat resistant handle
- EGO thermostat
- Temperature range: 50-300 ℃
- Up & down range: 0-140 mm
- High quality stainless steel
- Accurate temperature control technology allows to set temperature for a certain cooking period
- Satin finish
- Front panel material: stainless steel 304



Model: EB-450

Model: EB-450

Dimensions	450 x 450 x 500mm
Heating zone dimensions	440 x 320mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	2.8kW
Net weight	38.5 kg
Side plate material	High quality food grade stainless steel



Model: EB-600

Model: EB-600

Dimensions	600 x 450 x 500mm
Heating zone dimensions	590 x 320mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	4kW
Net weight	49 kg
Side plate material	High quality food grade stainless steel



Model: EB-800

Model: EB-800

Dimensions	800 x 450 x 500mm
Heating zone dimensions	590 x 320mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	5.6kW
Net weight	63 kg
Side plate material	High quality food grade stainless steel

1 Tank Electric Flyer (1 Basket)

- High efficiency heat pipe
- Over temperature protection
- High quality stainless steel
- Safety thermostat
- Side plate thinkness to 0.7mm
- Satin finish



Model	Dimensions(mm.)	Voltage	Power	Net weight	Capacity
EF-4L	260 x 380 x 310	220V/50Hz	2kW	5 kg	4 Litre
EF-6L	310 x 410 x 285	220V/50Hz	2.5kW	5.5 kg	6 Litre
EF-8L	310 x 410 x 340	220V/50Hz	3.25kW	6 kg	8 Litre
EF-11L	320 x 440 x 340	220V/50Hz	3.5kW	7 kg	11 Litre

MADE IN CHINA



Model: EF-12L

Electric 1 Tank Fryer (1 Basket, Counter Top)

- Drain valve for oil
- Excellent craft
- High efficiency heat pipe
- Over temperature protection
- High quality stainless steel
- Satin finish

Dimensions	290 x 550 x 410mm
Basket dimensions	190 x 230 x 140mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	3.25kW
Net weight	7 kg
Capacity	8 Litre



Model: JUS-TRC-2

Gas Fryer

- Temperature up to190 ℃
- EGO thermostat
- SIT710 safety valve
- Easy to clean

Dimensions	600 x 650 x 475mm
Counter top part	1.0mm
Side plate thickness	1.0mm
Gas consumption	38214 Btu LPG: 2800Pa
Capacity	2 x 10 Litre
Net weight	36 kg
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Tank material	Stainless steel 304
Color	Satin finish



Model: JUS-TEF-2

Electric Fryer

- Temperature up to190 ℃
- OMRON relay
- EGO thermostat
- Easy to clean

Dimensions	600 x 650 x 475mm
Counter top part	1.0mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	17kW (2 x 8.5kW)
Net weight	35 kg
Capacity	2 x 8.5 Litre
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

2 Tank Electric Flyer (2 Baskets)

- High efficiency heat pipe
- Over temperature protection
- High quality stainless steel
- Safety thermostat
- Side plate thinkness 0.7mm
- Front panel material: stainless steel 304
- Side plate material: High quality food grade stainless steel
- Satin finish



Model	Dimensions	Voltage	Power	Net weight	Capacity
EF-4L-2	480 x 380 x 310mm	220V/50Hz	2 x 2kW	9.5 kg	2 x 4 Litre
EF-6L-2	550 x 410 x 285mm	220V/50Hz	2 x 2.5kW	12 kg	2 x 6 Litre
EF-8L-2	550 x 410 x 340mm	220V/50Hz	2 x 3.25kW	14 kg	2 x 8 Litre
EF-11L-2	670 x 440 x 340mm	220V/50Hz	2 x 3.5kW	15 kg	2 x 11 Litre

2 Tank Electric Fryer (2 Baskets, Counter Top)

- Drain valve for oil
- Excellent craft
- High efficiency heat pipe
- Over temperature protection
- Basket dimensions: 190 x 230 x 140mm

Dimensions	580 x 550 x 410mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	2 x 3.25 kW
Net weight	17.5 kg
Capacity	2 x 8 Litre
Material	Non-magnetic stainless steel
Color	Satin finish



Model: EF-12L-2

Gas Noodle Cooker

- The basket height is 125mm with stainless steel 304
- Easy to clean
- Equipped with 9 baskets

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Gas consumption	38214Btu LPG: 2800 Pa
Capacity	28 Litre
Net weight	39 kg
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Tank material	Stainless steel 316
Color	Satin finish



Model: JUS-TRM60

MADE IN CHINA

Electric Noodle Cooker (Counter Top)



Model: TM-6

- Equipped with 6 baskets
- Excellent heating performance
- Equipped with drain valve

Dimensions	600 x 600 x 350mm
Front panel thickness	1.0mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	6kW
Net weight	25 kg
Front panel material	Stainless steel 304
Side plate material	Non-magnetic stainless steel

Electric Noodle Cooker



Model: JUS-DM-3

- Tank material: stainless steel 316 with thickness 1.2mm
- Temperature: up to 100 C
- Equipped with 9 pieces basket
- Easy to clean

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Capacity	24 Litre
Voltage	380V/50Hz
Power	9kW
Net weight	36 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

Electric Contact Grill (Top & Down Grooved Plate)



Model: GH-811A

- Grill surface use enamel material
- Heat resistant handle
- High quality stainless steel contruction
- Temperature range: 50-300 C
- Heating elements
- Bakelite handle
- Satin finished
- Teflon grill surface

Dimensions	290 x 305 x 210 mm
Upper grill dimensions	214 x 214 mm
Bottom grill dimensions	218 x 230 mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	1.8kW
Net weight	14 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Electric Contact Grill(Top & Down Grooved Plate)

- Enamel material surface
- Heat resistant handle
- High quality stainless steel contruction
- Temperature range: 50-300 ℃
- Heating elements
- Bakelite handle
- Satin finished
- Teflon grill surface



Model: GH-811EA

Dimensions	410 x 305 x 210 mm
Upper grill dimensions	338 x 220 mm
Bottom grill dimensions	340 x 230 mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	2.2kW
Net weight	20 kg

Electric Contact Grill

- 4 heating element
- Temperature range: 50 - 300 ℃
- Stainless steel construction
- Satin finished



Model: GH-813A

Model: GH-813A (Top & Down Grooved Plate)

Dimensions	570 x 395 x 210mm
Upper grill dimensions	214 x 214mm
Bottom grill dimensions	475 x 230mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	3.6kW
Net weight	29 kg



Model: GH-813B

Model: GH-813B (Top & Down Flat Plate)

Dimensions	570 x 395 x 210mm
Upper grill dimensions	214 x 214mm
Bottom grill dimensions	475 x 230mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	3.6kW
Net weight	29 kg



Model: GH-813C

Model: GH-813C (Top Grooved & Down Flat Plate)

Dimensions	570 x 395 x 210mm
Upper grill dimensions	214 x 214mm
Bottom grill dimensions	475 x 230mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	3.6kW
Net weight	29 kg

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA



Model: JUS-600

600 Cabinet

- Our standard version without door
- Suitable for 600 series equipment
- High space utilization
- Easy to clean

Dimensions	600 x 512 x 555mm
Side and rear plate thickness	1.0mm
Net weight	15.5 kg
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-GT360

Work Table with Cabinet

- 1 door cabinet
- Heat resistant handle
- Suitable for 700 series equipment
- High space utilization
- Easy to clean

Dimensions	360 x 700 x 850 + 70mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Steel Frying Plate

Model: 302010344

Lava Rock for Char Rock Broiler (Per Kilogram)



Model: BA-CR

Lava rock [Grade A]



Model: LS(B)

Lava rock [Grade B]

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN JAPAN

Automatic Wok - Fried Rice Cooker

- Spatula can achieve consistent finishing and cooking
- 3 steps adjustable motion with inverter control motor
- E-stop is a new function for your safety at emergent occasion
- Fire circuit breaker will be automatically operated when fire is turned off
- Easy to operate
- Minimizing human errors
- Does not require cooking skills
- Maximizing consistency
- Consistent heat transfer and wok tossing
- Blast burner increases heat efficiency by 30%, save gas consumption by 20%
- Productivity approx: 5 minutes per cooking or 8,000g per hour
- Stong body construction - front and side panels are made of stainless steel
- Avoid using with wet, humid and light ingredient
- Daily cleaning after use



Model: AWC-150





Suitable for dry menu such as fried rice, fried noodle, pasta, stir-fried vegetable, etc.







Dimensions	500 x 750 x 650mm
Power	220V /50Hz /single phase (with build-in transformer)
Electric consumption	0.2kW
Gas	LPG, 13A, etc.
Gas consumption	15,000 kcal/hr or 17.4kW/hr
Weight	80 kg
Flame power	weak, medium, strong
Tossing speed	slow, medium, fast
Capacity	800 g/cook

PRIMO

MADE IN CHINA



Model: CCGSS-1W

1 Burner Gas Chinese Wok Range

- Equipped with blower, 1 faucet, 1 rear pot
- Suitable for frying wok from Ø18inch~24inch
- Single valve for pilot and main gas, easy for operation
- Pulse ignitor included, easy operation and safety
- Flame-out protection, valve will be close less than 1 second if pilot flame-out
- Air pressure protection, valve will be close if blower is shut down
- Pipeline protection ECO-friendly pre-mix burner, energy saving, low noise less than 70db

Dimensions	1100 x 1200 x 1250mm
Counter panel thickness	1.5mm
Other panel thickness	1.0mm
Gas consumption	143304 Btu LPG: 2800Pa NG: 2000Pa
Net weight	95 kg
Material	Stainless steel 304
Color	Satin finish



Model: CCGSS-2W

2 Wok Chinese Cooking Gas Range with Blower

- Burner Power: 42+42KW/143304+143304 Btu
- Equipped with blower, 2 faucets, 2 rear pots
- Suitable for frying wok from Ø18inch~24inch
- Single valve for pilot and main gas, easy for operation
- Pulse ignitor included, easy operation and safety
- Flame-out protection, valve will be close less than 1 second if pilot flame-out
- Air pressure protection, valve will be close if blower is shut down
- Pipeline protection
- ECO-friendly pre-mix burner, energy saving, low noise less than 70db

Dimensions	2150 x 1200 x 1250mm
Counter panel thickness	1.5mm
Other panel thickness	1.0mm
Gas consumption	286608 Btu LPG: 2800Pa NG: 2000Pa
Net weight	160 kg
Material	Stainless steel 304
Color	Satin finish



Model: GCSSS-1

Gas Cooking Steamer

- Burner power: 42kW/ 143304 Btu
- One switch control two burners and adjustable flame
- Efficiency, able to provide steamer in less than 10 minutes
- Energy saving, exhaust pre-heating system

Dimensions	1000 x 1200 x 1250mm
Counter panel thickness	1.5mm
Other panel thickness	1.0mm
Gas consumption	143304 Btu LPG: 2800Pa NG: 2000Pa
Net weight	90 kg
Material	Stainless steel 304
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA

Gas 3 Drawer Steamer

- Burner power: 42kW/ 143304 Btu
- Pilot valve, no blower design
- Two groups switch control, flame adjustable
- Equipped with 7pcs rack
- Internal combustion eco-friendly burner, energy saving, low working noise less than 70db
- Automatic pulse ignitor included
- Flame-out protection
- Imported valve, pre-heatingsystem, energy saving
- Stainless steel water tank wrap with thermal insulation material, hot insulation and energy saving
- Pull-out rack design
- Efficiency

Dimensions	900 x 950 x 1900mm
Front panel thickness	1.2mm
Other panel thickness	1.0mm
Gas consumption	143304 Btu 42kW LPG: 2800Pa NG: 2000Pa
Net weight	220 kg
Material	Stainless steel 304
Color	Satin finish



Model: DSGSS-3

CE UL

JUSTA
An ITW Company
Largest foodservice equipment group of the world

4 Tray Combi Steamer

- Equipped with 4 pieces 350 x 330mm
- Digital control system
- Precise temperature control
- Double glazed toughened glass
- Highly efficient heating elements
- Safety two-step handle
- Stepless adjusting knob

Dimensions	502 x 643 x 620mm
Chamber dimensions	390 x 380 x 370mm
Height (per tray)	74mm
Chamber plate thickness	1.0mm
Side plate thickness	0.8mm
Voltage	220V/50Hz
Power	4.6kW
Capacity	4 GN 2/3 (354 x 325 x 50mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: EWR-04-23-L

6 Tray Combi Steamer

- Equipped with 4 pieces 536 x 330mm
- Precise temperature control
- Highly efficient heating elements
- Double glazed toughened glass
- Stepless adjusting knob
- Core components: motor, electromagnetic valve, relay are imported from Europe
- Core probe function
- Built-in boiler
- Digital control system
- Safety two-step handle

Dimensions	910 x 820 x 950mm
Chamber dimensions	460 x 645 x 600mm
Height (per tray)	70mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	12.5kW
Temperature	50 -250 °C
Capacity	6 GN 1/1(530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: PE601BD1
Built-in Boiler

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA



Model: EWR-06-11-L

6 Tray Combi Steamer

- Equipped with 4 pieces 536 x 330mm
- Highly efficient heating elements
- Precise temperature control
- Double glazed toughened glass
- Core probe function
- Digital control system
- Safety two-step handle
- Stepless adjusting knob

Dimensions	910 x 820 x 900mm
Chamber dimensions	460 x 645 x 600mm
Height (per tray)	70mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	12.5kW
Temperature	50 -250 ℃
Capacity	6 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: EWR-06-11-H
Built-in Boiler

6 Tray Combi Steamer

- Temperature: 50-250 ℃
- Equipped with 4 pieces 536 x 330mm
- Recipes downloadable
- Double glazed toughened glass
- Highly efficient heating elements
- Safety two-step handle
- Programable
- Core probe function
- Computer controlled

Dimensions	910 x 820 x 900mm
Chamber dimensions	460 x 645 x 600mm
Height (per tray)	70mm
Chamber plate thickness	1.2mm
Side plate thickness	1.1mm
Voltage	380V/50Hz
Power	12.5kW
Temperature	50 -250 ℃
Capacity	6 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel

- Touch panel design and visual operation
- Precise temperature control ± 5 ℃
- Clocked operation: start up on demand
- Probe function to detect core temperature of food
- Built-in boiler to generate steam
- 360° circulated hot air to maintain delicate color



Model: TE601BQ1

6 Tray Combi Steamer

- Highly efficient heating element, pre-heating setting
- Three levels of power (1,1/3,2/3) to save energy
- Two steps lock to prevent sudden steam
- Automatic descaling function of boiler to prolong life of boiler
- De-humid function to take out humid to make sure food is crispier
- Four working modes to achieve steaming
- Grilling, stewing, frying, regenerating functions
- Round chamber corner to ensure food safety
- Self-cleaning system

Dimensions	910 x 820 x 900mm
Chamber dimensions	440 x 645 x 580mm
Height (per tray)	60mm
Voltage	380V/50Hz
Power	12.5kW
Capacity	6 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

10 Tray Combi Steamer

- Height per tray: 60mm
- Temperature: 50-250 ℃
- Equipped with 4 pieces 536 x 330mm
- Precise temperature control
- Highly efficient heating elements
- Double glazed toughened glass
- Core components (motor, electromagnetic valve, relay) are imported from Europe
- Core probe function
- Built-in Boiler
- Digital control system
- Safety two-step handle
- Stepless adjusting knob

Dimensions	910 x 820 x 1080mm
Chamber dimensions	460 x 645 x 790mm
Height (per tray)	60mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	18.5kW
Temperature	50 -250 ℃
Capacity	10 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: PE101BD1
Built-in Boiler

10 Tray Combi Steamer

- Equipped with 4 pieces 536 x 330mm
- Highly efficient heating elements
- Precise temperature control
- Double glazed toughened glass
- Core probe function
- Safety two-step handle
- Simple adjusting knob
- Digital control system

Dimensions	910 x 820 x 1080mm
Chamber dimensions	460 x 645 x 790mm
Height (per tray)	60mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	18.5kW
Temperature	50 -250 ℃
Capacity	10 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: EWR-10-11-L

10 Tray Combi Steamer

- Equipped with 4 pieces 536 x 330mm
- Highly efficient heating elements
- Recipes downloadable
- Double glazed toughened glass
- Computer controlled
- Programable
- Core probe function
- Safety two-step handle

Dimensions	910 x 820 x 1080mm
Chamber dimensions	460 x 645 x 790mm
Height (per tray)	60mm
Chamber plate thickness	1.2 mm
Side plate thickness	1.0 mm
Voltage	380V/50Hz
Power	18.5kW
Temperature	50 -250 ℃
Capacity	10 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: EWR-10-11-H
Built-in Boiler

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA



Model: EWR-10-11-M

10 Tray Combi Steamer

- Equipped with 4 pieces 536 x 330mm
- Highly efficient heating elements
- Recipes downloadable
- Double glazed toughened glass
- Programable
- Core probe function
- Computer controlled
- Safety two-step handle

Dimensions	910 x 810 x 1080mm
Chamber dimensions	460 x 645 x 790mm
Height(per tray)	60mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	18.5kW
Temperature	50 -250 °C
Capacity	10 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel

- Touch panel design and visual operation
- Precise temperature control ± 5 °C
- Clocked operation: to start at any time as you want
- Probe function to detect core temperature of food
- Built-in boiler to generate steam
- 360° circulated hot air to maintain delicate color



Model: TE101BQ1

10 Tray Combi Steamer

- Highly efficient heating element, pre-heating setting
- Three levels of power (1,1/3,2/3) to save energy
- Two step lock to prevent sudden steam
- Automatic descaling function of boiler to prolong life of boiler
- De-humid function to take out humid to make sure food more crispy
- Four working modes to achieve steaming, grilling, stewing, frying, regenerating functions
- Rounder chamber corner to ensure food safety
- Self-cleaning system

Dimensions	910 x 820 x 1080mm
Chamber dimensions	440 x 645 x 770mm
Height (per tray)	60mm
Voltage	380V/50Hz
Power	18.5kW
Capacity	10 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel



Model: EWR-20-11-H

20 Tray Combi Steamer

- Computer controlled
- Recipes downloadable
- Double glazed toughened glass
- Highly efficient heating elements
- Core probe function
- Programable
- Safety two-step handle
- Built-in boiler
- Equipped with 1 pc trolley-cart and 5 pcs 536 x 330mm net and 5 pcs SS grill net and 5 pcs alumium grill net

Dimensions	910 x 820 x 1880mm
Chamber dimensions	460 x 645x 1540mm
Height(per tray)	60 mm
Chamber plate thickness	1.2 mm
Side plate thickness	1.0 mm
Voltage	380V/50Hz
Power	37v kW
Capacity	20 GN 1/1 (530 x 325 x 25mm)
Net weight	350 kg
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

20 Tray 40 Pan Combi Steamer

- Computer controlled
- Recipes downloadable
- Highly efficiency heating elements
- Double glazed toughened glass
- Equipped with 1 pc trolley-cart and 5 pcs 536 x 330mm net and 5 pcs stainless steel grill net and 5 pcs alumium grill net
- Programable
- Core probe function
- Safety two-step handle
- Build-in boiler

Dimensions	1170 x 1000 x 1880mm
Chamber dimensions	710 x 815 x 1540mm
Height (per tray)	60mm
Chamber plate thickness	1.2mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	53kW
Capacity	40 GN 1/1 (530 x 325 x 25mm)
Chamber material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: EWR-20-21-H
Build-in Boiler

Gas Rotisserie

- Roasted using infrared ray ensures speed, efficiency and energy conservation



Model: GT3-P

Dimensions	1200 x 500 x 730mm
Voltage	220 - 240 V
Power	18kW
Net weight	77 kg
Capacity	15 Chickens



Model: GT6-P

Dimensions	1200 x 500 x 1260mm
Voltage	220 - 240 V
Power	36kW
Net weight	126 kg
Capacity	30 Chickens

Commercial Gas Rice Cooker

HOSUN
MADE IN TAIWAN

- Bimetallic temperature sensor for accurate and reliable operation
- Heavy duty cast aluminum rice pot with steel drop handles lifts out for easy cleaning or rice washing
- Automatic piezo ignition with Pilot gas safety system - keeps rice hot for serving after cook cycle is completed
- Stainless steel lid with durable high temperature thermoset plastic handle
- Rapid production times: 25-27 minutes

Dimensions	452 x 488 x 435mm
Gas Type	LPG
LPG gas consumtion	0.57 kg/hr
Cities gas consumtion	7400/kcal/hr
NG gas consumtion	7500/kcal/hr
Net weight	15.2 kg



Model: RC50

MENUMASTER Commercial

PRODUCT OF USA

Standard Duty Microwave





Model: RMS510TS

- **1000 watts of cooking power**
  - Efficient reheating and defrosting
  - Reduces food waste
- **Stainless steel cabinet and white** powder coated painted oven interior
  - Commercial finish
  - Easy to clean
- **Ample .8 cubic ft. (23 L) oven capacity**
  - Accommodates 305 mm platter
  - Heats large or small portions
- **Motor driven bottom antenna**
  - Efficient energy distribution
  - Reliable heating results
- **Grab 'n Go handle**
  - No moving part
  - Reliable
- **Keybeep volume – user option**
  - Allows user to turn off keybeep or select from 3 volume levels
  - Customize for any environment or use
- **Touch controls**
  - 20 programmable menu settings (compared to competition's 10) 3 stages of cooking and 5 microwave power levels
  - Adaptable controls
- **Ideal applications**
  - Convenience stores
  - Dessert stations
  - Nurse's stations
  - Teacher's loungett
- **Interior oven light**
  - 20 watt bulb fully lights cavity
  - Easily see food as it cooks

Specifications

Model	RMS510TS
Exterior dimensions	311 x 508 x 419mm
Cavity dimensions	197 x 330 x 330mm
Shipping carton size	381 x 584 x 457mm
Configuration	Countertop
Control system	Touch
Programmable control pads	10
Settings programmable	20
Max. Cooking time	60:00
Power Levels	5
Defrost	Yes
Time Entry option	Yes
Microwave distribution	Rotating stirrer, bottom
Magnetron	1
Display	LED
Stage cooking	Yes, 3
Maximum	50 uses per days
Interior light	Yes
Door handle	Grab & Go
Signal	End of cycle, adjustable
Door depth	737mm door open
Usable cavity space	23 Liter
Exterior finish	Stainless steel wrap
Interior finish	Stainless steel
Power consumption	1.5kW, 7.3 A
Power output	1kW Microwave
Power source	230V, 50 Hz, 16 A single phase
Plug configuration / cord	1.5m (5 ft.)
Frequency	2450 MHz
Product weight	14.5 kg (32 lbs.)
Ship weight (approx.)	17.7 kg (39 lbs.)





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRODUCT OF USA

Popcorn Machine

Model: STREET VENDOR 6



- 6 oz. kettles
- Easy to use and maintain
- Heated warming deck
- Old maid drawer for un-popped kernels
- Stainless steel food zone for easy cleaning
- 20mm anodized non-stick kettles
- Tempered glass panels



* This model is only popcorn machine

Popcorn Recipes

Movie Star Popcorn
Ingredients
- 3 tablespoons peanut oil
- 2 tablespoons butter
- 1/2 cup unpopped popcorn
- 1/2 teaspoon salt

Salt and Pepper Popcorn
Ingredients
- 3 tablespoons canola oil
- 1 1/2 tablespoons rice flour
- 1 teaspoon salt
- 1 teaspoon onion powder
- 1 teaspoon garlic powder
- 3/4 teaspoon ground black pepper
- 8 cups popped popcorn




These kettle inners are constructed of thick gauge anodized aluminum for maximum performance and easy cleaning

Aluminum provides the best heat transfer of any "cookware approved" alloy while the 20mm thick anodizing armors the kettle for durability and provides a super-slick surface for easy cleaning. The kettle jackets are made of stainless steel for corrosion resistance and easy cleaning.



Simple two-switch operation

Street Vendors are designed to be simple to operate making them ideal for locations that have multiple operators. The master switch turns on the warming deck and the interior lamp. The kettle switch turns on the agitating motor and kettle heat for a popping cycle. For safety, the kettle switch will not operate without the master switch in the ON position.



Heated warming deck

All Street Vendor poppers have a 50 watt heating element in the base to keep the popped corn fresh and warm. Since heat rises, bottom heating is preferred to heat lamps that only heat the top layer of popped corn. The heated warming deck will keep popcorn at the ideal serving temperature for long periods of time. The warmer is necessary for situations that require that popcorn is available on demand like concession stands, convenience stores, parties or retail establishments.



Un-popped kernel drawer

You won't have to worry about biting into an un-popped kernel with the Street Vendor's old-maid drawer. The perforations in the bottom stainless tray allow the un-popped kernels to fall into the drawer leaving only fresh and fluffy popped corn in the holding bin. Simply "rake" the popped corn with a scoop and the oldmaids fall through the openings.

Specifications


Model	Dimensions	Description	Volts	Watts	Amps	Qts/Hr*	Wt	Weight
STREET VENDOR 6	533 x 457 x 864mm	6 ounce popper	220	1180	5.0	127	58	26



WARMING EQUIPMENT

Bain marie	50-52
Carving station with heat lamp	58
Chip warmer	54
Chocolate fountain machine	48-49
Chocolate tempering machine	50
Display steamer	53
Display warmer	54
Drawer warmer	53
Food warming cabinet trolley	52
Heat lamp station	55-57
Hot dog warmer	59
Infrared strip heater	59
Plate warmer	60
Revolving display warmer	53
Soup warmer	48
Towel warmer	60

Temperature Danger Zone



PRIMO

MADE IN CHINA

CE

Soup Warmer

- Appearance: classic design, economic and practical
- Recyclable device: collection of steam water devices
- Disassembling and cleaning: annular handle of soup barrel, separated lid design
- Security: adjustable temperature, burnt-resistant, special function of adding water
- Environmental friendly, efficient and low power consumption



Model: ESK-10L

Thickness	0.8mm
Voltage	220V/50Hz
Power	0.4kW
Temperature	30 - 80 °C
Material	Painted iron
Lid material	Steel
Capacity	10 Litre
Net weight	4 kg
Color	Black



Model: ESK-10LS

Thickness	0.8mm
Voltage	220V/50Hz
Power	0.4kW
Temperature	30 - 80 °C
Lid material	Steel
Capacity	10 Litre
Net weight	3.8 kg
Color	Silver

Chocolate Fountain

- Automatic temperature control
- Easy to clean, quick installation
- 304 stainless steel material



Model: CF3-40

Dimensions	Ø210 x H400mm
Voltage	220V/50Hz
Motor power	DC24V/80W
Heating power	0.2kW
Layers	3
Temperature	30 - 80 °C
Capacity	1 kg
Current operation	0.51Amp.
Net weight	3 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA

CE

Chocolate Fountain

- Thermal control: advanced energy saving technology features with automatic temperature control
- Performance: melt the chocolate directly with pace and enable temperature stablility control to maintain the taste of the chocolate
- Operation: friendly-using, highly relocable, easy for maintenance and cleaning
- Material: stainless steel and stainless steel 304, extra durable
- Seal system: advanced sealing system for leakage prevention and prolong the operation hours



Model: CF4-58

Model: CF4-58

Dimensions	Ø280 x H580mm
Voltage	220V/50Hz
Motor power	DC 24V/60W
Heating power	0.15kW
Layers	4
Temperature	30 - 80°C
Capacity	3 kg
Net weight	5.5 kg



Model: CF5-68

Model: CF5-68

Dimensions	Ø330 x H680mm
Voltage	220V/50Hz
Motor power	DC24V/80W
Heating power	0.15kW
Layers	5
Temperature	30 - 80°C
Capacity	4 kg
Net weight	9 kg



Model: CF6-82

Model: CF6-82

Dimensions	Ø360 x H820mm
Voltage	220V/50Hz
Motor power	DC20V/100W
Heating power	0.18kW
Layers	6
Temperature	30 - 80°C
Capacity	6 kg
Net weight	6 kg



Model: CF7-103

Model: CF7-103

Dimensions	Ø430 x H1000mm
Voltage	220V/50Hz
Motor power	DC24V/150W
Layers	7
Temperature	30 - 80°C
Heating power	0.2kW
Capacity	8 kg
Net weight	15 kg

PRIMO

MADE IN CHINA

CE

Chocolate Tempering Machine

- Latest version of chocolate heating furnace, use water heating
- Enable manual temparature control function
- Highly relocable and efficient



Model: CT8-2

Pot dimensions	330 x 180 x 1000mm
Product dimensions	485 x 360 x 180mm
Voltage	220V/50Hz
Motor power	DC24V/150W
Heating power	1.8kW
Temperature	0 - 80 °C
Capacity	8 kg
Net weight	10 kg

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

- Equipped with 2 pcs GN 1/1 (530 x 325 x 150mm) pan
- Heat resistant handle
- 2 doors cabinet
- High power output , quick heating , high efficiency and anti-dry heating
- All stainless steel body
- Water can be easily poured in and drained
- Adjustable feet
- EGO Thermostat 85 ℃



Model: JZH-RB

Gas Bain Marie with Cabinet

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Gas consumption	20472 Btu LPG: 2800 Pa
Capacity	60 Litre
Net weight	77 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish



Model: JZH-TB

Electric Bain Marie with Cabinet

Dimensions	700 x 700 x 850 + 70mm
Outer carton	890 x 810 x 1150mm
Front panel thickness	1.5mm
Side plate thickness	1.0mm
Voltage	380V/50Hz
Power	5kW
Net weight	68 kg
Front panel material	Stainless steel 304
Side plate material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Gas Bain Marie

- Easy to clean
- EGO proportioner
- Smooth and flat surface
- Energy-saving, ensures safety and convenient
- High-quality stainless steel
- Corrosion resistant, rust resistant and permits easy removal of cooking
- Fumes with an efficient heating tube

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Gas consumption	12625 Btu LPG: 2800Pa
Net weight	28 kg
Capacity	10 Litre
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-TRB60

Electric Bain Marie

- Easy to clean
- EGO proportioner
- Smooth and flat surface
- Energy-saving, ensures safety and convenient
- High-quality stainless steel
- Corrosion resistant, rust resistant and permits easy removal of cooking fumes with an efficient heating tube

Dimensions	600 x 650 x 475mm
Counter top part thickness	1.0mm
Side plate thickness	1.0mm
Voltage	220V/50Hz
Power	1.2kW
Net weight	24.4 kg
Capacity	10 Litre
Counter top part material	Stainless steel 304
Side and rear plate material	High quality food grade stainless steel
Color	Satin finish



Model: JUS-TY-2

Table-Top Bain Marie

- Temperature range: up to 95 ℃
- Equipped with 1 water drain valve
- Tank depth: 165mm
- EGO thermostat
- Fit for 1 piece of 1/1(530 x 325 x 150mm) pan

Dimensions	370 x 570 x 230mm
Shell thickness	0.8mm
Voltage	220V/50Hz
Power	1.2kW
Net weight	10.5 kg
Shell Plate material	Non-magnetic stainless steel
Surface	Satin finish



Model: KG-165F

MADE IN CHINA

CE

Table-Top Bain Marie



Model: TBM-2

- Temperature range: up to 95 ℃
- Equipped with water drain valve
- EGO thermostat
- Equipped with 2 x 4.5 litre soup warmer with lids
- Suitable for soup or sauce warming

Dimensions	355 x 600 x 360mm
Shell thickness	0.8mm
Voltage	220V/50Hz
Power	1.2kW
Net weight	12 kg
Capacity	2 x 4.5 Litre
Material	High quality food grade stainless steel
Surface	Satin finish

Food Warmer Cart (1 Door)



Model: DH-11-5F

- Excellent craft
- 4 wheels for flexible moving
- Equipped with water tank inside the chamber
- Space between 2 layers: 160mm height
- All Stainless steel body
- Temperature range: 30-100 ℃
- Satin finish

Dimensions	790 x 975 x 1350mm
Chamber dimensions	540 x 680 x 940mm
Layer height	160mm
Voltage	220V/50Hz
Power	2.62kW
Net weight	136 kg

Food Warmer Cart (1 Door)



Model: DH-11-21

- Excellent craft
- 4 wheels for flexible moving
- Equipped with water tank inside the chamber
- Space between 2 layers: 160mm height
- All stainless steel body
- Temperature range: 30-100 ℃
- Satin finish

Dimensions	790 x 975 x 1795mm
Chamber dimensions	540 x 680 x 1380mm
Layer height	115mm
Voltage	220V/50Hz
Power	2.62kW
Net weight	182 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CE

Electric Drawer Bun Warmer

- Economic style
- Heat resistant
- Easy to clean
- Plastic handle
- All stainless steel body

Dimensions	740 x 590 x 620mm
Voltage	220V/50Hz
Power	1kW
Material	Stainless steel
Color	Satin finish



Model: WL-02

Display Steamer

- Easy to clean
- Good performance in moisture control
- Molding tank to prevent leaking and rusting
- Plastic water-inlet pipe which connects with water tank
- All 4 sides glass with 2 vent holes
- 6 layers
- Manual water draining off system

Dimensions	457 x 518 x 825mm
Each layer size	385 x 430mm
Voltage	220V/50Hz
Power	1.2kW
Net weight	39 kg
Material	Glass
Color	Transparent



Model:MME-600H-S

Pizza Warming Showcase

- Revolving display design
- Tempering glass food warmer display showcase
- Equipped with 4 round racks
- Temperature Range: 30-85 C
- Equipped with thermostat
- Satin finish

Dimensions	500 x 450 x 770mm
Rack Diameter	320mm
Voltage	220V/50Hz
Power	0.9kW
Net weight	27 kg
Material	Stainless steel



Model: DH-13

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Display Warmer

CE

- Glass door for both front and rear
- EGO thermostat
- Temperature range: 30-85 ℃
- Satin finish



Model: DH-580

Dimensions	640 x 360 x 620mm
Rack dimensions	569 x 300mm
Front glass door dimensions	300 x 368 x 5mm
Rear glass doordimensions	576 x 385 x 5mm
Hell thickness plate	0.7mm
Equipped with	4 Racks
Voltage	220V/50Hz
Power	1kW
Net weight	21 kg
Material	Stainless steel + glass



Model: DH-805

Dimensions	865 x 360 x 620mm
Rack dimensions	794 x300mm
Front glass door dimensions	412 x 463 x 5mm
Rear glass doordimensions	480 x 380 x 5mm
Shell thickness plate	0.7mm
Equipped with	5 Racks
Voltage	220V/50Hz
Power	1.5kW
Net weight	35 kg
Material	Stainless steel + glass

Chips Work Station

- Potato chips work station
- Fully stainless steel structure
- Highly effcient heating elements
- Energy saving
- Satin finish



Model: VF-8

Dimensions	800 x 710 x 650 mm
Chips tank material thickness	0.8mm
Shell and plate thickness	0.7mm
Voltage	220V/50Hz
Power	0.72kW
Net weight	30 kg
Chips tank material	Stainless steel 304
Shell and plate material	High quality food grade stainless steel

Hot Showcase

- Potato chips work station
- Fully stainless steel structure
- Highly effcient heating elements
- Energy saving
- Satin finish



Model: DH-310

Dimensions	330 x 560 x 500mm
Thickness	1.0mm
Voltage	220V/50Hz
Power	1kW
Net Weight	7 kg
Material	High quality food grade stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Heat Lamp

- Food grade stainless steel 304 streamlined lampshade
- Strong and durable
- Brand new patent shaft, flexible
- Equipped with explosion-resistant bulbs with CE, RoHS certifications
- Durable switch with CE, RoHS certifications
- Minimum temperature higher than 60°C
- Light bulb: 250W
- More stable base
- Voltage: 220V/50Hz
- Mirror finish

Lampshades are available in 3 colors

- Stainless steel
- Gold
- Copper



Model: HLR1C-SSRB

- One round lamp with curved edge
- Stainless steel round base

Dimensions	Φ240 x H730mm



Model: HLR1-OB

- One round lamp with curved edge
- Oblique base

Dimensions	210 x 330 x 760mm



Model: HLRB1S-SB

- Round bowing one-light heatlamp with square base and flexible hose

Dimensions	360 x 320 x 650mm



Model: HLR1S-SB

- Round orthostomous one-light heatlamp with square base and flexible hose

Dimensions	360 x 320 x 650mm



Model: HLS1S-SB

- Square orthostomous one-light heatlamp with square base and flexible hose

Dimensions	360 x 320 x 650mm



Model: HLH1S-SB

- Hexagonal one-light heatlamp with square base and flexible hose

Dimensions	360 x 320 x 650mm



Model: HLCR1C-MSS

- One round lamp with curved edge
- With temperature control knot

Dimensions	520 x 325 x 700mm



Model: HLCR1WS

- Round bowing one-light heatlamp with stainless steel stand

Dimensions	900 x 540 x 560mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

Heat Lamp

- Food grade stainless steel 304 streamlined lampshade
- Strong and durable
- Brand new patent shaft, flexible
- Equipped with explosion-resistant bulbs with CE, RoHS certifications
- Durable switch with CE, RoHS certifications
- Minimum temperature higher than 60°C
- Light bulb: 250W
- More stable base
- Voltage: 220V/50Hz
- Mirror finish

Lampshades are available in 3 colors

- Stainless steel
- Gold
- Copper



Model: HLRB2S-SB

- Round bowing two-lights heatlamp with square base and flexible hose

Dimensions 450 x 400x 700mm



Model: HLR2S-SB

- Round orthostomous two-lights heatlamp with square base and flexible hose

Dimensions 450 x 400 x 700mm



Model: HLS2S-SB

- Square orthostomous one-light heatlamp with square base and flexible hose

Dimensions 450 x 400 x 700mm



Model: HLH2S-SB

- Hexagonal two-lights heatlamp with square base and flexible hose

Dimensions 450 x 400 x 700mm



Model: HLCR2S-SSM

- Round orthostomous two-lights heatlamp with stainless steel mirror base

Dimensions 450 x 150 x 650mm



Model: HLCH2S-SSM

- Hexagonal two-lights heatlamp with stainless steel mirror base

Dimensions 460 x 400 x 700mm



Model: HLCR2C-MSS

- Round bowing two-light heatlamp with temperature adjustable s/s mirror base

Dimensions 1150 x 480 x 700mm



Model: HLCR2WS

- Round bowing two-lights heatlamp with stainless steel stand

Dimensions 900 x 540 x 560mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Heat Lamp

- Food grade stainless steel 304 streamlined lampshade
- Strong and durable
- Brand new patent shaft, flexible
- Equipped with explosion-resistant bulbs with CE, RoHS certifications
- Durable switch with CE, RoHS certifications
- Minimum temperature higher than 60°C
- Light bulb: 250W
- More stable base
- Voltage: 220V/50Hz
- Mirror finish

Lampshades are available in 3 colors

- Stainless steel
- Gold
- Copper



Model: HLCR3C-MSS

- Three round lamps with curved edge
- With temperature control knot

Dimensions	1150 x 480 x 700mm



Model: HLCR3WS

- Round bowing three-lights heatlamp with stainless steel stand

Dimensions	1250 x 540 x 560mm

Model: RDHLCR7-SS

- Seven round lamps
- Strong and stable base design
- Rotating base

Dimensions	Φ1400 x H1350mm





Carving Station with Heat Lamp

- Food grade stainless steel 304 streamlined lampshade
- Strong and durable
- Brand new patent shaft, flexible
- Equipped with explosion-resistant bulbs with CE, RoHS certifications
- Durable switch with CE, RoHS certifications
- Minimum temperature higher than 60°C
- Light bulb: 250W
- More stable base
- Voltage: 220V/50Hz
- Mirror finish

Lampshades are available in 3 colors

- Stainless steel
- Gold
- Copper



Model: HLCR1-RW

- One round lamp with curved edge
- Round apricot wood station

Dimensions Φ520 X 730mm



Model: HLCR2C-SW

- Two round lamps with curved edge
- Square apricot wood station

Dimensions 500 x 450 x 730mm



Model: HLCR2-SSBG

- Two round lamps
- Stainless steel coated black galaxy granite station
- Oval base

Dimensions 480 x 760 x 730mm



Model: HLCR2-OW

- Two round lamps with curved edge
- Oval apricot wood station

Dimensions 210 x 430 x 760mm



Model: HLCS2-SSG

- Two square lamps
- Stainless steel coated portoro granite station
- Square base

Dimensions 600 x 500 x 730mm



Model: HLCR2-BG

- Two round lamps
- Black galaxy granite station with carved edge

Dimensions 600 x 520 x 760mm



Model: HLCS3-SSG

- Three square lamps
- Stainless steel coated portoro granite station

Dimensions 600 x 540 x 760mm



Model: HLCS4-SSBG

- Four square lamps
- Stainless steel coated black galaxy granite station

Dimensions 900 x 550 x 730mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Stainless Steel Infrared Heating Lamp

BERJAYA
Quality Variety Reliability

MADE IN MALAYSIA

- Aluminium housing
- Tubular metal sheathed infrared heating element

Model	Dimensions	Power	Weight
IR510	610 x 155 x 65mm	0.51kW	3 kg
IR810	915 x 155 x 65mm	0.81kW	4 kg
IR1000	1200 x 155 x 65mm	1kW	5 kg



Model: IR510, IR810, IR1000

Hot Dog Warmer

LKK

MADE IN CHINA

Model	Dimensions	Power	No. of Rollers
RG-5	440 x 251 x 181mm	220V/0.5kW	5
RG-7	440 x 323 x 181mm	220V/0.7kW	7
RG-7T	440 x 323 x 181mm	220V/0.7kW	7
RG-7X	440 x 323 x 207mm	220V/0.7kW	7
RG-9	550 x 400 x 181mm	220V/0.9kW	9
RG-9x	550 x 400 x 211mm	220V/0.9kW	9
RG-11	550 x 475 x 181mm	220V/1.1kW	11
RG-11X	550 x 475 x 181mm	220V/1.1kW	11
RG-11XB	537 x 477 x 204mm	220V/1.5kW	11



Model: RG-5



Model: RG-7T



Model: RG-9



Model: RG-9X



Model: RG-7X



Model: RG-11X



Model: RG-11XB





JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Plate Warmer Cart

- Heat resistant handle
- Easy to clean
- Excellent craft
- 4 wheels for flexible moving
- Fast and high heating efficiency
- Max size of plate: ∅12 inch
- All stainless steel body
- Satin finish



Model: DR-1

Electric Plate Warmer Cart (1 Holder)
Model: DR-1

Dimensions	450 x 485 x 770mm
Voltage	220V/50Hz
Power	0.4 kW
Net weight	31 kg
Capacity	75 plates



Model: DR-2

Electric Plate Warmer Cart (2 Holder)
Model: DR-2

Dimensions	450 x 910 x 770mm
Voltage	220V/50Hz
Power	0.8 kW
Net weight	48 kg
Capacity	150 plates

XINGX

MADE IN CHINA

Towel Warmer

Hand towel warmer which supports either 1 or 2 decks. Suitable for service and hospitality business such as hotels, spas, restaurants, hospitals and all ranges of entertainment centre.



Model : TW-7S

Dimensions	350 x 250 x 275mm
Power	0.13kW
Capacity	7.5 litre
Contain towels	25-30 pcs
Temperature	65°C to °80C



Model : TW-32

Dimensions	415 x 450 x 430mm
Power	0.32kW
Capacity	32 litre
Contain towels	150-170 pcs
Temperature	65°C to °80C

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

FOOD PREPARATION



Bone saw machine	72-73
Food blender	81-84
Food cutter & vegetable slicer	77-79
Food cutter mixer	80
Hamburger press	75
Hand mixer	86
Immersion mixer	85
Kneading noodle machine	87
Kneading noodle slicer machine	87
Mandoline vegetable slicer	88
Manual pasta machine	88
Meat mincer	63-66
Meat slicer	67-71
Pasta machine	87
Potato peeler	75
Sausage stuffer	74
Sous vide circulator	89
Tomato wedge	88
Vacuum machine	90
Vegetable cutter	76
Zester	88

CUTS OF BEEF
A CHEAT SHEET FOR MEAT TREATS

THE BEEF SECTION

of the grocery store or butcher can be confusing even for the most devoted omnivores. How is a tri-tip steak different from a New York steak? What about sirloin tip? To give you a better understanding of where your beef comes from, we have taken the most popular retail cuts and charted them according to... well, where they belong on the cow. We also tell you how much they cost and the best cooking methods for each. **Dig in!**

Cooking Methods

- Skillet
- Stir Fry
- Grill
- Marinate & Grill
- Stew
- Braise
- Roast
- Pot Roast

Cost


- $ Inexpensive up to $4
- $$ Moderate up to $6.50
- $$$ Expensive over $6.50




















Source: FreshLook Marketing Retail Scanner Data/VM Meat Solutions, Total US, 2012

50th Years SIRMAN® MADE IN ITALY

MEAT MINCER

- Anodized aluminium body and ABS shockproof sides
- Ventilated motor
- Oil-bath gear box
- Ground tempered helical gears
- Bright finished mouth and feeding worm
- Stainless Steel plates and knives
- Compartment for knives and plates
- Detachable and cleaned in a dishwasher
- Waterproof power button (switch on-off waterproof)
- Innovative design, compact and functional machine
- Easy to carry thanks to its side handles
- Standard reverse
- IP54 protection rated control and NVR device

Width	335 mm
Depth	300 mm
Height	410 mm
Voltage	220V/50Hz
Power	0.250kW/0.30 HP
Product cativity	75 kg /hr
Standard plate	Ø4.5 mm
Weight	10 kg



Model: TC8 VEGAS

- Anodized aluminium body and ABS shockproof sides
- Easy to carry thanks to its sides handles
- Ventilated motor
- Oil-bath gear box
- Ground tempered helical gears
- Easy to remove AISI 304 stainless steel mincing mouth
- Stainless steel plates and knives
- Standard reverse
- 24 volt controls and NVR device

Width	395 mm
Depth	360 mm
Height	415 mm
Voltage	220V / 50Hz
Power	1.1kW / 1.5 HP
Product cativity	120 kg /hr
Standard plate	Ø4.5 mm
Weight	26 kg



Model: TC22 DAKOTA

- AISI 304 stainless steel construction
- Powerful IP 55 insulated and fan-cooled motors for continuous use
- Endless screw motor-reducer running in an oil-bath enables a long service life
- Motor-reducer equipped with a double seal for long, trouble-free service
- Convenient, no-tools head lock mechanism
- Stainless steel mincing head carefully designed for high yield production, completely removable for ease of cleaning
- IP 54 protected, 24 V controls

Width	500mm
Depth	437mm
Height	432mm
Voltage	220V / 50Hz
Power	1.47kW / 2Hp
Productivity	300 kg/hr
Standard plate	Ø4.5mm
Weight	32 kg





Model: TC22 COLORADO

SIRMAN® 50th Years
MADE IN ITALY

MEAT MINCER



Model: TC12E

- Made from diecasted polished aluminum
- Ventilated motor
- Oil-bath gear box
- Cast iron head and feeding worm (Aisi 304 stainless steel on demand)
- Stainless steel plate and knives
- 24volt controls and NVR device
- Parts of a removable and cleaned in a dishwasger
- Waterproof power button (swith on-off waterproof)

Width	215mm
Depth	430mm
Height	445mm
Voltage	220V / 50Hz
Power	0.735kW / 1Hp
Productivity	150 kg/hr
Standard plate	Ø4.5mm
Weight	18 kg





Model: TC22E

- Made from diecasted polished aluminium
- Ventilated motor
- Oil-bath gear box
- Cast iron head and feeding worm (Aisi 304 stainless steel on demand)
- Stainless steel plates and knives
- 24 volt controls and NVR device

Width	215mm
Depth	440mm
Height	445mm
Voltage	220V / 50Hz
Power	0.8kW / 1.2Hp
Productivity	198 kg/hr
Standard plate	Ø4.5mm
Weight	21kg

Optional



Carrots cutter



Potato chips cutter



Mozzarella cutter



Tomato sauce making



Model: TC32 RIO

- Grid opening diameter 6mm
- Stainless steel
- Control system electromechanical
- Robust construction and durable internal components
- Meat grinder is very handy

Width	530mm
Depth	430mm
Height	535mm
Voltage	220V / 50Hz
Power	2.205kW
Productivity	500 kg/hr
Weight	50 kg



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

PRIMO

MADE IN CHINA

COUNTER MEAT MINCER



Model: MG12

- The body is made high quality steel with beautiful design and compact stucture
- Power moter
- Stainless steel reticular lamina and knife
- With easy-to remove cleaning device
- Withdrawable stainless steel hopper
- ON/OFF switch





Model: MG22

- High quality steel with beautiful design and compact stucture
- Power moter
- Stainless steel reticular lamina and knife
- With easy-to remove cleaning device
- Withdrawable stainless steel hopper
- ON/OFF switch



Model	Rated Input power (kW)	Voltage(V)	Motor Power (kW)	Working Capacity (kg/h)	Spindle Speed (r/mh)	Net weight (kg)	Dimensions (mm)
MG12	1.1kW	220V/50 Hz	0.8kW	120 kg/h	170 r/min	23 kg	450 x 300 x 420
MG22	1.5kW	220V/50 Hz	1.1kW	220 kg/h	170 r/min	35 kg	470 x 285 x 465

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

PRIMO

MADE IN CHINA

VERTICAL MEAT MINCER



Model: MG22H



Model: MG32H

- Stainless steel body, compact structure
- Powerful motor
- Highly efficient, low power consumption, large amount of griding
- Easy to remove
- Easy to operate , convenient and swift

Model	Rated Input power (kW)	Voltage(V)	Motor Power (kW)	Working Capacity (Kg/h)	Spindle Speed (r/mh)	Net weight (kg)	Dimensions (mm)
MG22H	1.1kW	220V/50Hz	0.75kW	300 kg/h	290 r/min	44 kg	410 x 350 x 690
MG32H	1.75kW	220V/380V/50Hz	1.75kW	500 kg/h	290 r/min	55 kg	620 x 400 x 750

VERTICAL STAINLESS STEEL MEAT MINCER



Model: MG42A

- High quality stainless steel with beautiful design and compact structure
- Powerful motor, good performance
- Low power consumption , highly efficient
- Stainless steel reticular lamina and knife
- With easy-to remove cleaning device
- Equipped with wheel guide,more convenient for moving

Model	Rated Input power (kW)	Voltage(V)	Motor Power (kW)	Working Capacity (Kg/h)	Spindle Speed (r/mh)	Net weight (kg)	Dimensions (mm)
MG42A	4.7kW	380V/50Hz	4. 0kW	650 kg/h	165 r/min	130 kg	1020 x 530 x 950

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN ITALY

SLICER MODEL TOPAZ

- Anodized cast aluminium alloy
- Lat base for easy cleaning
- Reliable poliV belt drive
- Strong and silent-running asynchronous motor
- Forged, hardened large thickness blades
- Carriage running on self-lubricating bushes
- Cast-in sharpener
- Teflon coated or toothed blades available
- 25° blade inclination
- Sharpening stones
- Can adjust the thickness for meat about 0-13mm



Model: TOPAZ250C



Hand guard



Underside moter protection plate

Width	480mm
Depth	410mm
Height	360mm
Blade diameter	250mm (10")
Cut thickness	13mm
Voltage	220V/50Hz
Power	0.145kW / 0.20 Hp
Carriage stroke	240mm
Hopper	230 x 230mm
Net weight	14 kg
Gross weight	16 kg
Control system	Electromechanical

SLICER MODEL MIRRA

- Anodized cast aluminium alloy
- Great distance between blade and motor for easy cleaning
- Ventilated motor
- Forged, hardened large thickness blades
- Lapped sliding pins
- Stainless steel screws and slice deflector
- Strong thickness gauge support
- Cast-in sharpener assembly
- Compact dimensions but great cutting capacity
- Device for releasing the carriage
- CE professional with device for releasing the carriage
- Teflon coated or toothed blades are available on demand
- 25 blade inclination
- Sharpening stones
- Can adjust the thickness for meat about 0-13mm



Device for releasing the carriage



Underside motor protection plate



Blade removal tool



Enclosed and sealed belt pulley standard



More space between blade and body machine





Model: MIRRA250C

Model: MIRRA300





Model	MIRRA250C	MIRRA300
Width	500mm	600 mm
Depth	560mm	610 mm
Height	370mm	420 mm
Blade diameter	250mm (10")	300 mm (12")
Cut thickness	13mm	13 mm
Voltage	220V/50Hz	200V/50Hz
Power	0.147kW / 0.20Hp	0.21kW / 0.29Hp
Run of carriage	245mm	285mm
Hopper	230 x 240mm	250 x 275mm
Net weight	16 kg	20.5 kg

SIRMAN® 50th Years
MADE IN ITALY

SLICER MODEL CANOVA



Model: CANOVA250



Model: CANOVA275



Model: CANOVA300



- Chrome plated and ground slide rod
- Self lubricating slide rod bushings
- Vulcanized rubber stops on carriage
- Rounded design and no sharp edges and visibile screws
- Removable support cover for thickness gauge plate
- Stainless steel slice deflector with bayonet fitting
- Stainless steel screws and fittings
- Enclosed and sealed belt pulley
- 41 mm distance between blade and motor
- Bottom cover
- Built in sharpening tool with bottom protection
- 38° blade inclination
- Plastic knob
- Rubber feet
- Stainless steel pushbuttons with IP44 protection rating
- Sharpening stones
- Can adjust the thickness for meat about 0-20mm



Large hopper



Remarkable clearance between blade and machine body

Model: CANOVA250

Width	560mm
Depth	495mm
Height	365mm
Blade diameter	250mm (10")
Cut thickness	19mm
Voltage	220V/50Hz
Power	0.24kW/0.20Hp
Run of carriage	275mm
Hopper	240 x 230mm
Weight	24.5 kg

Model: CANOVA275

Width	580mm
Depth	495mm
Height	360mm
Blade diameter	275mm (11")
Cut thickness	19mm
Voltage	220V/50Hz
Power	0.24kW/0.29Hp
Run of carriage	275mm
Hopper	240 x 230mm
Weight	25.5 kg

Model: CANOVA300

Width	590mm
Depth	495mm
Height	355mm
Blade diameter	300mm (12")
Cut thickness	19mm
Run of carriage	275mm
Voltage	220V/50Hz
Power	0.24kW/0.29Hp
Hopper	240 x 230mm
Weight	26.5 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

MADE IN ITALY

SLICER MODEL PALLADIO

- Rounded design, no sharp edges and visibile screws
- Chrome plated and ground slide rod
- Lapped cast iron slide rod bushing
- Vulcanized rubber stops on carriage
- Removable support cover for thickness gauge plate
- Stainless steel slice deflector with bayonet fitting
- Stainless steel screws and fittings
- Enclosed and sealed belt pulley
- 49.5 mm distance between blade and motor
- Bottom cover
- Built in sharpening tool with bottom protection
- Standard blade removal tool
- 35° blade inclination
- Rubber feet , plastic knob
- Plastic pushbuttons with IP67 protection rating
- Sharpening Stones
- Can adjust the thickness for meat about 0-13mm



Model: PALLADIO350 ING



Large hopper



Controls



More space between blade and body machine

Model	PALLADIO350 ING
Width	660mm
Depth	575mm
Height	455mm
Blade diameter	350mm (14")
Cut thickness	23mm
Voltage	220V/50Hz
Power	0.4kW/0.54Hp
Run of carriage	310mm
Hopper	305 x 270mm
Net weight	38 kg



SLICER MODEL LEONARDO



Model: LEONARDO385VCS


- Innovative rounded design and no sharp edges or visible screws
- Chrome plated ground and lapped slide rod
- Lapped cast iron slide rod bushing
- Vulcanised rubber stops on carriage
- Removable support cover for thickness gauge plate
- Stainless steel slice deflector with snap-on bayonet fitting
- Stainless steel screws and fittings
- Bottom cover for accessing electrical components
- Changeover electronic circuit 110-220-380 V single and three-phase
- Built-in sharpening tool with bottom protection
- Easy to remove grease guard mounted along the thickness gauge plate
- Standard blade removal tool
- Plastic knob, aluminium finish feet
- Plastic pushbuttons with IP67 protection rating
- Sharpening stones
- Can adjust the thickness for meat about 0-30mm



Wide space between blade and motor



Optional scale application



Slice guard in steel



Removable food pusher VCS

Model:	LEONARDO385VCS
Width	770mm
Depth	720mm
Height	620mm
Blade diameter	385mm (16")
Cut thickness	25mm
Voltage	220V/50Hz
Power	0.38kW/0.52Hp
Run of carriage	370mm
Hopper	430 x 300mm
Weight	57 kg

SIRMAN® 50th Years
MADE IN ITALY

SLICER MODEL GALILEO



Model: GALILEO350AUTO



Model: GALILEO385AUTO

- Innovative rounded design and no sharp edges or visible screws
- Chrome plated ground and lapped slide rod
- Lapped cast iron slide rod bushing
- Vulcanised rubber stops on carriage
- Removable support cover for thickness gauge plate
- Stainless steel slice deflector with bayonet fitting
- Stainless steel screws and fittings
- Enclosed and sealed belt pulley
- 70 mm distance between blade and motor
- Bottom cover, slice counter, standard blade removal tool
- Changeover electronic circuit 110-220 V single-phase
- Built-in sharpening tool with bottom protection
- For cleaning purposes easy to remove food pusher arm
- Ergonomic controls – pushbuttons with IP67 protection rating
- 3-speed selection, 3 different adjustments for carriage travel
- Slice number setting with automatic stop feature
- Enclosed and sealed drive motor
- Positive drive belt, blade inclination 38°
- Sharpening Stones
- Can adjust the thickness for meat about 0-30mm



Controls



Remarkable clearance between blade and machine body



Optional legs









Model:	GALILEO350AUTO	GALILEO385AUTO
Width	730mm	760mm
Depth	732mm	732mm
Height	520mm	515mm
Blade diameter	350mm(14")	385mm(16")
Cut thickness	30mm	25mm
Voltage	220V/50Hz	220V/50Hz
Power	0.38kW + 0.4kW/0.52 + 0.54Hp	0.38kW + 0.4kW/0.52 + 0.54Hp
Run of carriage	365mm	365mm
Hopper	430 x 320mm	430 x 320mm
Weight	60 kg	62 kg







161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA

ELECTRIC FROZEN MEAT SLICER


- Construction in anodized aluminium, blade of hardened and chromium-plated steel
- Meeting the most demanding sanitation requirements
- High precision slicing control thickness
- Food carriage mounted on ball bearings featuring exceptionnally smooth running
- Rubber feet grip to work surface firmly for safe use
- Safety devices: fully protected electrical parts, wire clamp on blade cover, hand protection for plate, protection ring around blade, locked sharpener (where built-in)
- All these safety devices are also available individually on request





Model: MS220-120W

Dimensions	520 x 460 x 380mm
Blade diameter	220mm
Motor	0.12kW/0.15Hp
Voltage	220V/50Hz
Thickness	0 - 12mm
Gross weight / Net weight	18.2 kg/15.3 kg



Model: MS250-150W

Dimensions	520 x 460 x 380mm
Blade Diameter	250mm
Motor	0.15kW/0.2Hp
Voltage	220V/50Hz
Thickness	0 - 12mm
Gross weight / Net weight	19.3/16.4 kg



SIRMAN 50th Years
MADE IN ITALY

BONE SAWS

- 304 stainless steel
- Interlocked bone chip tray accessible from outside
- The door can be easily removed for smoother cleaning tasks
- Calibrated pulleys built out of polished aluminium
- Airtight bearings on upper pulley
- Powerful asynchronous and ventilated motors protected by sealing oil sump
- 24V controls with safety micro-switch on door and tray, redundant ECU and motor brake (EC)
- Quick upper pulley releasing mechanism that makes it easier to clean and change the blade
- Easily removable and replaceable scrapers
- Powerful 6 or 8 pole motors provide great power with little absorption
- Single-phase motors with heat guard (standard feature)
- Can be cleaned with a water spray (no high pressure)
- Controls in stainless steel class IP 67
- The machines use tempered 16 mm blades to shred bone, frozen or fresh
- Sliding trolley
- Fast motors to specifically cut frozen products
- Pulley in stainless steel AISI 304




Model: SO 1650 Inox



Model: SO 2400 Inox



Model: SO 2020 INOX



Model: SO 3100 INOX



Hermetic upper pulley



Alimentary plastic blade scraper in quick to insert. Watertight black plastic flange to protect the



SO 2020 Floor standing









Model	SO 1650 INOX	SO 2020 INOX	SO 2400 INOX	SO 3100 INOX
Dimensions	545 x 510 x 816mm	568 x 560 x 1030mm	715 x 750 x 1670mm	840 x 966 x 1900mm
Blade length	1650mm	2020mm	2400mm	3100mm
Motor	1.5Hp/1400rpm	1.5Hp/1400rpm	2.5Hp/900rpm	2.7Hp/700rpm
Pulley	210mm	250mm	300mm	400mm
Working surface	430 x 545mm	480 x 600mm	510 x 710mm	795 x 810
Cut height	250mm	390mm	350mm	420mm
Cut width	197mm	236mm	287mm	388mm
Net weight	47 kg	61kg	100 kg	170 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

MADE IN CHINA

BONE SAWS

Bone Saw

This machine was specially designed to respond to the top three expectations from the statistics. Safety, productivity and durability are the top factors that all users expect from the investment. Specially placed saw position technology makes this machine one of the most durable bone saw existed ever. It is designed to support long operating hours even used with the frozen meat, in which answer to both effectiveness and the efficiency for mass production industry. This stainless steel machine is also friendly-using and easy for maintenance.
The machine can be either place on the stand or just simply placed on the floor.



Model : JG-210



Model : JG-300A



Model : JG-650







Model	Dimension(mm)	Table size (mm)	Cutting thickness (mm)	Electrical	Blade speed (m/s)	Weight(kg)
JG-210	520 x 490 x 840	400 x 436	4-140	220V/0.5kW	15	45
JG-300A	780 x 710 x 1,690	712 x 662	30-250	380V/1.5kW	15	98
JG-650	1,750 x 1,140 x 1,930	1,140 x 1,300	30-400	380V/1.5kW	15	300


SIRMAN® 50th Years
MADE IN ITALY

SAUSAGE STUFFERS

- Fully stainless steel cover and piston
- Silicone gaskets that act inside the cylinder for better seal and longer life of the gasket
- Hermetic protection of the hydraulic cylinder
- Stainless steel piston rod
- Polished and rounded stainless steel cylinder, without obligatory direction
- Powerful and silent ventilated motor operating at 2,800 rpm with immediate action
- Automatic piston return when motor stops
- 24V controls
- High-precision oil flow controller
- Oil tank with level gauge
- AISI 304 steel body, cover and piston
- Three different size stuffing tubes set including 10,18,25mm for replacement
- Adjustable stuffing speed



Model: IS V 15 IDRA TF



Hermetic hydraulic piston gasket



Piston pushing up



Bush in stainless steel



Electric station and controls

Model:	IS V 15 IDRA TF	IS V 25 IDRA
Width	490mm	565mm
Depth	370mm	450mm
Height	1200mm	1160mm
Cylinder	Ø200 x H495mm	Ø260 x H460mm
Voltage	220V50Hz	220V/50Hz
Power	0.52kW / 0.7Hp	0.52kW / 0.7Hp
Weight	53 kg	91kg
Capacity	15 Litre	25 Litre



Model: IS V 25 IDRA TF

MANUAL SAUSAGE STUFFERS

PRIMO
MADE IN CHINA

- Exceptionally strong, very easy to be operated
- Equipped with 4 different funnels, are really the best tools for stuffing any kind of sausage
- The full stainless steel cylinder, the food approved aluminium piston with special finishing, the solid rack, the precision gears and the accurate manufacturing of all mechanical details ensure a perfect working, the maxinum efficiency and long life



Model: MSS-10V
Model: MSS-12V
Model: MSS-16V



Model: MSS-16H



Model: MSS-10H
Model: MSS-12H



Model: MSS-3H
Model: MSS-5H
Model: MSS-7H

MSS

Model	Capacity(Litre) / Style	Dimensions	G.W. / N.W.
MSS-3H	3/Horizontal	605 x 260 x 240mm	11.6 kg / 10.6 kg
MSS-5H	5/Horizontal	640 x 240 x 250mm	13.2 kg / 12.2 kg
MSS-7H	7/Horizontal	645 x 280 x 250mm	18 kg / 16.5 kg
MSS-10H	10/Horizontal	740 x 280 x 260mm	18.5 kg / 17 kg
MSS-12H	12/Horizontal	735 x 310 x 315mm	30 kg / 27 kg
MSS-16H	16/Horizontal	850 x 310 x 290mm	33.5 kg / 30.5 kg
MSS-10V	10/Vertical	815 x 360 x 280mm	25 kg / 23 kg
MSS-12V	12/Vertical	840 x 430 x 320mm	34 kg / 30.5 kg
MSS-16V	16/Vertical	950 x 430 x 310mm	35.5 kg / 32 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

50th Years SIRMAN® MADE IN ITALY

MANUAL PRESS BURGER



Model: SA130



Model: SA150
Model: SA180

- Simple and compact patty press with rounded design
- Made from anodized aluminium alloy
- Built-in sheets holder
- Stainless steel mold hamburger
- Rubber feet





Model	Dimensions	Dimension mould	Net weight	Gross weight
SA130	260 x 310 x 275mm	130mm	4.5 kg	5.4 kg
SA150	260 x 330 x 275mm	150mm	6.5 kg	7.5 kg
SA180	265 x 330 x 275mm	180mm	7 kg	8 kg

POTATO PEELER

Absolute MADE IN CHINA



Model: PP370-8

Dimensions	430 x 430 x 725mm
Voltage	220V/50Hz
Power	0.37kW
Capacity	8kg
Remark	PP8-Outer painted





Model: PP750-15


Dimensions	475 x 540 x 785mm
Voltage	220V/50Hz
Power	0.75kW
Capacity	15kg
Remark	PP15-Outer painted





Model: PP1500-30

Dimensions	850 x 530 x 800mm
Voltage	220V/50Hz
Power	1.5kW
Capacity	30kg
Remark	PP30-Outer painted



SIRMAN® 50th Years
MADE IN ITALY

VEGETABLE CUTTER



Model: TM ALUMINIUM


- Aluminium alloy and stainless steel construction
- Ventilated motor for continuous operation
- Thanks to its compact design the machine is easy to install inside every kitchen
- The exclusive feeding system makes easy to process also soft products like mozzarella cheese
- Safe operation is ensured by interlock switches on product pusher, lid and collecting tray




Width	280mm
Depth	510mm
Height	510mm
Voltage	220V/50Hz
Power	0.515kW/0.7HP
Net/Gross Weight	18.85 kg/22Kg
Speed	300 RPM



Model	Dimensions(mm)	Slice thickness(mm)
DT2	ø 205	2
DT3	ø 205	3
DT4	ø 205	4
DT7	ø 205	7
DT9	ø 205	9
DTV	ø 205	-
DISC PS8	ø 205	8
DISC PS10	ø 205	10
DISC PS14	ø 205	14
DISC PS20	ø 205	20
DQ4	ø 205	4
DQ6	ø 205	6
DQ8	ø 205	8
DQ10	ø 205	10
DF1	ø 205	1
DF2	ø 205	2
DF3	ø 205	3
DF4	ø 205	4
DF8	ø 205	8
DF5	ø 205	5
DF10	ø 205	10
DF14	ø 205	14







161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CE

robot coupe

MADE IN FRANCE

CUTTER AND VEGETABLE SLICER



Model : R201 Ultra E

- XL hopper: can hold up to 6 tomatoes together
- Patented lid design: maximized hopper load
- The patented blade gives perfect results for small or large quantities
- Single speed 1500 Rpm
- Pulse control, for true precision processing
- Complete collection of stainless steel discs available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting and grating



Complete collection of stainless steel discs
available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting and grating



Extra-large
XL hopper: can hold up to 6 tomatoes together. Patented lid design: maximized hopper load



Pulse control
for true precision processing



The patented blade
gives perfect results for small or large quantities. Single speed 1500 Rpm

Dimensions	340 x 220 x 445mm
Electrical	220V / 0.55kW
Speed	1 speed 1,500rpm
Bowl capacity	2.9 Litre



Model : R301 Ultra

- New easy-fit lid making it quicker and simpler to use
- Standard smooth blade with removable cap
- Coarse serrated blade for all your grinding and kneading tasks
- Fine serrated blade for chopping parsley
- Pulse control, for true precision processing
- New magnetic failsafe system and motor brake which stops the blades moving as soon as the lid is opened
- The new vegetable preparation attachment consists of a lidded vegetable preparation bowl. Both the bowl and the lid can be removed for cleaning
- A large hopper (104 cm2) for the preparation of vegetables such a as cabbage, celeriac, lettuce, tomatoes
- A cylindrical hopper (ø 58 mm) designed for long or fragile vegetables giving an outstanding quality of cut
- Complete collection of stainless steel discs available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting and grating



New magnetic failsafe system and motor brake
which stops the blades moving as soon as the lid is opened



New easy-fit lid
making it quicker and simpler to use



A cylindrical hopper (ø 58 mm)
designed for long or fragile vegetables giving an outstanding quality of cut



Standard smooth blade
with removable cap



Coarse serrated blade
for all your grinding and kneading tasks.
Fine serrated blade
for chopping parsley

Dimensions	300 x 325 x 550mm
Electrical	220V / 0.55kW
Speed	1 speed 1,500rpm
Bowl capacity	3.7Litre

robot coupe

MADE IN FRANCE

CE

CUTTER AND VEGETABLE SLICER



Model : R401

- 4.5-litre capacity, stainless-steel bowl with handle
- Lid easy to position on bowl for quick and simple use
- Standard smooth blade with removable cap
- Single speed of 1500 rpm
- Coarse serrated blade for all your grinding and kneading tasks
- Fine serrated blade for chopping parsley
- Removable lid and stainless-steel bowl
- Large hopper (area: 104 cm2) for the preparation of vegetables such as cabbage, celery, lettuce, tomatoes and so on
- Round deep hopper (ø 58 mm) designed for long or fragile vegetables and for an outstanding cut quality



Standard smooth blade with removable cap. single speed of 1 500 rpm



Coarse serrated blade for all your grinding and kneading tasks
Fine serrated blade for chopping parsley

Dimensions	304 x 320 x 570mm
Electrical	220V/0.7kW
Speed	1 speed /1,500rpm
Bowl capacity	4.5 Litre



Model : R402-220
Model : R402-380

- 4.5-litre capacity, stainless-steel bowl with handle
- Lid easy to position on bowl for quick and simple use
- Standard smooth blade with removable cap
- Coarse serrated blade for all your grinding and kneading tasks
- Fine serrated blade for chopping parsley
- 2 speeds: 750 and 1500 rpm (3-phase) or 500 and 1500 rpm (single phase)
- The 1500 rpm speed is reserved for the cutter function
- Removable lid and stainless-steel bowl
- Large hopper (area: 104 cm2) for the preparation of vegetables such as cabbage, celery, lettuce, tomatoes and so on
- Round deep hopper (ø 58 mm) designed for long or fragile vegetables and for an outstanding cut quality
- 2 speeds: 750 and 1500 rpm (3-phase) or 500 and 1500 rpm (single phase)
- Complete collection of stainless steel discs available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting, grating, dicing and French Fries



4.5-litre capacity stainless-steel bowl with handle



2 speeds: 750 and 1500 rpm (3-phase) or 500 and 1500 rpm (single phase) The 1500 rpm speed is reserved for the cutter function



Round deep hopper designed for long or fragile vegetables and for an outstanding cut quality









Dimensions	304 x 320 x 570mm
Electrical	220V or 380V / 0.75kW
Speed	2 speed 750/1,500rpm
Bowl capacity	4.5 Litres

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

CE

robot coupe

MADE IN FRANCE

CUTTER AND VEGETABLE SLICER



Model: R502VV

- 5.5-litre stainless-steel bowl
- Delivered with a smooth blade
- Coarse serrated blade for grinding and kneading tasks
- Fine serrated blade for chopping parsley
- 2 speeds: 750 and 1500 rpm. The 1 500 rpm speed is specifically intended for the cutter function
- Model provided with 2 speeds:750 and 1500 rpm The speed of 750 rpm is reserved for the vegetable preparation function
- Complete collection of discs available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting, grating, dicing and french fries



SLICERS



RIPPLE CUT SLICERS



GRATERS



JULIENNE

Slicer	Disc	R 201 Ultra R 301 Ultra R 401 R402
	1mm	27051
	2mm	27555
	3mm	27086
	4mm	27566
	5mm	27087
	6mm	27786
Ripple cut slicer		
	2mm	27621



5.5-litre stainless-steel bowl.



Delivered with a smooth blade



Coarse serrated blade for grinding and kneading tasks
Fine serrated blade for chopping parsley



2 speeds: 750 and 1500 rpm
The 1500 rpm speed is specifically intended for the cutter function



Complete collection of discs available to satisfy all your requirements for the preparation of fruits and vegetables: slicing, julienne, ripple cutting, grating, dicing and French Fries

Dimensions	350 x 380 x 665mm
Electrical	220V / 1.3kW
Speed	2 speed 300/3000rpm
Bowl capacity	5.5 Litre





SIRMAN® 50th Years
MADE IN ITALY

CUTTER MIXER



Model: C4VV



Model: C6VV

- Strong AISI 430 steel construction
- Detached motor and bowl for a better thermal insulation to keep heat from the motor away from the food
- High efficiency ventilated motor for continuous operation
- Adjustable speed control allows for processing each product at its own speed
- Variotronic speed control with stabilizer
- Interlock stops the machine when lever is lifted bowl pastry and meat cutter
- Safe operations ensured by a system of micro switches on the lid
- Blades give attractive and unblemished shape
- Strong cutlery steel knives
- See through lexan lid with 1.25" inch wide feed opening to add ingredients during operation
- Two feed chutes for different size products
- Feed hopper designed to continuously process long and or thin products
- Handles on bowl allow for easy handling
- Stainless steel bowl with heavy thermal diffusion bottom can be used with induction cooker or burner
- Slotted drop in drive
- Standard spatula and sharpening stones



Model: C9VV









Straight Blade



Fine serrated Blade



Emulsifying Blade



Fine chopping



Kneading



Grinding



Emulsifying

Model	Width	Depth	Height	Voltage	Power	Net Weight	Bowl Capacity	Revolutions
C4VV	305mm	365mm	255mm	220V	0.35kW/0.5Hp	10 kg	3.3 Litre	1500-2800rpm
C6VV	305mm	365mm	320mm	220V	0.35kW/0.5Hp	11 kg	5.3 Litre	1500-2800rpm
C9VV	355mm	455mm	380mm	220V	0.35kW+0.35kW/0.5+0.5HP	24 kg	9.4 Litre	1500-2800rpm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Hamilton Beach COMMERCIAL

Choose the BEST Food Blender for your Business

Which fits your FOOD PREP NEEDS BEST?











Auto-claveable

	HBF500S-CE	HBF600-CE	990-220	HMI200-CE Immersion Blender
Motor	1 Hp	3 Hp	3/4 Hp	175 Watts
Container Size	64 oz /1.9 L Stainless Steel	64 oz /1.8 L Polycarbonate	1 Gal /4 L Stainless Steel	9" Stainless Steel Shaft
Chop Function w/ Speed Control	Yes	Yes	No	No
Speeds	Variable	Variable	2	2
Cross Contamination Bands	No	Available	No	N/A
Dosing Cup	Yes	Yes	No	No
Pulse	Yes	Yes	Yes	No
Temperature Gauge and Jar pad Sensor	No	Yes	No	No

Hamilton Beach COMMERCIAL

PRODUCT OF USA

111 YEARS CE RoHS NSF ETL LISTED

HBF600-CE



- Patented Wave~Action® System
  - Ordinary blenders spin contents of food around the walls of the container, which can leave whole chunks of food untouched by the blades
  - The Wave~Action® System keeps the ingredients circulating through the stainless steel blades to ensure that contents are well-emulsified
- One-Touch Chopping Function
  - Chop Function is a unique, versatile feature that offers you the ultimate control over food's consistency
  - To use it, press chop and turn the variable speed dial to your preferred speed from low to high
- Powerful 3 Hp Motor
  - 3 Hp Motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Electronic Touchpad with Variable Speed Dial
  - or use the variable speed dial. For added convenience, there are one-touch buttons to stop, blend on high, or pulse
- Break-Resistant Polycarbonate Container
  - Offering operators a choice of container types and capacities that can handle both hot and cold foods
  - Measurement marks for ounces and metric ml
- All-metal Drive Clutch with Container Pad Sensor
  - All-metal drive clutch with container pad sensor metal clutch improves durability
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of your container
- High-strength Stainless Steel Blades
  - This one-piece durable stainless steel blade has 4 sharpened cutting surfaces that quickly cut through food ingredients for exceptional blending, grinding, chopping, and pureeing applications
- Dosing Cup
  - Large 4 oz. dosing cup makes adding liquid for emulsions easy while blending hot and cold food applications
- Cross-contamination Container Bands Available
  - Simple and easy to use provide added protection against cross-contamination and food-borne illness
  - Can be used in combination with the current HACCP color code system



Chop



Grind



Blend



Puree



Emulsify



Temperature Gauge
alerts operator if motor overheats while blending back-to-back batches



Patented Container Pad Sensor
4 magnetic connections prevent blending unless container is on correctly



Adjustable Speed Dial
offers the operator variable speed options

One-Touch Chopping Function
cycles between low speed and operator-selected high speed

Model	HBF600-CE
Dimensions	178 x 229 x 457mm
Power	220V/50Hz/0.75kW
Motor	3 Hp
Controls	Touchpad
Container Capacity	64 Oz. / 1.8 Litre
Weight	4.29 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Hamilton Beach COMMERCIAL

PRODUCT OF USA

HBF500S-CE



- One-Touch Chopping Function
  - Chop function is a unique, versatile feature that offers you the ultimate control over food's consistency
  - To use it, press chop and turn the variable speed dial to your preferred speed from low to high
- Powerful 1 Hp Motor
  - Powerful 1 hp motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Toggle Switches with Variable Speed Dial
  - Easy-to-use toggle switches have metal actuators which are built to last
  - Additional functions include a chop, pulse and variable speed dial
- 64oz/1.8L Brushed Stainless Steel Container
  - Rugged stainless steel construction to withstand the rigors of back-of-the-house usage
- All-Metal Drive Clutch with Container Pad Sensor
  - Clutch drive System all-metal drive clutch with container pad sensor: metal clutch improves durability
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of your container
- High-Strength Stainless Steel Blades
  - Blade design this one-piece stainless steel blade has 2 sharpened cutting surfaces rotating in a circular motion to ensure perfect processing of hot and cold food ingredients
- Dosing Cup
  - Dosing cup Large 4 oz. dosing cup makes adding liquid for emulsions easy while blending hot and cold food applications



Large Dosing Cup
makes adding liquid for emulsions easy while blending



Variable Speed Dial
for use with chop and variable speed functions



Stainless Steel Blades
quickly cut through ingredients



All-Metal Drive Coupling
is built to last



Chop



Grind



Blend



Puree



Emulsify



Model	HBF500S-CE
Dimensions	178 x 229 x 521mm
Power	220V/50Hz/0.6kW
Motor	1Hp
Controls	Toggle switches, variable speed
Weight	5.9 kg

Hamilton Beach COMMERCIAL

PRODUCT OF USA

990-220



- Powerful 3/4 Hp Motor
  - Powerful 3/4 Hp motor is strong enough to power deal with thick ingredients in the least amount of time and optimized for maximum motor life
- Heavy-Duty Rocker Switches, Two Speeds High/Low with Pulse Option
  - Two speed versatility with pulse option provides precision blending, mixing, chopping and pureeing of hot and cold foods
- Full-Gallon Stainless Steel Container with Metal Clips for Holding Lid Tightly in Place
  - Large container-capacity stainless steel blender container and lid
  - Metal clips hold the lid tightly in place when blending hot and cold food
- High-Strength Stainless Steel Blades
  - Blade design: This high-strength, corrosion-free stainless steel blade design has two blades mounted perpendicularly with 4 precision-cut surfaces, ensuring perfect blending of hot and cold food ingredients
- Removable Filler Cap
  - Removable filler cap makes it easy to add ingredients
- A Perfect Blender of Durability and Simplicity
- Non Skid Feet



Removeble Filler-Cap
Makes it easy to add ingredients



Two-Speed Power
Two-speeds with pulse option provide precision blending, mixing, chopping and pureeing of hot and cold foods



Full-Gallon Stainless Steel Container
Features dual metal clamps and handles for extra security during and after blending



A Heavy Duty Gasket
Prevents leakage during usage









Model	990-220
Dimensions	229 x 254 x 559mm
Power	220V/50Hz/0.675kW
Motor	3/4 Hp
Controls	High / Low with pulse
Container capacity	128 Oz. / 3.8 Litre
Speed	11500 - 15000rpm
Weight	10.43 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART


Hamilton Beach COMMERCIAL
PRODUCT OF USA

111 YEARS CE CCC RoHS NSF ETL UL

HMI200-CE



- Detachable 9"/ 23 cm Stainless Steel Shaft
  - Detachable 9"/ 23cm stainless steel shaft disconnects easily for dishwasher cleanup
- Unbreakable ABS Handle
  - Unbreakable ABS handle with built-in storage hook for easy hanging and storage on wire racks
- 5 Edge Cutting Blades
  - Performance four blades with five cutting edges quickly cuts through ingredients for professional results every time
- Two Speed Motor
  - Power tough 175 watt motor with 2 speeds that give the professional kitchens the flexibility they need to puree soups and sauces right in the pan, whip egg whites, cream butters, and mix batters
- Autoclavable
  - The detachable shaft is autoclavable for quick sterilization
- Innovative Blade Guard
  - The blade guard is designed to reduce splashing while blending and allows the mix to pass through without clogging the blade







4 Blades with 5 Cutting Edges
quickly cut through ingredients for professional results





Detachable Chopping Shaft
easily removes for dishwasher cleanup and is autoclavable for quick sterilization





Blade Guard
reduces messy splashing and lets mixture easily pass through



Heavy-Duty Long Life Motor
with two speeds for blending, pureeing, and emulsifing

Model	HMI200-CE
Dimensions	76 x 445mm
Power	220V/ 0Hz/ .175W
Motor	1HP
Controls	2-speed switch
Weight	1.9 kg

SIRMAN® 50th Years
MADE IN ITALY

HAND MIXER



Model: VORTEX 43VV
Shaft length: 30cm

Model: VORTEX 55VV
Shaft length: 40cm

Model: VORTEX 75VV
Shaft length: 45cm

- Highly effective cooling system
- Sturdy and light weight fiberglass ABS body
- Ergonomic handle
- Rubber buffer between motor and shaft
- High efficiency motors
- 3 controls available
  - One speed
  - Drill like speed control
  - Variotronic: speed control with stabilizer
- Safety device preventing switching on by mistake
- Trigger switch for continuous blending
- 3 different motors
- IPX3 protection
- Quick coupling device
- Shafts available in 2 length: 35 and 45 cm
- Completely demountable shafts for an accurate cleaning and a longer life
- Completely stainless steel shaft and bell
- Whisk metal gearings
- Demountable and dishwashing safe whisk











Ergonomic handle



Safety device
for the enlightment



Bell and knives
of stainless steel



Shafts and Whisk options



Airing take



Quick took assembly



Whisk options

Model	Voltage	Power	Knives revolutions	Net/Gross weight
VORTEX 43VV	220V/50Hz	0.43kW/0.6Hp	0 - 12500 rpm	2.5/3 kg
VORTEX 55VV	220V/50Hz	0.55kW/0.8Hp	0 - 13000 rpm	3.5/3.7 kg
VORTEX 75VV	220V/50Hz	0.75kW/1Hp	0 - 13000 rpm	4/4.5 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA

PASTA MACHINE



- New design, compact structure
- Powerful motor, transmitted by chain
- Easy to clean and maintenance
- The parts that contact with food are made of high quality stainless steel accords with country hygienic standard
- Roll extrusion after repeatedly kneadubg fully exert the power of dought and gluten, with which greatly increase the intensity of noodle is pressure and capability, making them boil proofing and disconnect proofing

Model	Dimensions	Motor	Output	Roller Rev	Roller Size	Dough Thickness	Weight	Voltage
PM25	390 x 520 x 950mm	0.75kW	20~25kg/h	50r/min	Ø88x192mm	1~10mm	70 kg	220V/50Hz
PM30	440 x 520 x 950mm	1.1kW	25~30kg/h	50r/min	Ø88x242mm	1~10mm	75 kg	220V/50Hz
PM35	490 x 520 x 950mm	1.1kW	30~35kg/h	50r/min	Ø88x292mm	1~10mm	80 kg	220V/50Hz

NOODLE KNEADING MACHINE



- New design, beautiful appearance
- Powerful motor, superior power
- Work at high speed, high efficiency, low power consumption and low noise emission
- Simple operation, good performance, safe ad reliable
- The parts that contact with food accords with country hygienic standard
- Necessary food processing machine for foodstuffs factory and flour processing places

Model	Dimensions	Voltage	Motor	Dough Capacity	Roller Rev	Roller Size	Dough Thickness	Weight
NKM300	510x400x1020mm	220V/50Hz	1.5kW	145 kg/h	95r/min	Ø110x300mm	1~18mm	115 kg
NKM350	560x400x1020mm	220V/50Hz	1.5kW	150 kg/h	95r/min	Ø110x350mm	1~18mm	120 kg

KNEADING NOODLE SLICER MACHINE



- Compact structure, beautiful and practical
- Simple operation, high practicability, safe ad reliable
- Powerful motion, high efficiency and low power consumption
- The noodle and gluten that come out are of great tough intensity, boil proofing and disconnect proofing
- The parts that contact with food accords with country hygienic standard
- It is suitable to apply in kitchens of food processing areas such as hotel, restaurants, canteens, foodstuffs factory and all kinds of flour processing places



Model	Dimensions	Voltage	Motor	Dough Capacity	Roller Rev	Roller Size	Dough Thickness	Weight
KNSM230	550x800x1020mm	220V/50Hz	1.5kW	35-40 kg/h	50r/min	Ø88x230mm	0.5~10mm	85 kg
KNSM280	600x800x1020mm	220V/50Hz	1.5kW	40-45 kg/h	50r/min	Ø88x280mm	0.5~10mm	88 kg

STAINLESS STEEL MANDOLINE STANDARD MODEL WITHOUT PROTECTIVE CARRIAGE



Model: N4244

- Cuts vegetables and fruits in slices
- Sticks or waffled slices
- Stainless steel

Specifications

Dimensions	135 x 45 x 410mm
Net weight	1.5 kg



Optional
Stainless steel protective carriage



Model: N6970

Specifications

Dimensions	175 x 120 x 59mm
Net weight	0.42 kg

MANUAL PASTA MACHINE CHROMED



Model: N8001

- Pasta machine for home use.
- The machine is composed of a body with smooth rollers so has to spread the pasta and accessories to realize lasagnes, fettucine (6,5 mm) and tagliolini (1,5 mm).
- The opening between the smooth Rollers permits to control (from 0,3 mm to 2,5 mm).
- Structure made of chrome-plated steel, nickel-plated steel rollers and hardened steel gears.

Specifications

Dimensions	290 x 345 x 230mm
Net weight	2.6 kg



Model: N8002



Model: N8003



Model: N8004

Optional

- N8002	Mafaldine accessory-tagliatelle jagged 8 mm
- N8003	Spaghetti accessory
- N8004	Raviolini accessory - 3 in front
- N80021	Réginette accessory-tagliatelle jagged 12 mm
- N80022	Treinette accessory-tagliatelle jagged 3 mm
- N80031	Capelly d'angello accessory 1 mm

ZESTER STRIPPERLT





Model: ID4002

LT WEDGE CUTTER TOMATO WEDGER



Model	
CAX104	Wedge cutter 4 sections - long feet
CAX106	Wedge cutter 6 sections - long feet
CAX108	Wedge cutter 8 sections - long feet
CAX112	Wedge cutter 12 sections - long feet

Specifications

Height	580mm
Width	385mm
Depth	325mm
Net weigth	3.3 kg



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

SOFTCOOKER

50th Years SIRMAN®
MADE IN ITALY



Model: SOFTCOOKER

- High precision warmer with temperature control
- Working temperature display, 5 storable programs
- IP X3 protection rated stainless steel structure
- Can be applied to the pot by means of a clamp (max depth 16.5 cm)
- Best performances up to 50/80 Litre
- Protection device switches off the warmer in case of accidental use outside the liquid
- Circulating pump to help the best product mixing
- Temperature sensor to prevent overload and overheating
- A convenient stainless steel handle makes it easy to carry








Sousvide (French for "under vacuum") is a method of cooking in which food is sealed in airtight plastic bags then placed in a water bath for 96 hours or more than normal cooking times, in some cases at an accurately regulated temperature much lower than normally used for cooking

Sirman Softccoker is a mountable thermal circulator that guarantees a temperature stability of 0.03^{O}c between 20^{O}c to 100^{O}c on all cooking pots up to 58 litres, and is quickly assembled to any pot with its clamp. By placing the food in a water bath, with the temperature having been set at the desired final cooking temperature of the food, overcooking can be avoided, because the food cannot get hotter than the bath it is in. Additionally, temperature, and thus cooking, can be very even throughout the food in sousvide cooking, even with irregularly shaped or very thick items, given enough time.

The Sirman Softccoker eliminates the guesswork involved in cooking. No other cooking method produces such consistently excellent textures and flavours. The thermal circulator keeps the water moving so there is no the problem of hot spots, which you can get in a water bath. Cooking with a thermal circulator ensures you don't lose any of the flavour because it's all sealed in a pouch.

In the case of meat cooking, tough collagen in connective tissue can be hydrolysed into gelatin, without heating the meat's proteins high enough that they denature to a degree that the texture toughens and moisture is wrung out of the meat. In contrast, with the cooking of vegetables, where extreme tenderness or softness is seen as undesirably overcooked, the ability of the sousvide technique to cook vegetables at a temperature below the boiling point of water allows vegetables to be thoroughly cooked while maintaining a firm or somewhat crisp texture.





Specifications

Width	Depth	Height	Voltage	Power	Weight
130mm	260mm	380mm	220V/50Hz	2kW	4.5kg

SIRMAN® 50th Years
MADE IN ITALY

VACUUM PACKAGING



Model: EASYVAC25

- A compact and fast machine for small sized products, ideal combined with low temperature cooking instruments like the Softcooker
- Easily settable vacuum and sealing time
- Easily removable sealing bar
- Bush suction pump
- Display of vacuum percentage and time to countdown
- Last setting can be saved in memory
- Rev counter and pump meter
- Pump preheating and oil cleaning cycle
- Change oil message
- Timed external vacuum
- Manual cover lift





Use-friendly, intutive operation



Cushion-hinged lid



High capacity and visibility

Width	320mm
Depth	560mm
Height	257mm
Voltage	220V/50Hz
Power	0.1kW
Vacuum pump	4mc/h
Sealing bar	260mm
Weight	30 kg

- Exclusively designed with simple to use controls & a reduced workspace
- Busch vacuum pack
- 5mm thick, AISI 304 st steel, easy to clean vacuum chamber
- Thick transparent plexiglass lid for viewing the process from start to finish
- Removable sealing bar
- Complete electronic control system
- A vacuum cleaner with a futuristic design and high volume thermoformed lined bell
- Bar sealed removable
- System with electronic control: choice of 6 languages
- Programming with the vacuum and gas welding 1/10 sec
- Show and the vacuum of the rest
- 8 programs can be stored Program = automatic vacuum - the X = external shock
- The oil change, installation for gas and air soft, install adjustable fluid envelope
- Methacrylate tray, Tray in stainless steel for easy maintenance



Model: W8-30-BX



Model: W8-40-BX

Model	W8-30-BX	W8-40-BX
Width	402mm	493mm
Depth	525mm	585mm
Height	370mm	370mm
Sealing bar length	310mm	410mm
Voltage	220V/50Hz	220V/50Hz
Power	0.35kW	0.75kW
Vacuum pump	8 mc/h	21 mc/h
Control system	Electronic	Electronic

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



BAKERY EQUIPMENT

1 deck oven	98
1 deck oven with steam	98
2 decks oven	98
2 decks oven with steam	98
3 decks oven	98
3 decks oven with steam	98
4 slots toaster	104
6 slots toaster	104
Bread slicer	101
Convection oven	100-101
Conveyor toaster	104
Crepe machine	103
Donut fryer	103
Dough rounder & divider	95
Dough sheeter	96
Pizza oven	99
Planetary mixer	93
Proofer	97
Spiral mixer	94
Stand mixer	92
Waffle machine	102

PRIMO

MADE IN CHINA

CE

Stand Mixer



Model: CPM-5L

- Mixing speed: 1080rpm
- 3 adjustable speed
- 5L stainless steel mixing bowl & dishwasher safe
- Equipped with wire whip, flat beater and dough hook
- Intelligent speed control allows for perfect mixing every time
- Head lift design allows clear access to the bowl and attached beater, so you can easily add ingredients
- Powerful motor to handle large quantities of ingredients
- Quiet during operation
- Suitable for mixing wet and dry ingredients, kneading dough or whipping cream

Dimensions	240 x 420 x 430mm
Voltage	220V/50Hz
Bowl capacity	5 Litre
Net weight	12.2 kg

KitchenAid®

MADE IN USA

Stand Mixer



- Smooth, rounded bowl - lift professional design
- Ideal for heavy loads / use and easy to clean
- Full metal body construction, high precision metal gears and metal control
- Direct drive transmission
- Stable, quiet and durable
- Stainless steel bowl with comfortable handle
- Easily handles very large quantities of food
- High efficiency motor with direct drive
- Professional style attachment power hub
- Fits all current KitchenAid attachments and future larger capacity commercial style attachemnts
- Extremely robust standard accessories
- Durable and dishwasher safe
- Kitchen Aid mixers include flat beater, dough hook and wire whip

*Only 5KPM50EWH model includes double bowls





Model	Dimensions	Voltage	Power	Net weight	Capacity
5K5SSWH	264 x 388 x 411mm	220V/50Hz	0.315KW	12.3 kg	5 Quart (4.83L)
5KPM50EWH	264 x 388 x 411mm	220V/50Hz	0.315KW	12.3 kg	5 Quart (4.83L)
5KSM7590GWH	345 x 440 x 500mm	220V/50Hz	0.523KW	13 kg	7 Quart (6.9L)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

CE

LKK
MADE IN CHINA

Planetary Mixer

A mass production planetary mixer equipped with 3 main functions including the whip, the beater and the hook. Variety of sizes from 10 litres to 80 litres enables you to match with your demand. The customs made body part ensure that the durability of this machine is far stronger than the others. Suitable for restaurants, bakeries, hotels and all mass production facilities.


Model: B10


Model: B15


Model: B20F


Model: B20F(A)


Model: B25


Model: B30


Model: B40/B50


Model: B60

Model	Bowl Capacity (Litre)	Max. kneading capacity(kg)	Dimensions(mm)	Mixing speed (rpm)	Power	Weight(kg)
B10*	10	1	420 x 380 x 750	189/362	220V/0.37kW/50Hz	70
B15	15	5	415 x 530 x 750	91/164/294	220V/0.55kW/50Hz	90
B20F	20	6	415 x 530 x 780	91/164/294	220V/0.75kW/50Hz	98
B20F(A)*	20	6	540 x 430 x 790	91/164/294	220V/0.75kW/50Hz	98
B25	25	8	435 x 450 x 820	91/164/294	220V/1kW/50Hz	110
B30	30	10	610 x 530 x 1,020	65/102/296	220V/1.5kW/50Hz	192
B30A	30	10	610 x 530 x 1,020	65/102/296	380V/1.5kW/50Hz	192
B40	40	12	590 x 580 x 1,230	96/168/306	220V/1.5kW/50Hz	248
B40A	40	12	590 x 580 x 1,230	96/168/306	380V/1.5kW/50Hz	248
B50	50	15	760 x 580 x 1,230	84/163/373	380V/1.5kW/50Hz	242
B60	60	20	620 x 1,025 x 1,430	73/109/143/215	380V/2.8kW/50Hz	490
B80	80	30	700 x 1,200 x 1,650	89/133/174/262	380V/3kW/4kW/50Hz	720

LKK

MADE IN CHINA

CE

Spiral Mixer

- The spiral agitator is specially designed and made, and the speed is coordinated with bowl's speed which can get the best result of dough-kneading
- The operating procedure is specially equipped with time control on top cover intensively, which make it easy to operate and maintain
- During every operating procedure, it can turn into high-speed dough mixing procedure







Model	HS20	HS30	HS30A	HS40A
Dimensions	690 x 380 x 730mm	730 x 430 x 770mm	770 x 430 x 810mm	870 x 480 x 935mm
Power	0.75kW	1.1kW	0.85/1.1kW	1.1/2.2kW
Voltage	220V	220V	380V	380V
Phase	1	1	3	3
Frequency	50Hz	50Hz	50Hz	50Hz
Bowl volume	21 Litre	35 Litre	35 Litre	40 Litre
Max kneading capacity	8 kg	12 kg	12 kg	16 kg
Mixing speed	185 r/min	185 r/min	101/202 r/min	101/202 r/min
Bowl speed	15 r/min	15 r/min	8/16 r/min	8/16 r/min
Weight	70 kg	90 kg	95 kg	127 kg

Model	HS50A	HS80	HS100	HS130
Dimensions	920 x 530 x 935mm	1120 x 682 x 1305mm	1160 x 650 x 1340mm	1222 x 750 x 1430mm
Power	1.1/2.2kW	1.5/2.4kW	3/4.5kW	2.8/5.6kW
Voltage	220V/380V	380V	380V	380V
Phase	3	3	3	3
Frequency	50Hz	50Hz	50Hz	50Hz
Bowl volume	50 Litre	80 Litre	100 Litre	130 Litre
Max kneading capacity	20 kg	25 kg	40 kg	50 kg
Mixing speed	101/202 r/min	210/107 r/min	210/107 r/min	210/107 r/min
Bowl speed	8/16 r/min	16 r/min	16 r/min	16 r/min
Weight	130 kg	439 kg	482 kg	522 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

CE

PRIMO

MADE IN CHINA

Bun Divider and Rounder

- Divides dough evenly
- Excellent rounding of the buns
- Machine can be opened on both sides for easy cleaning of knives
- Easy adjustment for different dough weight
- Excellent rounding of the buns
- Machine can be opened on both sides for easy cleaning of knives
- Easy adjustment for different dough weight
- Alloy lower frame, aluminum cover and upper frame, stainless steel knives
- Dough quantity : 30 pieces





Model: DDR-30

Semi - Automatic Bun Divider and Rounder



Model: DDR-30I

Automatic Bun Divider and Rounder



Dimensions	640 x 540 x 2100mm
Voltage	220V/380V/50Hz
Power	0.75kW
Unit dough weight	30 - 100 g
Net weight	360 kg

PRIMO

MADE IN CHINA


CE



Table Top / Floor Type Reversible Sheeter

- Roller: made of seamless steel pipe, computer lathe processed, grinded, hard chromium plated
- Roller surface: not adhesive, not easy to scratch
- Suitable for crisp food and spreading dough
- High quality, firm structure, stable, use for long time
- Professional design: sheet to the thinnest, and spreding equally
- Imported conveyer belt: phozy, wear resistance
- Imported motor accessories: increased the service time
- Safe operation, hygienic and easy to clean





Model: DR520-TT





Model: DR520-FT

Model	DR520-TT	DR520-FT
Dimensions	880 x 2080 x 620mm	880 x 2550 x 1180mm
Working position width/height	2080/620mm	2550/1180mm
Resting position width/height	750/840mm	660/1600mm
Conveyer belt size	500 x 2000mm	500 x 2000mm
Roller adjustable gap	1 - 35mm	1 - 35mm
Voltage	220V - 380V/50Hz -1/3PH	220V - 380V/50Hz -1/3PH
Power	0.56kW	0.56kW
Maximum roll weight	5kg	5kg
Net weight	125kg	190kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA


- Unique design, enjoy fine life
- Reasonable structure, create high quality product
- Easy to operate
- Durable parts, easy to clean, create best environment for fermenting
- With water level control



Model : PFB14

Proofer

Dimensions	500 x 750 x 1910mm
Specification	14 plates
Voltage	220V
Power	2.6kW
Frequency	50Hz
Net weight	49 kg





Proofer

Dimensions	1020 x 750 x 1920mm
Specification	28 plates
Voltage	220V
Power	2.8kW
Frequency	50Hz
Net weight	82 kg



Dedicated inner chamber made
from stainless steel, good appearance



Model : PFB28

Absolute

MADE IN CHINA

CE







1 Deck Gas Oven with Steam

Model: GDO-20AS

Dimensions	1400 x 990 x 730mm
Voltage	220V/50Hz
Power	0.1kW
Plates	1 deck 2 trays
Net weight	130 kg

1 Deck Electric Oven

Model: EDO1-20C 1Deck Electric Oven without Steam

Model: EDO1-20CS 1Deck Electric Oven with Steam

Dimensions	1220 x 870 x 530mm
Voltage	3N - 380V/220V
Power	6.2kW
Plates	1 deck 2 trays
Frequency	50Hz
Net weight	108 kg

2 Decks Gas Oven with Steam

Model: GDO2-40AS

Dimensions	1400 x 990 x 1380mm
Voltage	220V
Power	0.2kW
Plates	2 deck 4 trays
Frequency	50Hz
Net weight	230 kg

2 Decks Electric Oven

Model: EDO2-40C 2 Deck Electric Oven without Steam

Model: EDO2-40CS 2 Deck Electric Oven with Steam

Dimensions	1220 x 870 x 1260mm
Voltage	380V
Power	12kW
Plates	2 deck 4 trays
Frequency	50Hz
Net weight	198 kg

3 Decks Gas Oven with Steam

Model: GDO3-60AS

Dimensions	1400 x 990 x 1800mm
Voltage	220V
Power	0.3kW
Plates	3 deck 6 trays
Frequency	50Hz
Net weigh	300 kg

3 Decks Electric Oven without Steam

Model: EDO3-60C 3 Deck Electric Oven without Steam

Model: EDO3-60CS 3 Deck Electric Oven with Steam

Dimensions	1220 x 870 x 1530mm
Voltage	380V
Power	18kW
Plates	3 deck 6 trays
Frequency	50Hz
Net weight	288 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Mini Pizza Oven (12")

- Small but functional design
- Space saving
- Flexible time setting
- Suitable for max 12 inch pizza

Dimensions	460 x 380 x 170mm
Baking chamber dimensions	335 x 325 x 57mm
Shell plate thickness	0.7mm
Chamber plate thickness	0.6mm
Voltage	220V/50Hz
Top heating element power	220V/0.9kW
Bottom heating element power	220V/0.55kW
Power	1.45kW
Net weight	7 kg
Shell plate material	High quality stainless steel
Chamber material	Aluminium
Color	Satin finish



Model: DBS-01

Electric Pizza Oven (1 Layer)

- Equipped with 1piece boracium board
- Boracium board of better performance of heat absorption
- Excellent pizza backing performance
- EGO thermostat

Dimensions	910 x 820 x 430mm
Board dimensions	610 x 610 x 14mm
Chamber plate thickness	1.0mm
Voltage	380V/50Hz
Power	4.2kW
Temperature range	0 - 500 ℃
Capacity	2 pieces of 12 inch pizzas
Net weight	68 kg
Material	Aluminium
Chamber plate material	Aluminium
Color	Black



Model: EP-2-1

Electric Pizza Oven (2 Deck)

- Equipped with 2 pieces boracium board
- Boracium board for better performance of heat absorption
- Excellent pizza backing performance
- EGO thermostat

Dimensions	910 x 820 x 750mm
Board dimensions	610 x 610 x 14mm
Chamber plate thickness	1.0 mm
Voltage	380V/50Hz
Power	8.4kW
Temperature range	0 - 500 ℃
Net weight	118 kg
Capacity	4 pieces of 12 inch pizzas
Material	Aluminium
Chamber plate material	Aluminium
Color	Black



Model: EP-2

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Electric Convection Oven (Chamber Enameled)

- Heavy duty fan blade
- Stainless steel handle
- Equipped with 4 pieces of aluminum
- Trays (600 x 400mm)
- 2 fans
- Double-glass door
- Ceramic coating chamber, easy to clean
- Enameled chamber
- USA jakel motor
- Wiring grid optional
- Door hinge to be opened at 90°
- Visual glass, easy to keep an eye on cooking process



Model: YXD-1AE

Dimensions	595 x 530 x 570mm
Chamber dimensions	460 x 375 x 360mm
Tray Size	454 x 327mm
Thickness	0.8mm
Voltage	220V/50Hz
Power	2.67kW
Timer range	0 -120 minutes
Thermostat temperature	Max 300 ℃
Temperature range	50 ℃ - 300 ℃
Heating elements	2
Net weight	38 kg
Side plate material	Stainless steel 304
Color	Satin finish + Black door

Electric Convection Oven

- USA Jakel motor
- Solenoid valve for manual steaming
- Door hinge to be opened at 90° for easy taking out of trays
- Visual glass, easy to keep an eye on cooking process
- Equipped with 4 pieces of aluminum trays
- 2 fans
- Heavy duty fan blade
- Double-glass door
- Door hinge to be opened at 90° for easy taking out of trays
- Stainless steel handle
- One way motor



Model: YXD-4A

Dimensions	595 x 530 x 570mm
Chamber dimensions	460 x 375 x 360mm
Chamber plate thickness	1.0mm
Side plate thickness	0.8mm
Voltage	220V/50Hz
Power	2.67kW + 2kW
Heating elements	3
Timer range	0 -120 minutes
Temperature range	50 ℃ -300 ℃
Net weight	40 kg
Chamber plate material	High quality food grade stainless steel
Side plate material	Stainless steel 304
Color	Satin finish

Electric Convection Oven

- EGO Thermostat with ON/OFF funtion
- Highly efficient stainless steel heating elements
- Ceramic coating chamber, easy to clean
- Equipped with 4 pcs wiring grid 550 x 365mm
- Anti-slippery foot design
- Suitable for GN1/1
- Rubber seal
- Heat resistant handle
- Silicon protective switch
- Bakelite handle



Model: YXD-6A

Dimensions	796 x 600 x 580mm
Voltage	220V/50Hz
Power	2.7kW
Timer range	60 minutes and 180 minutes
Timer	2
Net weight	70 kg
Material	Stainless steel
Color	Satin finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART


JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Electric Convection Oven

- Horizontal motor (Auto-reverse)
- Heavy duty fan blade
- Auto-stop when open the oven door
- Door hinge to be opened at 90° for easy taking out of trays
- Visual glass, easy to keep an eye on cooking process
- Equipped with 4 pieces of aluminum trays (400 x 600mm)
- Equipped with door open detector
- Thermostat max is 300 ℃, machine working max is 340 ℃
- Fans: 2 fans (Horizontal fan motor)
- Timer range: 0-105 Minutes
- 2450RPM / motor(90W)
- Double-glass door
- Stainless steel handle
- With steam spray function

Dimensions	834 x 765 x 572mm
Chamber dimensions	700 x 360 x 460mm
Shell Plate thickness	1.0mm
Voltage	380V/50Hz (2PH)
Power	6.4kW
Temperature range	50 ℃-300 ℃
Thermostat max	300 ℃
machine working max	340 ℃
Heating elements	2
Net weight	67 kg
Shell Plate material	High quality food grade stainless steel
Material	High quality food grade stainless steel
Color	Satin finish



Model: YXD-8A

Electric Convection Oven (6 GN1/1)

- Durable Use
- Highly efficient heating elements
- Suitable for GN pan
- Mechanical control system
- Equipped with 4 Racks

Dimensions	867 x 930 x 750mm
Rack dimensions	536 x 330 mm
Thickness	1.0mm
Voltage	380V/50Hz
Power	1.2kW
Net weight	135 kg
Shell material	High quality food grade stainless steel
Chamber material	Stainless steel 304



Model: YXD-06

Bread Slicer

- Customized blade frame for special thickness of slice requirement (8mm – 30mm)
- Small and save space
- Suitable for all bakeries, restaurants, hotels, food factories as well as supermarkets

PRIMO

MADE IN CHINA

Dimensions	630 x 630 x 685mm
Blade frame width	385mm
Working width	375mm
Working height	150mm
Output	240 pcs/per hour
Thinkness of slice	12mm
Voltage	220V/50Hz
Power	0.2kW
Net weight	70 kg



Model: BSC31

JUSTA
An ITW Company
Largest foodservice equipment group of the world

CE

MADE IN CHINA



Model: UWB-HF



Model: UWB-2HF

Electric Waffle Baker 1 Plate & 2 Plate

- Durable use
- High efficiency heating elements
- Shell Thickness: 0.8mm
- Temperature range: 50-300℃
- Plate dimension: 240x180 mm
- Material: high quality food grade stainless steel
- Top plate & Base material: stainless steel 304
- Color: satin finish

Model: UWB-HF

Dimensions	285 x 360 x 220mm
Voltage	220V/50Hz
Power	2.2kW
Net weight	16 kg

Model: UWB-2HF

Dimensions	600 x 360 x 220mm
Voltage	220V/50Hz
Power	2 x 2.2kW
Net weight	30 kg

1 Plate Waffle Baker

2 Plate Waffle Baker



Model: UWB-1



Model: UWB-2

- Economic style
- "L" shape design
- Thickness: 0.7mm
- Durable use
- Energy saving
- Material: high quality food grade stainless steel
- Temperature range: 50-300℃
- Equipped with thermostat
- Equipped with timer
- Color: satin finish

Model : UWB-1

Dimensions	250 x 380 x 300mm
Voltage	220V/50Hz
Power	1kW
Net weight	8 kg

Model : UWB-2

Dimensions	500 x 380 x 300mm
Voltage	220V/50Hz
Power	2kW
Net weight	17 kg

Electric Waffle Baker(1plate)

Electric Waffle Baker(2 plate)



Model: UWB-H



Model: UWB-2H

- Unique "L" shape design
- Highly effcient heating elements
- Thickness: 0.8mm
- CE approval
- Material: stainless steel 304
- Temperature range: 50-300℃
- Plate dimension is 240 x 180mm
- Color: satin finish

Model: UWB-H

Dimensions	285 x 360 x 220mm
Voltage	220V/50Hz
Power	2.2kW
Net weight	16 kg

Model: UWB-2H

Dimensions	600 x 360 x 220mm
Voltage	220V/50Hz
Power	4.4kW
Net weight	30 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

Crepe Maker

- Stainless steel body with a diameter 400mm of round heater
- Teflon coating
- Equipped with 1piece wooden spatula
- Highly efficient heating elements

Dimensions	200 x 400 x 200mm
Thickness	0.7mm
Voltage	220V/50Hz
Power	3kW
Net weight	20 kg
Material	High quality food grade stainless steel
Color	Satin finish



Model: DE-1-A

Crepe Maker (2 Plate)

- Stainless steel body with a diameter 400mm of round heater
- Teflon coating
- Equipped with 1piece wooden spatula
- Highly efficient heating elements

Dimensions	860 x 485 x 240mm
Thickness	1.2mm
Voltage	220 - 240V/50Hz
Power	6kW
Net weight	42 kg
Material	High quality food grade stainless steel
Color	Satin finish



Model: DE-2

Electric Donut Fryer

- Equipped with 2 baskets and each dimension is 379 x 355mm
- Highly effcient heating elements
- EGO Thermostat
- With oil drain valve

Dimensions	460 x 620 x 355mm
Shell Plate thickness	0.8mm
Side Plate thickness	1.0mm
oil tank thickness	1.0mm
Supply voltage	220V/50Hz
Power	3kW
Net weight	15.8 kg
Shipping weight	24 kg
Capacity	12 Litre
Material	High quality food grade stainless steel
Side plate material	Stainless steel 304
Color	Satin finish



Model: EF-T

JUSTA
An ITW Company
Largest foodservice equipment group of the world

MADE IN CHINA

CE

Electric Toaster (4-Slice)



Model: 4ATS-A

- Rust resistant
- Easy clean
- Anti-slip bottom design
- Color: satin finish

Model : 4ATS-A

Dimensions	370 x 210 x 225mm
Thickness	0.7 mm
Voltage	220V/50Hz
Power	2.24kW
Material	High quality food grade stainless steel
Net weight	5 kg
Heating element	3 pieces of 500W and 2 pieces of 370W

Electric Toaster (6-Slice)



Model: 6ATS-A

Model : 6ATS-A

Dimensions	460 x 210 x 225mm
Thickness	0.7 mm
Voltage	220V/50Hz
Power	3.24kW
Material	High quality food grade stainless steel
Net weight	6 kg
Capacity	6 pieces of bread
Heating element	5 pieces of 500W and 2 pieces of 370W



Electric Conveyor Toaster

- Conveyor design
- Automatic speed control
- Movable tray for collecting wastes
- Easy cleaning
- CE approval

Model	TT-150	TT-300	TT-450
Dimensions	288 x 418 x 387mm	368 x 418 x 387mm	468 x 418 x 387mm
Top heating element power	220V/0.7kW	220V/1.3kW	220V/1.4kW
Bottom heating element power	220V/0.6kW	220V/0.9kW	220V/1.2kW
Chamber plate thickness	1.0mm	1.0mm	1.0mm
Side Plate thickness	0.7mm	0.7mm	0.7mm
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Power	1.34kW	2.24kW	2.64kW
Net weight	14 kg	16 kg	20.5 kg
Capacity	150-180 slices of bread per hour	300-350 slices of bread per hour	450-500 slices of bread per hour
Chamber plate material	Aluminium		
Side plate material	High quality food grade stainless steel		
Color	Satin finish		

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

BEVERAGE EQUIPMENT



Automatic juicer	111
Citrus juicer	112-113
Coffee warmer	109
Coffee boiler/warmer	109
Coffee decanter	109
Coffee grinder	107-108
Coffee machine	107
Coffee paper filter	109
Coffee urn	109
Drink blender	114-118
Drink mixer	123-125
Espresso coffee machine	108
High performance blender	119-122
Juice dispenser - refrigerated	126
Juice extractor	112
Kettle	110
Water boiler	110


ESPRESSO
DOPPIO
RISTRETTO
LUNGO
MACCHIATO
CAFÉ CREME
CAFÉ NOISETTE
CORTADO
CAPPUCCINO
DRY CAPPUCCINO
AMERICANO
AFFOGATO
BREVE
MOCHA BREVE
MOCHA
CAFÈ CON HIELO
CAFÈ BOMBÒN
CON PANNA
FLAT WHITE
BLACK EYE
LATTE
GALÃO
DOUBLE LATTE
TYPE OF COFFEE

LA CIMBALI
MADE IN ITALY

Semi-auto Coffee Machine 2 Groups



Model: M27 RE C2

Black
Red

- Push button panels with immediate and precise electromechanical buttons
- 2 multidirectional stainless steel steam wands
- Steam delivery control taps with reduced rotation
- 1 stainless steel hot water wand
- Electrical cup warmer
- Improved accessibility to internal parts
- Sleek and refined modern look
- Stainless steel and matt black body
- Electric cup warmer

Auto coffee Machine 2 Groups



Model: M27 RE DT2

Black
Red

Width	770mm
Depth	510mm
Height	470mm
Weight	67kg
Power	220V-380V/50Hz
Hot water wands	1
Steam wands	2
Boilers' capacity	11 Litre

Auto Coffee Dosing Grinders

- Automatic grinder doser
- Flat grinding burrs
- Diecast aluminium painted body
- High level of production per hour



Model: MAGNUM AUTO SILVER

Width	220mm
Depth	400mm
Height	620mm
Power	220V/50Hz
Grinding burrs diameter	75mm
Output/second	3.3
Hopper capacity	1.6 kg



PRIMO

MADE IN CHINA

CE

Espresso machine



Model: CFM-3L

- Heating systerm: twin, pid controlled and stainless steel lined thermoblocks
- Group handle: 58mm commercial size
- Stainless stain ,single floor filters, in both single & double cup sizes
- Steam wand 360 degree movement with 2 x 0.7mm double holes nozzle
- Accessories: tamper, water filter, cleaning disc and cleaning tool
- Diecasting stainless steel body
- Twin pump and twin thermoblock system
- Commercial size group head and handle
- 15 bar espresso pump and 4bar steam pump
- Espresso pressure gauge
- Super power steam thermoblock
- Pre-infusion technology
- Removable water tank with low water level indicator
- Programmable cup volumes
- Advanced programming functions



Width	350mm
Depth	330mm
Height	360mm
Weight	11.42 kg
Power	2.4kW
Voltage	220V/50Hz
Capacity	3 Litre
Material	Stainless Steel
Color	Silver

Coffee Grinder



Model: CFG-450

- Transparent bean hopper with a capacity of 450g of coffee bean
- Belt driven conical burrs
- Accesories: domestic group handle adaptor and cleaning brush
- Tap & Go™ system: grind directly into hanle and automatic flow
- Advanced no-tool recalibration system
- Maximise the flavour of coffee with 30 adjustable grind settings

Width	150mm
Depth	358mm
Height	330mm
Weight	6.44 kg
Power	0.12kW
Voltage	220V/50Hz
Capacity	0.450 kg
Material	Stainless Steel and Plastic
Color	Black and Silver





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRIMO

MADE IN CHINA

Coffee Urn Electric Coffee Maker



Model: ECM-16

- Double-wall structure,inner wall stainless steel304,outer wall stainless steel201
- Stainless steel permanent coffer filter and table
- Control lights: heating and keep warm
- ON/OFF switch
- UL plug (1 round pin + 2 flat pin)
- One piece structure for easy cleaning
- Stainless steel 304 lid with twisted lock for safety
- Cool touch and robust lid handle and urn handles
- Water gauge indication
- Multi-directional dispensing Brass tap with chrome coated
- Two overheat protection
- Concealed heating element
- Variable thermostat
- Replaceable heating element
- Hot surface after the inside liquid is boiled



Dimensions	349 x 345 x 523mm
Diameter	Ø270mm
Thickness	Inner wall 0.5mm / Outer wall 0.4mm
Power	1.650kW + 0.12kW
Weight	4.7 kg
Capacity	13.5 Litre
Surface	Shiny polished

Coffee Paper Filter

Brew Rite
MADE IN USA



Model: 48-101

Coffee filter
- Used with coffee brewer



Model: 54-501

Coffee filter
- Use with coffee urns

Model	Pieces per box	Diameter
48-101	1,000	Ø228mm
54-501	500	Ø457mm

Coffee Warmers

LKK MADE IN CHINA



Model: MW-2



Model: MWR-2



Model: MR-2

- Stainless steel coffee warmer
- Durable, light warmer with double brass top, Each side will be controled individually
- MWR2, MR-2 Thermostat. Can use both warming up or boiling

Model	Dimensions	Power	Weight
MW-2	358 x 178 x 68mm	220V/0.2kW	2.5 kg
MWR-2	358 x 178 x 68mm	220V/0.55kW	2.6 kg
MR-2	358 x 178 x 68mm	220V/0.9kW	2.6 kg

Coffee Decanter

Kinox
MADE IN CHINA



Coffee Decanter Model: 8892

- Shatter resistant construction
- Heat resistant base (up to 125 degrees C or 260 degrees F) perfect for electric heating and warming plates
- Built to withstand the commercial catering environment
- Transparant and hygienic body made of special synthetic resin that is highly resistant to chemical attack of coffee and tea
- Ergonomic handle that fits comfortably in any palm
- Capacity 1.8 Litres

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

PRIMO

MADE IN CHINA

Water Boiler



Model: EWB-20

- Double-wall structure,inner wall Stainless steel 304 ,outer wall Stainless steel 201
- Control lights: heating and keep warm
- ON/OFF switch
- UL plug (1 round pin + 2 flat pin)
- One piece structure for easy cleaning
- Stainless steel 304 lid with twisted lock for safety
- Cool touch and robust lid handle and urn handles
- Water gauge indication
- Multi-directional dispensing Brass tap with chrome coated
- Two overheat protection
- Concealed heating element
- Variable thermostat
- Replaceable heating element
- Hot surface after the inner liquid is boiled

Model	EWB-20	EWB-30
Dimensions	392 x 385 x 514mm	392 x 385 x 646mm
Diameter	Ø310mm	Ø310mm
Thickness	Inner wall 0.5mm	Inner wall 0.5mm
	Outer wall 0.4mm	Outer wall 0.4mm
Voltage	220V/50Hz	220V/50Hz
Power	2.6kW	2.6kW
Weight	3.7 kg	5.5 kg
Capacity	18.5 Litre	27.7 Litre
Surface	Shiny Polished	Shiny Polished

Kettle

- Double shell structure for scald insulation protection
- Cordless electric kettle: separate base move kettle conveniently
- 360 °rotation design
- Two ceramic controller, double safety protection for dry boiling
- Steam switch for automatic power off when water boiled
- Concealed heating element, safety and easy cleaning
- External surface physical contact resistant
- Inside lid: stainless steel 304
- Inside body: stainless steel 304
- Handle: PP, Outside lid: PP, Easy cleaning, Durable use



Model: KT1200-DW



Model: KT1200-D



Model: KT1500-D



Imported Sweden Kanthal metal disc of controller, rust proof and control the temperature more precisely



Food grade stainless steel, ensure the healthy drinking water



Two ceramic controllers for double dry-boiling protections and longtime using



Concealed heating element system, cleaning conveniently



separate base move kettle conveniently. 360 °rotation design



Locked kettle lid, not easy opened when using

Model	KT1200-DW	KT1200-D	KT1500-D
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Power	1.2kW	1.2kW	1.5kW
Capacity	1.2 Litre	1.2 Litre	1.5 Litre

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART


Automatic Juicers



Model: J 80 Ultra

- Patented automatic feed tube with a diameter of 79 mm for continuous throughput
- High power, low noise
- Powerful, resilient commercial-grade motor operates at a speed of 3.000 rpm, meaning that the juice oxidizes less quickly
- The resulting juices are particularly smooth and bursting with flavour
- The noise levels of the J80 Ultra is so low that it can be used right in front of the customer
- Large capacity pulp collector
- Removable (no special tool required) stainless-steel basket for quick and easy cleaning
- Automatic system: the unique design of the feed tube enhanced production volumes of top-quality juice quickly and effortlessly!
- Practical: the drip tray can hold up to 300 ml of liquid, meaning that your worktop stays clean
- Large-capacity pulp container! the 6.5-litre (J 80 Ultra) or the 7.2-litre (J 100 Ultra) translucent container slots neatly under the ejector spout, to avoid pulp splashing onto the worktop. The J 100 Ultra can be used in two ways:
  1. Continuous pulp ejection: ejection chute sending a continuous flow of pulp directly into a bin beneath the worktop
  2. Pulp ejected into a container: 7.2-litre large-capacity translucent pulp container
- Centrifugal juicer basket: the basket can be removed (no special tool required) for easy cleaning





Auto Feed system for continuous throughput





Removable stainless-steel basket



Drip tray




No-splash spout




Ultra-quiet heavy-duty motor



Stainless-steel bowl and motor unit for easy aftercare





Dimensions	535 x 505 x 124mm
Power	0.7kW
Voltage	220V/50Hz/1A
Speed	3000rpm
Net weight	10.9 kg
Gross weight	12.8 kg

SANTOS

MADE IN FRANCE

Juice Extractor



Model: 28

- Equipped with a powerful induction motor for intensive use
- Maximum juice extraction: excellent yield
- Perfect filtration large basket with very fine sieve (0.5 mm) offering a high quality juice
- Delivered with a special key for screwing and unscrewing the basket
- Introduction 68 mm diameter
- Spout height 222 mm to make juice in a glass or in a jug





Dimensions	320 x 570 x 480mm
Motor	220V/50Hz/1.3kW
Speed	3000 rpm
Net weight	24 kg
Shipping weight	26 kg

Automatic Citrus Juicer



Model: 10

- The automatic citrus juicer with lever #10 is the ideal product to make juice by glass
- It is equipped with a heavy duty and quiet asynchronous motor
- Specially made for production of fresh squeezed citrus juice: juice bars, health food stores,hotels, bars, restaurants, cafeterias, ice cream shops, institutions, hospitals

Dimensions	200 x 380 x 300mm
Motor	220 V/50Hz/0.25kW
Speed	1500 rpm
Net Weight	9.2 kg
Shipping Weight	9.6 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Hamilton Beach COMMERCIAL

PRODUCT OF USA

1G932



- Manual Operation
  - The extractor arm exerts up to 2000 lbs. of force to ensure maximum juice output with minimum skin oil and pulp residue
- Acid-Resistant Finish
  - Material the metal components, as well as the enamel finish, resist wear and tear from exposure to citrus acids
- Spout Height
  - 5.5" Cup Clearance provides ample room to place an 8-10 oz cup for juicing
- Drip Cup with Swing-Out Arm
  - Multifunctional removable juice cup can be used to measure the juice of one lemon, lime or orange
  - It also collects the juice drippings while keeping the counter clean, but swings out of position when a juice cup is being used.
- Base Stability
  - Sure grip™ feet hold the juicer firmly in place to prevent tipping
- Strainer Cone and Funnel
  - Stainless steel strainer sone and ABS plastic funnel are easily removed for cleaning and sanitizing



Maximum Juice Extraction
The extractor arm exerts up to 2000 lbs of force to ensure maximum juice output with minimum skin oil and pulp residue



Sure Grip™ Feet
hold the juicer firmly in place to prevent tipping





Stainless Steel Strainer Cone
and ABS plastic funnel are easily removed for cleaning and sanitizing



Multifunctional Removable Juice Cup
can be used to measure the juice of one lemon, lime or orange. It also collects the juice drippings while keeping the counter clean, but swings out of position when a juice cup is being used



Model	1G932
Dimensions	178 x 230 x 495mm
Power	220V/50Hz, 0.25kW
Controls	Manual
Cup for juicing	8-10 Oz.
Weight	13.2 lbs/6 kg

PRIMO

MADE IN CHINA

CE



BD-1500

- Powerful 2.5 peak Hp
  - Strong enough for ice and blends ingredients quickly
- Hard and durable tungsten steel blade
  - Quickly cut through ice and other ingredients
- Non skid feet
  - Hold blender securely in place
- Removeable filler cap
  - Easily add ingredients while blending
- 2L Break resistant container
  - Polycarbonate container with simple measurement marks
- Pulse Function
  - Allows operater to use the fastest speed instantly
- Easily adjustable speed
  - Offers precision blending





Removable filler cap
ingredients can be easily added



Non skid feet
Hold blender securely in place



2L Break resistant container
Polycarbonate container with
easy-to read measurement marks



Hard and durable tungsten steel blade
Quickly cut through ice
and other ingredients



Easily adjustable speed
Offers precision blending



Pulse function
Allows operater to use
the fastest speed instantly



Model	BD-1500
Dimensions	300 x 435 x 345mm
Power	220V/50Hz, 1.2kW
Motor	2.5 Hp
Controls	2 Speed / Timer / Pulse
Container capacity	2 Litre
Weight	5.5 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Which BLENDER is RIGHT for YOU?

	Bar Basics	Smooth Results with Wave Action	Set The Time & Walk Away	Powerful Workhorse		Quiet & Customized	
	908®	RIO®	TANGO®	FURY®	TEMPEST®	ECLIPSE™	SUMMIT® with Auto Blend
	HBB908 Series	HBB250 Series	HBH450 Series	HBH550 Series	HBH650 Series	HBH750 Series	HBH850 Series
							
Application	Frozen Drinks			Smoothies and Frozen Drinks			
Ice	Small or Crushed Ice			Half or Full Cube Ice			
Typical Drinks / Day	1 to 15	15 to 25	20 to 50	50+	50+	75+	75+
AverageTime	25 Seconds	20 Seconds	15 Seconds	12 Seconds	12 Seconds	12 Seconds	12 Seconds
Power	1/2 Peak Hp	3/4 Peak Hp	1 Hp	3 Hp	3 Hp	3 Peak Hp†	3 Hp
Jar Capacity	44 oz / 1.25 L	44 oz / 1.25 L	48 oz / 1.4 L	64 oz / 1.8 L	64 oz / 1.8 L	48 oz / 1.4 L	64 oz / 1.8 L
DriveCoupling	Rubber Clutch		Metal Clutch				
GoodThinking® Features	Dependable and easy to use	Wave~Action® System for smooth results Suitable for household uses.	Adjustable timer provides hands-free blending	Powerful precision blending with easy-to-use paddle switches	Loaded with features and powerful performance	QuietBlend™ technology-blend at the noise level of a normal conversation	One-touch blending with AutoBlend™

Hamilton Beach COMMERCIAL

Good Thinking™

† Peak power is Input Power

Hamilton Beach COMMERCIAL

PRODUCT OF USA

111 YEARS CE CCC RoHS NSF

HBB908-CE



- Powerful 1/2 Peak Hp Motor
  - 1/2 Peak HP Motor is built to last with more steel and longer brushes
  - It keeps up with the demands of busy bars
- Durable stainless steel blades
  - Quickly cut through ice and other ingredients
- Toggle switch
  - High/low/off toggle switch is easy to reach and control
- 44oz/1.25L Break-resistant Polycarbonate Container
  - Break-resistant polycarbonate container with easy-to-read measurement marks
  - Removable filler cap lets you add ingredients while blending
- Durable Clutch
  - Durable clutch has a rubber and metal contruction
  - Rubber dampens noise while metal reinforcement increases durability
- 25 Second Margarita
  - You can blend a 16 oz. / 0.5 L drink in 25 seconds flat

Ingredients

2 Parts Tequila
3 Parts Lime Juice
1 Part Triple Sec
1 Slice Lime

Frozen Margarita Recipe

How to mix

Fill a blender with crushed ice. Add all ingredients. Blend and pour into a chilled cocktail glass. Garnish with lime.



Powerful 1/2 Peak Hp Motor



Durable Stainless Steel Blades
Quickly cut through ice and other ingredients



Container
44oz / 1.25 L break-resistant
polycarbonate container with filler-cap and easy-to-read measurement marks



2 Speed Switch
Two speeds offer versatility and precision blending for a wide variety of food and drink mixtures



Removable Filler-Cap
Easily add ingredients while blending



Nonskid Feet
Hold blender securely in place



Model	HBB908-CE
Dimensions	165 x 203 x 387mm
Power	220V/50Hz, 0.4kW
Motor	1/2 peak Hp input power
Controls	High/Low
Container Capacity	44 Oz. / 1.25 Litre
Weight	7.25 lbs/3.28 kg

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

111 YEARS CE CCC RoHS NSF

Hamilton Beach COMMERCIAL

PRODUCT OF USA

HBB250-CE RIO



- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades
  - The Wave~Action® System has a unique container and blade design for a super-creamy profile every time
- 3/4 Peak Hp*
  - Designed to last with durable bearings and integrated cooling fan
- Durable Stainless Steel Blades
  - Quickly cut through ice and other ingredients
- Toggle Switches
  - High/low and on/off pulse toggle switches are easy to reach and control
- Stackable 44 oz. / 1.4 L Polycarbonate Container
  - Stackable break-resistant polycarbonate container with easy-to-read markings stores in less space to free up your counter
- Durable Clutch
  - Has a rubber and metal contruction. Rubber dampens noise while metal reinforcement increases durability
- Container Pad Sensor
  - Turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of the clutch



Durable Stainless Steel Blades
Quickly cut through ice and other ingredients



Unique Container and Blade Design



Container 44 oz / 1.25 L
break-resistant polycarbonate container with filler-cap and easy-to-read measurement marks



Container Pad Sensor
Turns off motor when container is not in place to reduce clutch grinding



Nonskid Feet
Hold blender securely in place



2 Speed Switch with Pulse Option
Two speeds offer versatility and precision blending for a wide variety of drinks



Removable Filler-Cap
Easily add ingredients while blending



Model	HBB250-CE RIO
Dimensions	165 x 203 x 406mm
Power	220V/50Hz, 0.45kW
Motor	3/4 peak Hp input power
Controls	High/Low/ Pulse option
Container capacity	44 Oz. / 1.25 Litre
Weight	9.7 lbs/4.4 kg (shipping)

Hamilton Beach COMMERCIAL

PRODUCT OF USA

111 YEARS CE CCC RoHS NSF

HBH450-CE



- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades The Wave~Action® System has a unique container and blade design for a super-creamy profile every time
- Powerful 1 Hp Motor
  - 1/2 Peak HP Motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Timer with Automatic Shutoff
  - Timer with automatic shutoff allows operators in busy bars to get other tasks done while blending
  - Durable metal toggle switches stand up to the demands of food service operators
  - The tango also offers pulse feature preferred by operators
- Stackable 48 oz. / 1.4 L Polycarbonate Container
  - Stackable break-resistant polycarbonate container stores in less space to free up counter space
- Durable Metal Drive Clutch
  - Extremely durable coupling offers long-lasting performance Also features container pad sensor which turns motor off when container is not in place, preventing clutch grinding and extending the life of container




Removable Filler Cap
makes adding liquid easy while blending



Stackable 48 oz. / 1.4 L
Polycarbonate container



4 Stainless Steel Blades
quickly cut through ingredients



All-Metal Drive Coupling
offers long lasting performance



2 Speeds with Pulse
offer precision blending for a wide variety of drinks



Sure Grip™ Feet prevent skidding



Patented Wave~Action® System
designed to continuously force mixture down into the blades



Model	HBH450-CE
Dimensions	165 x 228 x 432mm
Power	220V/50Hz, 0.6kW
Motor	1 Hp
Controls	2 Speed / Timer / Pulse
Container capacity	48 Oz./1.4 Litre
Weight	11.2 lbs / 5.1 kg (shipping)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRODUCT OF USA

HBH550-CE



- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades
  - The Wave~Action® System has a unique container and blade design for a super-creamy profile every time
- Powerful 3 Hp Motor
  - Powerful 3 Hp motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Paddle Switches Plus Timer
  - Paddle switches are built to last & easy to operate
  - Timer with automatic shutoff frees up operators for other tasks
- Polycarbonate Container
  - Stackable break-resistant polycarbonate container stores in less space to free up your counter
  - Cutter assembly design features dual bearings for enhanced container life
- Durable Metal Drive Clutch; Container pad sensor
  - Durable all-metal drive clutch
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of the container
- Timer with Automatic Shutoff
  - Free up operator for other tasks
- Powerful Precision Blending with Pulse Action
  - Precision blending for a wide variety of drinks



Extremely Durable
all-metal drive coupling to satisfy the demands of the busiest bars



Easy To Use
2 speeds plus pulse button



Powerful 3 HP Motor
with all-metal drive coupling



Stackable 64 oz/1.8 L Container
break-resistant polycarbonate container with easy-to-read measurement marks



Sure Grip™ Feet prevent skidding





Model	HBH550-CE
Dimensions	178 x 203 x 457mm
Power	220V/50Hz, 0.88kW
Motor	3 Hp
Controls	High/Low Pulse, Timer
Container Capacity	64 Oz. / 1.8 Litre
Weight	13.9 lbs / 6.3 kg (shipping)

Hamilton Beach COMMERCIAL

PRODUCT OF USA

HBH650-CE



- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades
  - The Wave~Action® System has a unique container and blade design for a super-creamy profile every time
- Powerful 3 Hp Motor
  - Powerful 3 Hp motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Two speeds, Jump Cycle, Pulse and Timer
  - Jump cycle allows blender to start on low speed to minimize noise while large chunks are being blended
  - Cycle then switches to high speed to achieve a super-creamy drink profile
  - Timer shuts down blender after a set time has elapsed and allows for hands-free blending
- Polycarbonate Container
  - Stackable break-resistant polycarbonate container stores in less space to free up your counter
  - Cutter assembly design features dual bearings for enhanced container life
- Durable Metal Drive Clutch; Container Pad Sensor
  - Durable all-metal drive clutch
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of the container
- Easy In-counter Use (kit)
  - The tempest mounted in the counter for reduced noise levels and a lower profile
- Temperature Gauge
  - Blender alerts operator before motor overheats to train against misuse
  - Blender features a cool-down cycle to quickly reduce motor temperatures and resume normal operation
- Timer with automantic shutoff



Patented Wave~Action® System
Designed to continually force mixture down into the blades for smooth results



Temperature Gauge
alerts operator if motor overheats to prevent unecessary burnout



Container Pad Sensor
Turns motor off when container is not in place to help prevent careless clutch grinding



2 Speeds, Jump Cycle, and Pulse Button
offer precision blending for a wide variety of drinks



Model	HBH650-CE
Dimensions	178 x 203 x 457mm
Power	220V/50Hz, 0.88kW
Motor	3 Hp
Controls	2 speeds, jump cycle & timer
Container capacity	64 Oz. / 1.8 Litre
Weight	13.8 lbs / 6.3 kg (shipping)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

111 YEARS CE RoHS NSF UL

Hamilton Beach COMMERCIAL

PRODUCT OF USA

HBH750-CE



- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades.
  - The Wave~Action® System has a unique container and blade design for a super-creamy profile every time.
- Powerful 3 peak Hp* Motor
  - Powerful 3 Hp motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life.
- Pre-Programmed Cycles
  - Pre-programmed Cycles Assign cycles to 5 buttons for popular drinks based on your menu. Select from over 100 pre-programmed cycles for maximum versatility
  - Additional custom cycles are available and can be easily downloaded with a memory card
- Polycarbonate Container
  - Stackable break-resistant polycarbonate container stores in less space to free up your counter
  - Cutter assembly design features dual bearings for enhanced container life
- Durable Metal Drive Clutch; Container Pad Sensor
  - Durable all-metal drive clutch
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of the container.
- Quiet Shield™ Reduces Noise
  - Quiet Shield™ makes the Eclipse™ one of the quietest blenders in the world.
  - Shield opens to a maximum height of only 22 inches / 56cm so that it can easily be installed under cabinets. Motor turns off when operator lifts
  - Quiet Shield™ to ensure quiet blending every time.
- Easy In-counter Use
  - Simply removing the lower housing allows the blender to be mounted in the counter for reduced noise levels and a lower profile.
- Temperature Gauge
  - Blender alerts operator before motor overheats to train against misuse.
  - Blender features a cool-down cycle to quickly reduce motor temperatures and resume normal operation.
- One touch blending to give drink
  - Timer with automantic shutoff



All-Metal Drive Coupling and Stainless Steel Blades



One-Touch Blending Functions
select from over 100 pre-programmed blending cycles





Easy-To-Remove Quiet Shield™
built-in clips allow for quick removal of shield for faster cleanup



Converts for in-counter use Quiet and Powerful
with QuietBlend™ Technology



Memory Card Slot
for custom programming

Model	HBH750-CE
Dimensions	216 x 286 x 470mm
Power	220V/50Hz,1kW
Motor	3 peak Hp input power
Controls	Touchpad
Container Capacity	48 Oz. / 1.4 Litre
Weight	13.8 lbs / 6.3 kg (shipping)

Hamilton Beach COMMERCIAL

PRODUCT OF USA

111 YEARS CE CCC RoHS NSF ETL LISTED

HBH850-CE





- Patented Wave~Action® System
  - Ordinary blenders spin contents around the walls of the container, which can leave whole chunks untouched by the blades
  - The Wave~Action® System has a unique container and blade design for a super-creamy profile every time
- Powerful 3 Hp Motor
  - Powerful 3 Hp Motor is strong enough to power through thick ingredients in the least amount of time and optimized for maximum motor life
- Pre-programmed Cycles; USB
  - Assign cycles to 4 buttons for popular drinks. Select from over 100 pre-programmed cycles for maximum versatility
  - Additional custom cycles are available and can be easily downloaded via Summit's USB port
- 64oz / 1.8 L Polycarbonate Container
  - Stackable break-resistant polycarbonate container stores in less space to free up your counter. Cutter assembly design features dual bearings for enhanced jar life
- Durable metal drive clutch; Container pad sensor
  - Durable all-metal drive clutch
  - Container pad sensor turns motor off when container is not in place to help prevent careless clutch grinding and extend the life of the container
- Quiet Shield™ Reduces Noise
  - Reduces noise levels and can be easily removed for cleaning
  - Motor turns off when operator lifts Quiet Shield™ to ensure quiet blending every time
- Easy In-counter Use
  - Simply removing the lower housing allows the blender to be mounted in the counter for reduced noise levels and a lower profile.
- Specially Designed for High Volume Blending
  - Baffle and Fans to maximize the life of your blender: unique airflow baffle keeps motor cool and prevents water ingress
  - Dual auxilliary fans keep motor cool in-between blends
  - Display notifies operator to run cool-down cycle
- One touch blending
  - Patented Auto Blend automatically adjusts to give you the perfect drink consistency
  - Timer with automatic shutoff



Converts For In-Counter Use



Magnetic Sensor
Reduces careless clutch grinding



Airflow Baffle
Constantly circulates cool air around the motor for back-to-back blending and longer blender life



Pre-programmed Cycles; USB
Additional custom cycles are available and can be easily downloaded via Summit's USB port.



Model	HBH850-CE
Dimensions	228 x 304 x 483mm
Power	220V/50Hz, 0.88kW
Motor	3 Hp
Controls	Touchpad
Container capacity	64 Oz. / 1.8 Litre
Weight	23.32 lbs / 10.57 kg (shipping)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Hamilton Beach COMMERCIAL

PRODUCT OF USA

60200-CE




- 2 Speeds Switch
  - For versatile mixing performance.
- Hands-Free Operation
  - Hands-free with two level cup rest.
  - Holding cup in upper position of cup rest activates motor
  - Lower position holds cup in place without starting motor
- Universal Motor
  - Universal motor is designed for commercial use and includes overload protection
- Enhanced Stability
  - Added Stability Based weighted, plus metal bar flips out from the rear base of the mixer for increased stability
- Vented Housing
  - To prevent motor from overheating
- Easy to Clean
  - Smooth, plastic housing; cup guide removes for dishwasher safe cleaning
- Stainless Steel Cup Included
  - 32 oz/0.95 L Stainless steel cup included
- Standard Agitator: Wavy
  - Wavy Agitator Mixes a wide range of ingredients quickly, while also aerating to increase yield



2 Speed Switch
For versatile mixing performance



Cup Rest
For hands-free operation



300 Watt Motor
Ventilated and overload protected motor



Stainless Steel
Mixing Shaft and Agitator



Model	60200-CE
Dimensions	170 x 155 x 467mm
Power	220V/50Hz, 0.3kW
Controls	2 Speed Rocker Switch
Container capacity	32 Oz. / 0.95 Litre
Weight	10.6 lbs/4.82 Kg (shipping)

Milkshake Recipe

Ingredients

4 scoops vanilla ice cream
1/2 cup cold milk
1/4 cup vanilla Syrup

Directions

1. Place ice cream, milk and syrup in blender container.
2. Cover blend until smooth.
3. Serve immediately.

Hamilton Beach COMMERCIAL

PRODUCT OF USA


111 YEARS CE CCC RoHS NSF ETL

HMD200-CE



- Cup Activated or Convenient Pulse Feature
  - Cup activated operators can start and stop mixing action by inserting the cup into the cup guide or by using the pulse switch on the top of the mixer
- Hands-Free Operation
  - Two level cup rest. Holding cup in upper position of cup rest activates motor.
  - Lower position holds cup in place without starting motor
- 3 Speed Universal Motor
  - 1/3 Hp motor mixer
  - Universal motor the motor is built to last with permanently sealed ball bearings
  - Each motor is individually balanced to minimize vibration
  - Operator can easily replace motor in minutes
- Die Cast Housing
  - Heavy-duty die cast housing to meet food service demands
- Easy to Clean
  - Smooth housing made of stainless steel and die-cast aluminum
  - Cup guide removes for dishwasher safe cleaning
- Sealed Rear Housing
  - Sealed Housing. The airflow design within mixer does not require venting, which eliminates risk of water ingress and motor failure
- Stability Bar
  - Metal bar extends from base for added stability
- Stainless Steel Cup Included
  - 32 oz/0.95 Litre stainless steel cup included
- Standard Agitator: Wavy
  - Mixes a wide range of ingredients quickly, while also aerating to increase yield





Heavy-duty die cast construction



3 Speed Switch
120V only: unique fingertip-action pulse switch that stops and starts the motor



Operator can easily
replace motor in minutes



Removable Cup Guide
Pulls out for easy cleanup in the dishwasher
Motor starts when mixing cup is inserted into the cup guide and stops when cup is removed



Model: HMD400-CE





KMW King Metal Works

Model: MC1
Stainless Steel
non-magnetic
Capacity 900ml

Model	HMD200-CE	HMD400-CE
Dimensions	165 x 171 x 521mm	318 x 229 x 521mm
Power	220V/50Hz, 0.3kW	220V/50Hz, 0.9kW
Motor	1/3 Hp	1/3 Hp on each motor
Controls	3-speed rocker switch and pulse switch	3-speed rocker switch
Container capacity	32 Oz. / 0.95 Litre	32 Oz. / 0.95 Litre
Weight	15.4lbs/7.0kg (shipping)	37lbs/16.783kg (shipping)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Hamilton Beach COMMERCIAL

PRODUCT OF USA

HMD900-CE



- One-Hand Motor Activation
  - One-hand Activation To start the motor, put the filled cup under the mixing shaft and push
- Programmed Cycles
  - Eight factory-programmed cycles offer consistent mixing
  - Additional cycles can be downloaded via memory card
- Variable Speed Control
  - Manual mode allows the operator to control mixing time and motor speed
  - Stop/start button lets the operator stop the mixing action any time
- Powerful 3/4 Hp Motor
  - Provides heavy-duty vertical mixing action for hard- and soft-serve ice cream as well as mix-ins. Electronic speed control provides constant speed regardless of load
- Heavy-Duty Metal Enclosure
  - Heavy-duty Metal Enclosure to meet commercial demands and provide durability.
- Easy to Clean
  - Easy to Clean Contoured splash guard is easy to remove; stainless steel splash pan is easily removed with thumb screws and is dishwasher safe
- Standard Agitator: 929
  - 929 Agitator maximizes mixing performance for hard and soft-serve ice cream and is especially good for candy mix-ins



Stainless Steel Pan
Easily removed for easy cleanup; no tools required



Agitator
Maximizes mixing performance for hard and soft-serve ice cream and is especially good for candy mix-ins



Pre-programmed Cycles
Offer consistent mixing results regardless of operator



Smart Start™
A simple press of the mixing shaft starts the motor



Model	HMD900-CE
Dimensions	254 x 222 x 654mm
Power	220V/50Hz, 7A
Motor	3/4 Hp
Controls	ON/OFF rocker switch; rotary dial with variable speed selections
Weight	33.6lbs/13.154kg. (shipping)



BERJAYA
Quality Variety Reliability

MADE IN MALAYSIA



JD 118


- Two layers polycarbonate cover with 10mm air insulation
- Minimise heat transfers and achieve high cooling efficiency
- Rounded bowl corners make cleaning easy
- Seperate bowls make cleaning easy and flavours change
- Forced air cooled, easy to install
- Unbreakable foodgrade, clear polycarbonate bowl with embossed volume labels for exact beverage preparation
- Stainless steel unbreakable handle
- Cooling dome made of polished stainless steel
- Removable stainless steel side panels for easy maintenance (easy access to components)
- Suitable for sandwaich bars, pizzerias, snack shops, fast food chain, institutions, restaurant, hotels, bars
- Sanitation :- all parts in contact with beverages are made of alimentary (foodgrade) materials and removable by hands (without tools).
- High pressure and large cooling capacity compressor, suitable for tropical countries




Model: JD 218




Model: JD 318




Side View



1 Bowl Front View



2 Bowl Front View



3 Bowl Front View



JET SYSTEM



MIX SYSTEM

Specifications

Model	JD 118 MIX 25 JD 118 JET 25	JD 218 MIX 25 JD 218 JET 25	JD 318 MIX 25 JD 318 JET 25
Bowls	1	2	3
Dimensions	210 x 450 x 710mm	410 x 450 x 710mm	610 x 450 x 710mm
Packing demensions	250 x 480 x 750mm	460 x 480 x 750mm	640 x 480 x 750mm
Power	616W(MIX) / 704W(JET)	770W(MIX) / 836W(JET)	880W(MIX) / 1012W(JET)
Bowl Capacity	18.9 Litre	2 x 18.9 Litre	3 x 18.9 Litre
Compressor	1/4(190) HP	1/3(250) HP	3/8(285) HP
Apms	2.8A(MIX) / 3.2A(JET)	3.5A(MIX) / 3.8A(JET)	4.0A(MIX) / 4.6A(JET)
Refrigerant / Grams	R134a	R134a	R134a
Weight	24 kg	31 kg	36 kg
Energy Consumption	4.51kW/24hr	6.95kW/24hr	8.26kW/24hr

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART



REFRIGERATOR

Bakery show case	148-150
Back bar / glass door	141
Drawer refrigerator	137
Gelato show case	144
Glass door merchandisers	142
Ice cream dipping cabinet	143
Ice cube machine	156
Open case	146-147
Pizza prep	140
Salad prep	138-139
Sandwich show case	145
Sushi display case	151
Under counter chiller and freezer	136
Under counter refrigerator	135
Upright chiller and freezer	134
Upright refrigerator	132-133
Walk-in cold room	157-159
Wine refrigerator	152-155

Product Features

Fan cooling refrigeration system



- Fast cooling speed
- Keep temperature evenly by air circulation
- Preserve food fresh
- Frost free

Maximized and convenient storage



- Maximized and convenient strorage capacity
- Cost saving

Quality control international standard




- Various certification for quality
- ISO system authorization
- 100% of all units quality test

Stainless steel imported from korea




- SUS439 developed by posco
- Better hardness and auticorrosion compared with SUS304
- Salt fog test for quality during 72hours

High efficient compressor




- High efficient compressor(imported from france and korea)
- It takes 35-40minutes for the temperature to go down to -15°C
- Suitable refrigerant for the protection of environment(R-134a，R-404a)
- Optimized design for fast cooling and energy saving

Evaporators and condensers



- Manufactured the evaporators and condensers by ourselves make possible to keep best quality

All copper refrigeration system



- Auticorrosion piping material increases the life span(all copper)
- Auticorrosion painting in joint and welding parts
- Convenient service(pull—out whole condensing unit)

High density cell insulation



- CFC free
- Auti—fire
- High density cell insulation makes to keep temperature

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Product Features

Drain water evaporation system




- Self—design(patent)
- Non flow—out drain water
- Efficient maintaining kitchen clean and hygenic

Digitally controlled temperature system



- Self—designed temperature controller
- Beautiful and easy temperature controller in outside
- Self—diagnostic system and alarm sounds when the door is left opened

High quality electronic parts



- All electronic parts are approved UL certification
- Anti—fire insulating plastic and wire parts
- Best quality and life span

Interior LED lighting



- Automatic on—off interior LED lighting
- Take goods more conveniently
- Typical working life of an LED can be up to 100,000 hours.

Self—closing and stay open door



- High quality stainless steel hinge structure
- Self—closing and stay open door makes convenient to take goods

Door connecting device



- Self—design(patent)
- Separated upper and lower door with connecting device

Door lock



- Safty door lock device

Ergonomic design



- Recessed door handle
- Rounded door corner
- Hygenic interior corner
- Beautiful, sturdy, clean design

High Technology



DIGITAL TEMPERATURE CONTROL SYSTEM

Digital technology provides precise and constant temperatures throughout the cabinet. This allows products to remain fresh over an extended period of time.

DOOR OPENING ALARM

If the doors are not tightly closed, the refrigerator will not run. This would cause the cold air to escape through the opening, making food products spoil inside the cabinet. To prevent this problem, our refrigerators are equipped with the Door Alarm System that will sound if the doors are left open for more than 30 seconds.

EARLY WARNING SYSTEM

Malfunctions are generally recognized when an increase in temperature is detected, 2 to 3 hours after the refrigerator had stopped running. This causes the user to become aware of malfunction issues the next morning in contents may have already spoiled. To eliminate this, Turbo Air units have a warning system in place that diagnose and monitor itself for risk factors, which gives early warning signals to allow for preserving contents and for preventing future problems.

SMART DEFROST SYSTEM

Generally, a refrigerator' s defrost timer defrosts automatically for a fixed length of time regardless of the existing conditions of the existing conditions of the refrigerator. This makes it difficult to maintain a constant temperature and also consumes unnecessary energy. Turbo Air' s "Smart Defrost System" analyzes its surrounding environments and defrosts only when it is needed for the required time. This not only saves energy but also keeps the contents of the refrigerator safe.




FAREWELL, FLUORESCENT LIGHT

Fluorescent lights emit enoromous amount of heat and consumes more energy Turbo Air products use LED lights to reduce energy consumption and to create greater lifespan. It also uses optimal light angles for enhancing its display effects.

SELF-DIAGNOSIS SYSTEM

When a refrigerator breaks, it will immediately run a self-diagnosis to figure out what the problem is, saving both service time and unnecessary expenses that could have occurred by misdiagnosis. It also allows for broken parts to be replaced easily.



LARGER CONDENSERS


Refrigerators receive its cooling effect by discharging heat through the condenser. To achieve high efficiency in an environment (such as the kitchen) where temperatures are ambient and humidity is relatively high, it is important to increase the effectiveness of condensers. Turbo Air uses condensers that are 10~20% larger than the industry standard.

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART


Product Features

Cooling performance Analysis Table



Drain Water Evaporation System

TURBO AIR




Sanitation

There is no worry of germ being inhaled into refrigerator becasue no pipe is linked to the ground.

Neatness

It has no influence on outside invironment as no drain water will be ejected.

An Ordinary Refrigerator



Sanitation

When opening and closing the door, There can be a quite large pressure difference between in and outside the refrigerator, which makes germ inhaled into the refrigerator through drain water pipe.

Neatness

Drain water is ejected directly to the outside floor, being not friend to environment.

Refrigerator Freezer Top Mount

KR25-1
KF25-1



KR45-2
KF45-2



KR65-3
KF65-3



CHILLER / FREEZER TOP MOUNT

Model	KR25-1/ KF25-1	KR25-2/ KF25-2	KR45-2/ KF45-2	KR45-4/ KF45-4	KR65-3/ KF65-3	KR65-6/ KF65-6
Classification	Chiller/Freezer					
Cabinet Dimension (WxDxH,mm)	640 x 850 x 1926	640 x 850 x 1926	1260 x 850 x 1926	1260 x 850 x 1926	1900 x 850 x 1926	1900 x 850 x 1926
Capacity (Liters)	574	572	1215	1210	1876	1868
Inner Temperature	1 °C - 8 °C / -21 °C ~ -12 °C					
Doors	1	2	2	4	3	6
# of shelves	3	3	6	6	9	9
Refrigerant	R-134a / R-404a					
Compressor (Hp)	1/4 / 2/3	1/4 / 2/3	1/3 / 1	1/3 / 1	3/4 / 3/4 x 2	3/4 / 3/4 x 2
Cooling Type	Fan cooling type					
Insulation Type	Polyurethane /Cyclopentane + CFC Free					
Temperature Control Type	Digital					
Amps (A)	2.8/3.5	2.8/3.5	3.5/5.3	3.5/5.3	6/8.5	6/8.5
Voltage (V/Hz/Ph)	220/50/1					
Power (W)	314/496	314/496	366/774	366/774	732/1346	732/1346
Weight (Kg)	77/80	77/80	142/142	142/142	167/167	167/167

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

REFRIGERATOR MANUFACTURER Turbo air

PRODUCT OF USA

KR25-2
KF25-2




KR45-4
KF45-4





KR65-6
KF65-6




PLAN VIEW










PRODUCT OF USA





CHILLER/FREEZER Top Mount (Dual Temp)

Model	KRF25-2	KRF45-4H	KRF65-6
Classification	Chiller/Freezer		
Cabinet dimension (WxDxH,mm)	640 x 850 x 1926	1260 x 850 x1926	1900 x 850 x 1926
Capacity (Liters)	572	576/576	575/1235
Inner Temperature	1 ℃ - 8 ℃ / -21 ℃ ~ -12 ℃		
Doors	2	4	6
# of shelves	1/1	3/3	6/3
Refrigerant	R-134a	R-134a/R-404a	R-134a/R404a
Compressor (Hp)	1/3	1/3 2/3	1/3 2/3
Cooling Type	Fan cooling type		
Insulation Type	Polyurethane /Cyclopentane +CFC Free		
Temperature Control Type	Digital		
Amps (A)	3.5	4.5	5.5
Voltage (V/Hz/Ph)	220/50/1		
Power (W)	366	732	732
Weight (Kg)	85	152	177

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

KUR9-1
KUF9-1



KUR12-2
KUF12-2



KUR15-2
KUF15-2





KUR18-2
KUF18-2





















CHILLER/FREEZER Under Counter

Model	KUR9-1/ KUF9-1	KUR12-2/ KUF12-2	KUR15-2/ KUF15-2	KUR18-3/ KUF18-3
Classification	Chiller/Freezer			
Cabinet Dimension (WxDxH,mm)	900 x750 x800	1200 x750 x800	1500 x750 x 800	1800 x750 x 800
Capacity (Liters)	198	311	425	538
Inner Temperature	1 °C - 8 °C / -21 °C ~ -12 °C			
Doors	1	2	2	3
# of shelves	1	2	2	3
Refrigerant	R-134a/R-134a	R-134a/R-404a		
Compressor (Hp)	1/4 / 1/3	1/4 / 1/3	1/4 / 1/3	1/3 / 3/4
Cooling Type	Fan cooling type			
Insulation Type	Polyurethane /Cyclopentane + CFC Free			
Temperature Control Type	Digital			
Amps (A)	2.5	3	3	4.4 / 3
Voltage (V/Hz/Ph)	220/50/1			
Power (W)	314 / 366	314 / 366	314 / 366	366 / 613
Weight (Kg)	72	84	93	109


PRODUCT OF USA

KURF12-2






KURF12-2



SIDE VIEW
(Depth 700mm)

KURF15-2






KURF15-2

KURF18-3





KURF18-3

CHILLER/FREEZER Under Counter

Model	KURF12-2		KURF15-2		KURF18-3	
	Chiller	Freezer	Chiller	Freezer	Chiller	Freezer
Classification	Chiller/Freezer					
Cabinet Dimension (WxDxH,mm)	1200 x 750 x 800		1500 x 750 x 800		1800 x 750 x 800	
Capacity (Liters)	121	136	171	191	151	314
Inner Temperature	1 °C ~ 8°C	-21 °C ~ -12 °C	1 °C ~ 8°C	-21 °C ~ -12 °C	1 °C ~ 8°C	-21 °C ~ -12 °C
Doors	2		2		3	
# of shelves	1	1	1	1	1	2
Refrigerant	R-134a		R-404a		R-404a	
Compressor (Hp)	1/3		3/4		3/4	
Cooling Type	Fan cooling type					
Insulation Type	Polyurethane /Cyclopentane + CFC Free					
Temperature Control Type	Digital					
Amps (A)	3		4.35		4.4	
Voltage (V/Hz/Ph)	220/50/1					
Power (W)	316		316		366	
Weight (Kg)	92		101		120	

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

REFRIGERATOR MANUFACTURER Turbo air

PRODUCT OF USA



KUR9-3D-3
KUF9-3D-3



KUR12-3D-3
KUF12-3D-3



KUR15-3D-3
KUF15-3D-3



KUR15-3D-6
KUF15-3D-6



KUR12-3D-6
KUF12-3D-6



KUR18-3D-6

KUR18-3D-3



KUR19-3D-9



Chiller/Freezer Drawer - Under Counter

* Pans Not Included

Model	KUR9-3D-3/ KUF9-3D-3	KUR12-3D-3/ KUF12-3D-3	KUR12-3D-6/ KUF12-3D-6	KUR15-3D-3/ KUF15-3D-3	KUR15-3D-6/ KUF15-3D-6	KUR18-3D-3	KUR18-3D-6	KUR18-3D-9
Classification	Chiller/Freezer							
Cabinet dimension(WxDxH,mm)	900 x750 x800	1200 x750 x800	1200 x750 x800	1500 x750 x 800	1500 x750 x 800	1800 x750 x 800	1800 x750 x 800	1800 x750 x 800
Capacity (Liters)	198	311	311	425	425	538	538	538
Inner Temperature	1 °C ~ 8°C / -21 °C ~ -12°C							
Doors	0	1	0	1	0	2	1	0
# Drawer	3	3	6	3	6	3	6	9
of shelves	0	1	0	1	0	2	1	0
Refrigerant	R-134a	R-134a	R-134a	R-134a	R-134a	R-134a	R-134a	R-134a
Compressor (Hp)	1/4 1/3	1/4 1/3	1/4 1/3	1/4 1/3	1/4 1/3	1/3	1/3	1/3
Cooling Type	Fan cooling type							
Insulation Type	Polyurethane /Cyclopentane +CFC Free							
Temperature Control ype	Digital							
Amps(A)	2.5	3	3	3	3	4.4	4.4	4.4
Voltage (V/Hz/Ph)	220/50/1							
Power (W)	314/366					366	366	366
Weight (Kg)	84	97	106	107	116	126	135	144

REFRIGERATOR MANUFACTURER Turbo air

PRODUCT OF USA

KHR9-1



KHR12-2





KHR15-2





KHR18-3















SIDE VIEW (Depth 700mm)



SIDE VIEW (Depth 750mm)

Hood Lid Salad Side Prep Table


Model	KHR9-1	KHR12-2	KHR15-2	KHR18-3
Classification	Chiller			
Cabinet Dimension (WxDxH,mm)	900 x 750 x 978	1200 x 750 x 978	1500 x 750 x 978	1800 x 750 x 978
Capacity (Liters)	213	309	420	516
Inner Temperature	1 °C ~ 8°C			
Doors	1	2	2	3
# of shelves	1	2	2	3
Refrigerant	R-134a	R-134a	R-134a	R-134a
Compressor (Hp)	1/4	1/4	1/4	1/3
Cooling Type	Fan cooling type			
Insulation Type	Polyurethane /Cyclopentane + CFC Free			
Temperature Control Type	Digital			
Amps (A)	2.5	3	3	4.4
Voltage (V/Hz/Ph)	220/50/1			
Power (W)	314	314	314	366
Weight (Kg)	75	89	100	120


161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products nts MART


REFRIGERATOR MANUFACTURER Turbo air


PRODUCT OF USA












SIDE VIEW (Depth 700mm)



SIDE VIEW (Depth 750mm)

Pans Not Included

KSR9-1



KSR12-2



KSR15-2



KSR18-3



Buffet Salad Side Prep Table

Model	KSR9-1	KSR12-2	KSR15-2	KSR18-3
Classification	Chiller			
Cabinet Dimension (WxDxH,mm)	900 x 750 x 800	1200 x 750 x 800	1500 x 750 x 800	1800 x 750 x 800
Capacity (Liters)	213	309	420	516
Inner Temperature	1 °C ~ 8°C			
Doors	1	2	2	3
# of shelves	1	2	2	3
Refrigerant	R-134a	R-134a	R-134a	R-134a
Compressor (Hp)	1/4	1/4	1/4	1/3
Cooling Type	Fan cooling type			
Insulation Type	Polyurethane /Cyclopentane + CFC Free			
Temperature control type	Digital			
Amps (A)	2.5	3	3	4.4
Voltage (V/Hz/Ph)	220/50/1			
Power (W)	314	314	314	366
Weight (Kg)	70	82	91	107

REFRIGERATOR MANUFACTURER Turbo air

PRODUCT OF USA

Pizza Prep



CTPR-44SD



CTPR-67SD



CTPR-93SD

Model	CTPR-44SD	CTPR-67SD	CTPR-93SD
Classification	Chiller		
Cabinet dimension (WxDxH,mm)	1117 X 820 X 1069	1702 X 820 X 1069	2362 X 820 X 1069
Capacity (Liters)	396	566	878
Inner Temperature			
Doors	1	2	3
# of shelves	2	4	6
# of Pans	6	9	12
# of Hood	1	2	3
Refrigerant	R-134a	R-134a	R-134a
Compressor (Hp)	1/3	7/8	3/4
Cooling Type	Fan cooling type		
Insulation Type	Polyurethane /Cyclopentane + CFC Free		
Temperature control type	Thermostat		
Amps (A)	3.2	6	7
Voltage (V/Hz/Ph)	220/50/1		
Power (W)	366	660	560
Weight (Kg)	140	187	262

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

SKIPIO

PRODUCT OF USA

Back Bar Series

Model: SB6-1G



BLACK



SUS

Model: SB9-2G



BLACK



SUS


Model: SB13-3G




BLACK




SUS




PLAN VIEW




SB6-1G



SB9-2G



SB13-3G



Specifications

MODEL	SB6-1G		SB9-2G		SB13-3G	
	900mm	800mm	900mm	800mm	900mm	800mm
Classification	Chiller					
Cabinet dimension (WxDxH mm)	600 x 550 x 900	600 x 550 x 800	900 x 550 x 900	900 x 550 x 800	1352 x 550 x 900	1352 x 550 x 800
Capacity (Liters)	125	110	190	165	300	261
Inner Temperature	1°C~8°C					
#Drawer	1	1	2	2	3	3
Refrigerant	R-134A					
Compressor (HP)	1/4	1/4	1/4	1/4	1/3	1/3
Cooling Type	Fan cooling type					
Temperature Control Type	Digital					
Insulation Type	Polyurethane / Cyclopentane + CFC Free					
Amps (A)	2.5	2.5	2.5	2.5	3.5	3.5
Voltage (V/Hz/Ph)	220V 50Hz					
Power (W)	190	190	190	190	330	330
Weight (Kg)	60	55	75	70	100	95

SKIPIO

PRODUCT OF USA

Glass Door Merchandisers




Model: SPGR25-1



Model: SPGF25-1

PLAN VIEW



Size Optional

Specifications

MODEL	SPGR25-1	SPGF25-1
Classification	Chiller	Freezer
Cabinet dimension (WxDxH mm)	640 x 800 x 2050	640 x 800 x 2050
Capacity (Liters)	510	510
Inner Temperature	1°C~8°C	-18°C~-27°C
Doors	1	1
# of Shelves	4	4
Refrigerant	R-404A	R-404A
Compressor (HP)	1/4	3/4
Cooling Type	Direct cooling type	Fan cooling type
Temperature Control Type	Digital	Digital
Insulation Type	Polyurethane / Cyclopentane + CFC Free	Polyurethane / Cyclopentane + CFC Free
Amps (A)	2.8A	5A
Voltage (V/Hz/Ph)	220V 50Hz 1Ph	220V 50Hz 1Ph
Power (W)	350W	682W
Weight (Kg)	150	95

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

SKIPIO

PRODUCT OF USA

Ice Cream Dipping Cabinet



Model: SIDC-47W




Model: SIDC-70W



Model: SIDC-91W

PLAN VIEW



Specifications

MODEL		SIDC-47W	SIDC-70W	SIDC-91W
Classification		Freezer		
Cabinet dimension (WxDxH mm)		1185 x 655 x 1276.5	1720 x 655 x 1276.5	2250 x 655 x 1276.5
Capacity (Liters)		286	607	834
Inner Temperature		-25°C~-15°C		
Doors	ACRYL	1	2	2
	CABINET	1	2	2
# of Racks		8	12	16
Refrigerant		R-404A	R-404A	R-404A
Compressor (HP)		1/2	1	1+
Cooling Type		Direct cooling type		
Temperature Control Type		Digital		
Insulation Type		Polyurethane / Cyclopentane + CFC Free		
Amps (A)		5	6	6.5
Voltage (V/Hz/Ph)		220V 50Hz 1Ph		
Power (W)		500	804	854
Weight (Kg)		140	170	230

SKIPIO

PRODUCT OF USA

Gelato Show Case

Model: SBG-1200F



BLACK



WHITE



SUS


Model: SBG-1500F





Model: SBG-1800F



PLAN VIEW







Specifications

MODEL	SBG-1200F	SBG-1500F	SBG-1800F
Classification	Freezer		
Cabinet dimension (WxDxH mm)	1200 x 950 x 1204	1500 x 950 x 1204	1800 x 950 x 1204
Capacity (Liters)	1266	1466	1666
Inner Temperature	-25°C~-15°C		
Doors	SLIDING 2 DOOR		
Pans	12EA	14EA	16EA
Refrigerant	R-404A	R-404A	R-404A
Compressor (HP)	1	1.5	1.5
Cooling Type	Fan cooling type		
Temperature Control Type	Digital		
Insulation Type	Polyurethane / Cyclopentane + CFC Free		
Amps (A)	9	12	15
Voltage (V/Hz/Ph)	220V 50Hz 1Ph		
Power (W)	854	1200	1200
Weight (Kg)	180	260	300

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

SKIPIO

PRODUCT OF USA

Sandwich Case



Model: SBS-900



Model: SBS-1200




Model: SBS-1500



Model: SBS-1800

PLAN VIEW




Specifications

MODEL	SBS-900	SBS-1200	SBS-1500	SBS-1800
Classification	Refrigerator			
Cabinet dimension (WxDxH mm)	900 / 1200 / 1500 / 1800 x 900 x 815			
Capacity (Liters)	112	150	182	204
Inner Temperature	5°C~10°C			
Refrigerant	404A			
Cooling Type	Fan cooling type			
Temperature Control Type	Digital			
Insulation Type	Polyurethane / Cyclopentane + CFC Free			
Amps (A)	3.8	4.5	4.9	5.5
Voltage (V/Hz/Ph)	220V 50Hz			
Weight (Kg)	140	170	200	230

Product Features

OPEN CASE



- **REAR ACCESS OF COMPRESSOR COMPARTMENT FOR QUICK AND EASY SERVICE**
- **ENERCY SAVING NIGHT CURTAIN STANDARD**
- **DIGITAL TEMPERATURE CONTROL SYSTEM, POWER/LIGHT/BLOWN AIR SYSTEM CONTROL**

  Provides precise and constant temperature. This level of precision allows your cakes and desserts to remain fresh over an extended period of time.
- **AIR FLOW GRILLE**
- **A WIDER TEMPERATE RANGE, 5° C ~ 10° C**

  Provides a better refrigeration solution for a variety of food products to be displayed.

- **PERFORATED INTERIOR BACK WALL AND TOP FOR IMPROVED AIR FLOW**
- **WARM BLOWN AIR SYSTEM**

  Warm blown air over the exterior surfaces of both sides for exceptional display and minimal condensation.
- **COMES IN 10 DIFFERENT COLOURS**

  (SILVER, BLACK AND WHITE FOR STAINLESS STEEL CASE / 7 DIFFERENT COLOURS FOR MARBLE CASE)

  To satisfy your design needs for cafes, restaurants and shops, and also give you more options when trying to make it look good with your existing catering equipment.
- **FRONT ACCESS OF COMPRESSOR COMPRARTMENT FOR QUICK AND EASY SERVICE**

BAKERY CASE



- **FRONT HEATED GLASS**

  To prevent condensation for better product presentation at all times.
- **LED (NEW ENERGY EFFICIENT LED LIGHTING FOR EACH SHELF)**

  Enhances the presentation of displayed cakes and desserts and reduces unnecessary energy consumption.
- **COMES IN 10 DIFFERENT COLOURS**

  (SILVER, BLACK AND WHITE FOR STAINLESS STEEL CASE / 7 DIFFERENT COLOURS FOR MARBLE CASE)

  To satisfy your design needs for cafes, restaurants and shops, and also give you more options when trying to make it look good with your existing catering equipment.
- **LED (NEW ENERGY EFFICIENT LED LIGHTING FOR EACH SHELF)**

  Enhances the presentation of displayed cakes and desserts and reduces unnecessary energy consumption.

- **ONE WAY MIRROR**

  TURBO AIR's bakery case also features the interior consisting of one-way mirror, both sides and back, which creates more spacious inside-look over all.
- **WARM BLOWN AIR SYSTEM**

  Warm blown air over the exterior surfaces of both sides for exceptional display and minimal condensation.
- **DIGITAL TEMPERATURE CONTROL SYSTEM, POWER/LIGHT/BLOWN AIR SYSTEM CONTROL**

  Provides precise and constant temperature. This level of precision allows your cakes and desserts to remain fresh over an extended period of time.
- **AIR FLOW GRILLE**

- **A WIDER TEMPERATE RANGE, 2° C ~ 8° C**

  Provides a better refrigeration solution for a variety of food products to be displayed.

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

SKIPIO

PRODUCT OF USA

Open Case

Model: SBA-900



Model: SBA-1200




Model: SBA-1500



Model: SBA-1800



PLAN VIEW



Specifications

MODEL	SBA-900	SBA-1200	SBA-1500	SBA-1800
Classification	Chiller			
Cabinet dimension (WxDxH mm)	900 / 1200 / 1500 / 1800 x 800 x 1500			
Capacity (Liters)	457	583	709	835
Inner Temperature	5°C~10°C			
Refrigerant	404A			
LAMP	LED LAMP			
Cooling Type	Fan cooling type			
Temperature Control Type	Digital			
Insulation Type	Polyurethane / Cyclopentane + CFC Free			
Amps (A)	3.8	4.5	4.9	5.5
Voltage (V/Hz/Ph)	220V 50Hz			
Weight (Kg)	190	240	270	310

SKIPIO

PRODUCT OF USA

Bakery case

Model: SBD900-2



Model: SBD1200-2



Model: SBD1500-2



Model: SBD1800-2



Model: SBD2100-2



Model: SBD2400-2



Specifications

MODEL	SBD-900	SBD-1200	SBD-1500	SBD-1800	SBD-2100	SBD-2400
Classification	Refrigerator					
Cabinet dimension (WxDxH mm)	900 / 1200 / 1500 / 1800 / 2100 / 2400 x 800 x 1100 (2Layer) / 1300 (3Layer) / 1500 (4~5Layer)					
Capacity (Liters)	501	669	837	1005	1173	1336
Inner Temperature	2°C~8°C					
Doors (GLASS)	Front sliding / Back sliding					
Refrigerant	404A					
LAMP	LED LAMP					
Cooling Type	Fan cooling type					
Temperature Control Type	Digital					
Insulation Type	Polyurethane / Cyclopentane + CFC Free					
Amps (A)	3.5A	3.8A	4A	4A	5A	5.5A
Voltage (V/Hz/Ph)	220V 50Hz					
Weight (Kg)	190	240	280	300	340	400

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

BERJAYA
Quality Variety Reliability

MADE IN MALAYSIA

Refrigerated Cake Display



Model: CKE3SCSB



Model: CKE4SCGM

- Blower system
- Hardened curved glass
- Tested at ambient temperature 32°C with no load
- System: forced convection
- Defrost system: forced air circulation
- Temperature control: digital
- Aluminium frame

Black Vinyl Laminated

Maroon Vinyl Laminated



Model: CKE5SCSM



Specifications

Model	CKE3SCSB CKE3SCSM CKE3SCGM	CKE4SCSB CKE4SCSM CKE4SCGM	CKE5SCSB CKE5SCSM CKE5SCGM
External dimensions	910 x 730 x 1250mm	1210 x 730 x 1250mm	1505 x 730 x 1250mm
Internal imensions	686 x 559 x 610mm	990 x 559 x 610mm	1295 x 559 x 610mm
Gross volume	210 Litres	290 Litre	360 Litre
Power	220 V/1/50Hz	220 V/1/50Hz	220 V/1/50Hz
Refrigerant	R134a	R134a	R134a
Grams	400g	560g	690g
Temperature	2 to 8 °C	2 to 8 °C	2 to 8 °C
Weight	109 kg	120 kg	130 kg

BERJAYA
Quality Variety Reliability

MADE IN MALAYSIA

Rectangular Confectionery Showcase



Model: RCS4SB



Model: RCS6SM

- Blower system
- Hardened curved glass
- Tested at ambient temperature 32°C with no load
- System: forced convection
- Defrost system: forced air circulation
- Temperature control: digital
- Aluminium frame
- External finishing: stainless steel laminated steel sheet
- Internal finishing: stainless steel aluminium

Black Vinyl Laminated

Maroon Vinyl Laminated

Model	RCS4SB RCS4SM RCS4GM	RCS5SB RCS5SM RCS5GM	RCS6SB RCS6SM RCS6GM
External Dimension	1200 x 730 x 1360mm	1500 x 730 x 1360mm	1800 x 730 x 1360mm
Internal Dimension	1060 x 580 x 700mm	1360 x 580 x 700mm	1660 x 580 x 700mm
Gross Volume	430 Litre	552 Litre	674 Litre
Power	220V/1/50Hz	220V/1/50Hz	220V/1/50Hz
Refrigerant	R134a	R134a	R134a
Grams	560g	690g	800g
Temperature	2 to 8 °C	2 to 8 °C	2 to 8 °C
Weight	135 kg	145 kg	160 kg





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

LKK

MADE IN CHINA

COOLING SUSHI DISPLAY CASE

(0° To 5° C)

- Fully visible foodzone-better exhibition
- Convenient for food storage
- Trapezoid round horizontal sushi display shelf
- Temperature will be stable between 0° to 5°C
- Double sliding mirror, easy to grad the dish and serve
- Easy for relocation
- The compressor can be placed on left or right side on demand






Model: SS120-1



Model: SS150-1



Model: SS120-2



Model: SS150-2







Model	Description	Dimension(mm)	Capacity(L)	Electrical	Weight(kg)
SS120-1	Single deck	1200 x 350 x 340	55	220V/50Hz/0.204kW	37
SS150-1	Single deck	1500 x 350 x 340	80	220V/50Hz/0.55kW	40
SS180-1	Single deck	1800 x 350 x 340	100	220V/50Hz/0.236kW	54
SS210-1	Single deck	2100 x 350 x 340	125	220V/50Hz/0.236kW	47
SS120-2	Double deck	1200 x 370 x 515	110	220V/50Hz/0.438kW	50
SS150-2	Double deck	1500 x 370 x 515	150	220V/50Hz/0.438kW	55
SS180-2	Double deck	1800 x 370 x 515	193	220V/50Hz/0.438kW	65
SS210-2	Double deck	2100 x 370 x 515	236	220V/50Hz/0.53kW	75

PRIMO

MADE IN CHINA

RoHS SGS

WINE REFRIGERATOR



Removeable sliding-rail
Convenient for storage.



Freestanding design
For versatile placement options.
Bottom lock for safety



Consistent temperature and frost free
Air-cooling System keeps circulating continuously and reaches every corner of the cabinet. Built-in temperature sensors detect and report the real time temperature to the control panel continually.



Humidity control
Humidity is controlled to be 65-85%.
LED cold light is adapted as light source
Blue LED interior lighting
Provides efficient illumination to beautifully showcase your collection.



Beech wood shelves
The beech shelves, for the safety of wine, cannot be pulled out completely-can adjust shelves to be 30%, 50% or 70% pulled out



Two sets of temperature display
The first one shows the temperature you set, the second one shows the real time cabinet temperature



UV protected double layer tempered glass door
Helps protect the stored wine from harmful UV rays while still allowing easy interior visibility



Intelligent temperature control
The temperature difference between the upper and lower part of the same cabinet is controlled to be within +/- 10 °C
Reduced energy consumption



Magnetic door gaskets
Create tight-fitting seals that retain cooling power and humidity levels for optimal conditions. Black finish, PVC door frame
Recessed pocket-style handle
Blends seamlessly into the door for a sleek appearance.



Strong and durable body. No vibration
Inner cabinet is made of high density plastic which passed RoHS and safe for food
No vibration helps to store red wines with limited changes in physico-chemical properties, thus prevents the aging of wine
Reduced noise level <42db



Bottle Sizes and Storage Capacity

* Our wine refrigerator capacity is based off using standard Bordeaux size bottles, using larger Pinot Noir/Rhone size bottles may limit the capacity. If you would like to store larger bottles you can easily adjust the height of any of the shelves.

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

RoHS SGS

PRIMO

MADE IN CHINA





Model: WIN-S54ST

Temperature control: single zone
Temperature: 5-18°C
54 Bottles capacity
Shelves
- 3pcs standard shelves
- 1pc bottom shelf



Model: WIN-D54ST

Temperature control: double zone
Temperature: 5-10°C , 10-18°C
46 Bottles capacity
Shelves
- 3pcs standard shelves
- 1pc bottom shelf

Dimensions	605 x 600 x 880mm
Outer carton	675 x 660 x 1035mm
Net weight	52 kg
Capacity	152 Litre

WHITE WINE COLOR



Light-bodied
Medium-bodied
Full-bodied



Model: WIN-S85ST

Temperature Control: Single zone
Temperature: 5-18°C
83 Bottles capacity
Shelves
- 7pcs Standard Shelves
- 1pc Bottom Shelf



Model: WIN-D85ST

Temperature Control: Double zone
Temperature: 5-10°C , 10-18°C
72 Bottles capacity
Shelves
- 6pcs Standard Shelves
- 1pc Bottom Shelf

Dimensions	605 x 600 x 1235mm
Outer Carton	675 x 660 x 1390mm
Net Weight	90kg
Capacity	230Litre

RED WINE COLOR



Light-bodied
Medium-bodied
Full-bodied

PRIMO

MADE IN CHINA

Temperature control: **Single zone**
Temperature: **5-18°C**



Model: WIN-S100ST

127 bottles capacity
Shelve
- 11pcs standard shelves
- 11pc bottom shelf



Model: WIN-S100DI

61 bottles capacity
Shelve
- 5pcs display shelves
- 1pc bottom shelf

Dimensions	681 x 598 x 1405mm
Outer carton	750 x 660 x 1550mm
Net weight	100 kg
Capacity	308 Litre

Temperature control: **Double zone**
Temperature: **5-10°C , 10-18°C**



Model: WIN-D100ST

116 bottles capacity
Shelves
- 10pcs standard shelves
- 1pc bottom shelf



Model: WIN-D100DI

61 bottles capacity
Shelves
- 5pcs display shelves
- 1pc bottom shelf

TYPE OF WHITE WINE



Rich White Wines

Chardonnay
Sémillon

Serve: Cold (7-14 °C)



Dry White Wines

Pinot Gris
Sauvignon Blanc

Serve: Cold (7-14 °C)



Sweet White Wines

Riesling

Serve: Cold (7-14 °C)



Dessert Wines

Port
Sherry

Serve: Varies



Sparkling Wines

Champagne
Prosecco

Serve: Ice cold (5-9 °C)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

RoHS SGS

PRIMO

MADE IN CHINA

Temperature control: **Single zone**
Temperature: **5-18°C**



Model: WIN-S168ST

171 bottles capacity
Shelves
- 15pcs standard shelves
- 1pc bottom shelf



Model: WIN-S168DI

94 bottles capacity
Shelves
- 7pcs display shelves
- 1pc bottom shelf

Dimensions	682 x 598 x 1817mm
Outer carton	750 x 660 x 1965mm
Net weight	130 kg
Capacity	405 Litre

Temperature control: **Double zone**
Temperature: **5-10°C , 10-18°C**



Model: WIN-D168ST

160 bottles capacity
Shelves
- 14pcs standard shelves
- 1pc bottom shelf



Model: WIN-D168DI

83 bottles capacity
Shelves
- 6pcs display shelves
- 1pc Standard Shelf
- 1pc bottom shelf

TYPE OF RED WINE



Full Red Wines

Syrah
Cabernet Sauvignon

Serve: Room temperature
(17-21 °C)



Medium Red Wines

Zinfandel
Merlot

Serve: Room temperature
(17-21 °C)



Light Red Wines

Pinot Noir
Gamay

Serve: Cool room temperature
(12-19 °C)



Rosé Wines

Garnacha Rosé
Pinot Noir Rosé

Serve: Cool room temperature
(12-19 °C)



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

SKIPIO

PRODUCT OF USA

ISO14001

Ice Machine

Model: SIM-300A



Model: SIM-40A



Model: SIM-100A



Specifications


MODEL	SIM-300A	SIM-100A	SIM-40A
SHAPE OF ICE	Medium Cube		
Cabinet imensions(W*D*H,mm)	760 x 683 x 587 mm	660 x 675 x 995 mm	500 x 610 x 795 mm
APPROXIMATE ICE PRODUCTION	300KG	100KG	40KG
Doors	1	1	1
Refrigerant	R-404A		
Compressor (HP)	1.1/2	1/2	1/4
Cooling Type	Fan cooling type		
Insulation Type	Polyurethane / Cyclopentane + CFC Free		
Temperature Control Type	Digital		
CUBE CONTROL SYSTEM	Water levelswitch		
Amps (A)	6	3.5	2.5
Voltage (V/Hz/Ph)	220V 50Hz		
Power (W)	1200	580	300
Weight (Kg)	89	65	58

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Walk in cold room installation service for both frozen food industries such as seafood, meat, cheese and even fresh ingredients such as vegetable, fruits and milk.

Cold Room Structure



Installation process

1.) Aluminium Floor Base : Aluminium floor base will be installed after the targeted area is measured to fit both in size and angle. The Aluminium floor base will be installed along the marking line then locked with hold in anchors every 900 mm between the aluminium floor base and the concrete floor. After all, the wall will be installed and nailed down by the rivet

2.) Ceiling hanging support : The hanging support will be attached with the second floor concrete slab. Approximately 1.5 metre in length. The parts include Aluminium beam, Hanging support, turnbuckle and steel stud W1/2. All hanging support parts are aluminium and zinc coated steel. The parts will be set up and locked with the ceiling and assembled as planned and finally, the ceiling panels will be installed

3.) Floor installation will be divided to

3.1) Floor panel is the precast panel from the manufacturer. The installation process will begin after arranging the precast panels on the leveled floor or the prepared leveled base. After finishing the floor installation, it will be nailed with the wall panels then the aluminium checker plate will be installed.

3 .2) Insulation floor can be installed after the concrete membrane is used and cover the floor by plastic. The thermal insulation will be put on the ground of the chilling room and the edge joint will be cover by foam. The plastic layer will be installed on top of the thermal insulation one more time and the membrane will be used for all the joints. Finally concrete will be installed on top of the floor to complete the installation.

WALK IN COLD ROOM

The cold room door can be divided to 2 different categories including


1.) Swing door

The customers can either choose stainless steel door or polyester coated steel. The door is 0.5 mm thick and the middle part is made up of polyurethane with 42, 75, 100 and 125 mm thick. The safety systems enable the door to be opened from the inside and the heater will be at the edge of the door and the door frame will be activated at 0°c to prevent the door to be frozen.

2.) Sliding door

The customers can either choose stainless steel door or polyester coated steel. The door is 0.5 mm thick andthe middle part is made up of polyurethane with 42, 75, 100 and 125 mm thick. The safety systems enable the door to be opened from the inside. The rail is made of aluminium and the revolve parts are made of superlene. The heater will be at the door frame will be activated at 0°c to prevent the door to be frozen.

Sandwich Panel Model MT : 42, 75, 100, 125, 150



The integral type sandwich panel is designed for construction of clean room, cold room, testing room. The material is multifunctional such as thermal insulation, temperature control, moisture control, microban and is easy for both installation and relocation. The best part of this sandwich panel is its green technology. It is a non-CFC compound. The sandwich panel has a variety of size from 42, 75, 100, 125 and 150mm.

Sandwich panel components	Description
Panel structure	1,200 x 350 x 3,400mm
Panel thickness	42, 75, 100, 125, 150 mm
Panel length max	6,000 mm
Panel width max	900 mm
Panel weight	9, 11, 12, 13,14 kg/m^2
Surface material	polyester
Core material	polyurethane foam
Frame material	P.V.C. frame

Specification	Description
Temperature	0.015W/m^2 °C
Thermal ventilation coefficiency	MT 42 = 0.420 Kcal/m²hr.°C MT 75 = 0.235 Kcal/m²hr.°C MT 100 = 0.176 Kcal/m²hr.°C MT 125 = 0.141 Kcal/m²hr.°C MT 150 = 0.126 Kcal/m²hr.°C
Inflammbility	S.E Class
Density	40 kg/m³

Product thickness (PU Insulation)	Temperature range
42mm	0 °C to (+5)°C
75mm	-15 °C to -5°C
100mm	- 25 °C to -15°C
125mm	- 35 °C to -25°C
150mm	- 45 °C to -35°C

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

WALK IN COLD ROOM

Surface material standard specification

- Floor cocrete
- Floor panel

Accessories

- Single swing door
- Double swing door
- Automatic sliding door
- Manual sliding door
- PVC strip curtain
- Pressure relief damper
- Floor heater






















WAREWASHING

Detergent	177
Dishwasher - hood type	164
Dishwasher - rack conveyor	165
Dishwasher - under counter	163
Faucet	167-170
Glasswasher	162
Hose reel	171
Pre-rinse	166
Warewashing rack	172-176



Protect environment protection

Our dishwashers feature extremely low noise levels, four times lower than previous models and have been designed considering the need to reduce electromagnetic emissions, water consumption and carbon footprint.
The Colged plant is ISO 14001:2004 certifi ed, thus confi rming the company's attention to protecting the future of our planet.




Duoflo pump

A conventional pump has an inlet (from the tank) and an outlet towards the two spray arms the flow of water must be distributed using a T or Y connector. Our research has revealed that this is where 25 - 30% of power is lost. Colged has eliminated the problem with a simple solution: the pump has one inlet but two outlets without any T divider.
Loss is not only reduced but completely eliminated, with also a 50% reduction in noise.
A 480W DuoFlo pump delivers the same performance as a conventional 650W pump: maximum effi ciency and minimum energy consumption.




Smartclean construction

Save up to 40 minutes/day in end-of-cycle cleaning operations as all points where food soil can accumulate have been eliminated.
Wash tanks without internal hoses, deep drawn rack guides, deep drawn tanks on front load and hood versions, ProStrain integral light, shock-proof composite material tank fi lters and many other details make our dishwashers the fastest to clean.




EquaLizer$_2$ arms

The lower arm sprays water from the bottom up and the upper arm from the top down. The use of identical arms imposes compromises that tend to reduce performance. Colged adopts a steel lower spray arm with high pressure nozzles and a composite material (acetal resin with talc and fi breglass) upper arm with high power nozzles. Their light weight offsets the difference in hydraulic power due to the longer length of the circuit, facilitating rotation. Uniform distribution of the water is guaranteed with also an improvement in cleaning power, for example, on the back of soup plates.



Water distribution with EquaLizer2





Water distribution with conventional arms



Archimedes drainage system

During rinsing, clean water is pumped into the tank to replace the dirty water.
With a conventional gravity waste, the clean water fl oats on top of the heavier dirty water so that pumping in three litres, one goes directly to the drain. ArchiMedes, a Colged patent, exploits the principle of communicating vessels with, therefore, a 67% to 85% increase in the amount of water used to regenerate the detergent solution in the wash tank.





MADE IN ITALY

STEELTECH14-00



- Shock-proof plastic pump filter
- Wash system with lower rotating arms
- Wash system with upper fixed arm
- ArchiMedes drain system
- Hydraulic rinse aid dispenser
- ProTect environment improvement system
- Electro-mechanical interface
- 1 Standard wash programs
- Double skin insulated door











Maximum height: 255mm

Rack size: 400 x 400mm

Maximum height: 270mm

Door opening height: 295mm

Standard equipment

Model	Flat rack 40 x 40 cm	Cutlery basket	Filler hose	Drainage hose
14-00	• 2	•	•	•

Specification

Model	Steeltech14-00
Dimensions	440 x 530 x 670mm
Tank capacity	11Litre
Max. theoretical productivity	750 glasses/hr
Power	220V/50Hz/1N
Multipower	No
Max. power consumption	3.5kW
Wash pump	0.3kW
Tank element	0.6kW
Boiler element	2.6kW
Water consumption / cycle	1lt. /9lt.
Temperature intake water	50°C
Pressure intake water	2-4 bar
Wash temperature	60°C
Rinse temperature	65°C

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN ITALY



STEELTECH16-03


- Partial double skin construction
- Moulded tank bottom
- ProStrain shock-proof composite material tank filter
- Easy-to-clean drawn rack guides
- Wash system with DuoFlo pump and EquaLizer$_2$ arms
- Composite material double filter on pump intake
- ArchiMedes drain system
- Hydraulic rinse aid dispenser
- ProTect environment improvement system
- Electro-mechanical interface
- 2 Standard wash programs
- Silent operation is guaranteed by the dual flow pump and full double skin door.
- Three-phase connection and upgraded boiler element

Maximum height: 325mm

Rack size: 500 x 500mm

Maximum height: 365mm

Door opening height: 365mm









Standard equipment

Model	16-plate rack 50 x 50 cm	Flat rack 50 x 50 cm	Cutlery basket	Filler hose	Drainage hose
16-03	•	•	•	•	•

Specification

Model	Steeltech16-03
Dimensions	580 x 610 x 820mm
Tank capacity	20 Litre
Washing of GN/EN trays	No
Duration of wash cycles	90 - 150 sec
Max. theoretical productivity	720 plates/hr
Power	380V/50Hz/3N
Multipower	Yes
Max. power consumption	5.4kW
Wash pump	0.47kW
Tank element	2.1kW
Boiler element	4.9kW
Water consumption / cycle	2lt. /7lt.
Temperature intake water	15 - 50°C
Pressure intake water	2-4 bar
Wash temperature	60°C
Rinse temperature	80°C

MADE IN ITALY



* This model is only dishwasher

STEELTECH18-00

- Easy lift hood
- Fully moulded double wall tank
- ProStrain shock-proof composite material tank filter
- Removable rack support for easy cleaning
- Wash system with DuoFlo pump & EquaLizer$_2$ arms
- Composite material double filter on pump intake
- ArchiMedes drain system
- Hydraulic rinse aid dispenser
- ProTect work environment improvement system
- Electro-mechanical interface
- 2 Standard wash programs
- Hood dishwasher with useful height of 40 cm
- Wash tank configuration permits washing of Gastronorm and Euronorm trays

Maximum height: 530 x 320mm

Rack size: 500 x 500mm

Maximum height: 400mm

Door opening height: 415mm









Standard equipment

Model	16-plate rack 50 x 50 cm	Flat rack 50 x 50 cm	Cutlery basket	Filler hose	Drainage hose
18-00	•	•	•	•	•

Specification

Model	Steeltech18-00
Dimensions	640 x 740 x 1480mm
Tank capacity	15 Litre
Washing of GN/EN trays	Yes
Duration of wash cycles	90 - 150 sec
Max. theoretical productivity	720 plates/hr
Power	380V/50Hz/3N
Multipower	Yes
Max. power consumption	8.5kW
Wash pump	0.47kW
Tank element	2.1kW
Boiler element	8kW
Water consumption / cycle	2lt. /7lt.
Temperature intake water	15 - 50°C
Pressure intake water	2-4 bar
Wash temperature	60°C
Rinse temperature	80°C

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN ITALY




* This model is only Rack conveyor dishwasher

STEEL9-3

- 304 stainless steel
- Thermostop functions performed clearing to a temperature 85 ° C
- Saving water use only 2.8 liters of water to wash the first round
- Dishwasher equip with 1 plate rack, 1 glass rack and 1 cutlery
- 2 selectable speeds
- Easy to operate electronic control panel with wash and rinse temperature indication
- Easy to use
- Double skinned body
- Full size door makes inner access easy and the integrated self-diagnostic program makes servicing quicker and cheaper

Door opening height: 400mm










IdroWash

The HydroWash system is the core element of the rack conveyer, an evolution of that already adopted successfully for many years on all Colged rack conveyor dishwashers. HydroWash promotes a considerable improvement in washing efficiency with a reduction in power and, therefore, in consumption using special arms to deliver a powerful, balanced jet of water.

Each arm features a double row of nozzles of purpose-designed shape and direction in order to spray blades and not cones of water. This prevents the jets of waters colliding before they reach the dishes and dispersion of the energy impressed by the pump on the liquid in collisions between the drops of water, thus improving the mechanical action of food soil removal. HydroWash is another Colged useful innovation.







Specification

Model	Steel9-3
Dimensions	1150 x 770 x 1560mm
Tank capacity	69 Litre
Power	380V/50Hz/3N
Total load	32.7kW
Boiler	31kW
Tank	10kW
Pump	1.5kW
N° of speeds	3
Hourly output	200-150-75 Rack/hr
Water consumption	1.7 Litre/rack

Pre-Rinse WATER INDUSTRY

MADE IN CHINA


AB1953 CE ACS WRAS ISO - 9001



Pre-rinse unit

- 8"(203mm) Center deck mounted type
- Heavy duty construction
- 510mm riser
- 1118mm flexible stainless steel hose
- Spray valve
- 6"(152)mm or 7"(305)mm wall bracket
- The product includes check valve to prevent cross-flow
- The spray valve conforms to ANSI/ASTM F2324-03
- Ideal for food service, commercial kitchens, restaurants and hotel applications

Model: 98007-1






Pre-rinse unit

- Deck mounted type
- Heavy duty construction
- 20"(510mm) riser
- 1118mm flxeible stainless steel hose
- Spray valve
- 6"(152mm) or 7"(305mm) wall bracket
- The product includes check valve to prevent cross-flow
- The spray valve conforms to ANSI/ASTM F2324-03
- Ideal For food service, commercial kitchens, restaurants and hotel applications

Model: 98001-1




Single hole deck mounted pre-rinse unit

- 18" (457mm)



Model: M98E-101



Spray valve for all pre-rinse units



Model: M98E-0SV

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Pre-Rinse® WATER INDUSTRY


AB1953 CE ACS WRAS ISO - 9001

MADE IN CHINA

Swivel Gooseneck Faucet



Model: 9816-P3




Double pantry faucet

- Deck-mounted pantry faucet
- Swivel gooseneck with P3
- 1/2" NPSM flanged female inlets
- The product includes check valve to prevent cross-flow
  Pipe: P3 = 145 x 264 x 162mm



Model: 9800-P3



Double workboard faucet

- Deck-mounted pantry faucet
- 4"(102mm) centers
- Swivel gooseneck with P3
- 1/2"NPSM male inlets
- Chrome plated escutcheon, 6-1/2"(165mm) x 2"(51mm) wide
- The product includes check valve to prevent cross-flow
  Pipe sizes P3 = 5-11/16"(145mm) x 10-3/8"(264mm) x 6-3/8"(162mm)

Pre-Rinse® WATER INDUSTRY

MADE IN CHINA


AB1953 CE ACS WRAS ISO - 9001



Model: 9813-P5



Model: 9813-12




Double pantry faucet

- Deck-mounted pantry faucet
- Lever handles
- 8"(203mm) centers
- 1/2"NPT eccentrice flanged female inlets
- The product includes check valve to prevent cross-flow
- Model: 9813-P5 Swivel gooseneck with 233mm length
- Model: 9813-12 Swing nozzle with 12"(305mm) length

Swing Nozzle Faucet



Model: 9816-12



Double pantry faucet

- Deck-mounted pantry faucet
- Single hole
- Swing nozzle with 12"(305mm) length
- 1/2"NPSM female inlets
- The product includes check valve to prevent cross-flow

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

AB1953 CE ACS WRAS ISO - 9001


MADE IN CHINA



Model: 9810-06

Swing nozzle faucet

- Deck-mounted pantry faucet
- Removable seats
- 203mm centers
- Swing nozzle with 152mm length
- Chrome plated escutcheon, 267mm x 51mm
- 1/2 NPSM male inlets
- The product includes check valve to prevent cross-flow




Swing Nozzle Faucet



Model: 9811-06

Double workboard faucet

- Wall-mounted pantry faucet
- 203mm centers
- Chrome plated escutcheon, 267 x 51mm wide
- 1/2"NPSM male inlets
- The product includes check valve to prevent cross-flow






Model: 9815-12

Double pantry faucet

- Deck-mounted pantry faucet
- 102mm centers
- Swing nozzle with 305mm length
- 1/2"NPSM eccentrice flanged female inlets
- The product includes check valve to prevent cross-flow




Pre-Rinse® WATER INDUSTRY

MADE IN CHINA

AB1953 CE ACS WRAS ISO - 9001



Model: 9814-12



Double pantry faucet


- Wall-mounted pantry faucet
- 203mm centers
- Swing nozzle with 305mm
- 1/2"NPT eccentric flanged female inlets
- The product includes check valve to prevent cross-flow

Single supply deck mounted faucet

- 145mm



Model: M98E-505SG03




Single supply deck mounted faucet

- 12"(305mm)



Model: M98E-505SN12



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART


Pre-Rinse® WATER INDUSTRY

AB1953 CE ACS WRAS ISO - 9001

MADE IN CHINA



Model: XDF-5188W



Open hose reel

- Open reel with epoxy coated steel finish
- 11m of heavy-duty nontoxic blue hose with knitted reinforcement 7/8"-20UNEF female I.D., Rated tp 300 PSI, 1000 PSI Burst pressure
- Connection FRONT TRIGGER WATER GUN
- Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 3/8"NPT female inlet
- Adjustable hose bumper
- Multi-fit bracket for wall, ceiling or under counter mounting
- Working Temperature: 0 - 100 °C



Model: M98E-HRW11



Model: XDF5100

CAMBRO MANUFACTURING COMPANY

MADE IN USA


Glasswasher Rack

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.
Choose the correct dishrack:
1. Measure the maximum diameter of your glass (stemware or tumbler)to determine the number of compartments.
2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.










Interstack


Close side wall




glass-teacup


glass- mug


glass-tumbler


glass- wine


Handle


LineUp


Transport




Warewashing camrack dishcart

Color code



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Glasswasher Rack


Camrack Building Chart - Full Size Racks

Model	9 Compartment	Number of Extenders	Model	49 Compartment	Number of Extenders
9S318	BR258 + 9E1 (same rack as 9G414)	1	49S318	BR258 + 49E1 (same rack as 49G414)	1
9S434	BR258 + 9E1 + 9E2	2	49S434	BR258 + 49E1 + 49E2	2
9S638	BR258 + 9E1 + 9E2 + 9E2	3	49S638	BR258 + 49E1 + 49E2 + 49E2	3
9S800	BR258 + 9E1 + 9E2 + 9E2 + 9E2	4	49S800	BR258 + 49E1 + 49E2 + 49E2 + 49E2	4
9S958	BR258 + 9E1 + 9E2 + 9E2 + 9E2 + 9E2	5	49S958	BR258 + 49E1 + 49E2 + 49E2 + 49E2 + 49E2	5
9S1114	BR258 + 9E1 + 9E2 + 9E2 + 9E2 + 9E2 + 9E2	6	49S1114	BR258 + 49E1 + 49E2 + 49E2 + 49E2 + 49E2 + 49E2	6
Model	16 Compartment	Number of Extenders	Model	25 Compartment	Number of Extenders
16S318	BR258 + 16E1 (same rack as 16G414)	1	25S318	BR258 + 25E1 (same rack as 25G414)	1
16S418	BR258 + 16E4	1	25S418	BR258 + 25E4	1
16S434	BR258 + 16E1 + 16E2	2	25S434	BR258 + 25E1 + 25E2	2
16S534	BR258 + 16E1 + 16E5	2	25S534	BR258 + 25E1 + 25E5	2
16S638	BR258 + 16E1 + 16E2 + 16E2	3	25S638	BR258 + 25E1 + 25E2 + 25E2	3
16S738	BR258 + 16E1 + 16E2 + 16E5	3	25S738	BR258 + 25E1 + 25E2 + 25E5	3
16S800	BR258 + 16E1 + 16E2 + 16E2 + 16E2	4	25S800	BR258 + 25E1 + 25E2 + 25E2 + 25E2	4
16S900	BR258 + 16E1 + 16E2 + 16E2 + 16E5	4	25S900	BR258 + 25E1 + 25E2 + 25E2 + 25E5	4
16S958	BR258 + 16E1 + 16E2 + 16E2 + 16E2 + 16E2	5	25S958	BR258 + 25E1 + 25E2 + 25E2 + 25E2 + 25E2	5
16S1058	BR258 + 16E1 + 16E2 + 16E2 + 16E2 + 16E5	5	25S1058	BR258 + 25E1 + 25E2 + 25E2 + 25E2 + 25E5	5
16S1114	BR258 + 16E1 + 16E2 + 16E2 + 16E2 + 16E2 + 16E2	6	25S1114	BR258 + 25E1 + 25E2 + 25E2 + 25E2 + 25E2 + 25E2	6
16S1214	BR258 + 16E1 + 16E2 + 16E2 + 16E2 + 16E2 + 16E5	6	25S1214	BR258 + 25E1 + 25E2 + 25E2 + 25E2 + 25E2 + 25E5	6

Camrack Building Chart - Full Size Racks

Model	20 Compartment	Number of Extenders	Model	30 Compartment	Number of Extenders
20S318	BR258 + 20GE1	1	30S318	BR258 + 30GE1	1
20S434	BR258 + 20GE1 + 20GE2	2	30S434	BR258 + 30GE1 + 30GE2	2
20S638	BR258 + 20GE1 + 20GE2 + 20GE2	3	30S638	BR258 + 30GE1 + 30GE2 + 30GE2	3
20S800	BR258 + 20GE1 + 20GE2 + 20GE2 + 20GE2	4	30S800	BR258 + 30GE1 + 30GE2 + 30GE2 + 30GE2	4
20S958	BR258 + 20GE1 + 20GE2 + 20GE2 + 20GE2 + 20GE2	5	30S958	BR258 + 30GE1 + 30GE2 + 30GE2 + 30GE2 + 30GE2	5
20S1114	BR258 + 20GE1 + 20GE2 + 20GE2 + 20GE2 + 20GE2 + 20GE2	6	30S1114	BR258 + 30GE1 + 30GE2 + 49E2 + 49E2 + 49E2 + 49E2	6

Model	36 Compartment	Number of Extenders
36S318	BR258 + 36E1 (same rack as 36G414)	1
36S418	BR258 + 36E4	1
36S434	BR258 + 36E1 + 36E2	2
36S534	BR258 + 36E1 + 36E5	2
36S638	BR258 + 36E1 + 36E2 + 36E2	3
36S738	BR258 + 36E1 + 36E2 + 36E5	3
36S800	BR258 + 36E1 + 36E2 + 36E2 + 36E2	4
36S900	BR258 + 36E1 + 36E2 + 36E2 + 36E5	4
36S958	BR258 + 36E1 + 36E2 + 36E2 + 36E2 + 36E2	5
36S1058	BR258 + 36E1 + 36E2 + 36E2 + 36E2 + 36E5	5
36S1114	BR258 + 36E1 + 36E2 + 36E2 + 36E2 + 36E2 + 36E2	6
36S1214	BR258 + 36E1 + 36E2 + 36E2 + 36E2 + 36E2 + 36E5	6



* Cannot add compartment extenders to these racks

E4 and E5 compartment extenders have higher internal compartment walls than E1 and E2 extenders.
If you try to add an E2 extender on top of an E4 or E5, the compartment walls overlap and do not line up to make a smooth internal wall.

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Glasswasher Rack

9 COMPARTMENT



Model	9S318	9S434	9S638	9S800	9S958	9S1114
Dimensions (mm)	500x500x143	500x500x184	500x500x225	500x500x267	500x500x308	500x500x349
Maximum height	92 mm	133 mm	174 mm	215 mm	257 mm	298 mm



16 COMPARTMENT



Model	16S318	16S418**	16S434	16S534**	16S638	16S738**
Dimensions (mm)	500x500x143	500x500x143	500x500x184	500x500x184	500x500x225	500x500x225
Maximum height	92mm	114mm	133mm	155mm	174mm	196mm

Model	16S800	16S900**	16S958	16S1058**	16S1114	16S1214**
Dimensions (mm)	500x500x267	500x500x267	500x500x308	500x500x308	500x500x349	500x500x349
Maximum height	215mm	238mm	257mm	279mm	298mm	320mm



** Compartment Extenders cannot be added

20 COMPARTMENT



Model	20S318	20S418	20S434	20S800	20S958	20S1114
Dimensions (mm)	500x500x143	500x500x184	500x500x225	500x500x267	500x500x308	500x500x349
Maximum height	92mm	133mm	174mm	215mm	257mm	298mm



25 COMPARTMENT



Model	25S318	25S418**	25S434	25S534**	25S638	25S738**
Dimensions (mm)	500x500x143	500x500x143	500x500x184	500x500x184	500x500x225	500x500x225
Maximum height	92mm	114 mm	134mm	155mm	174mm	196mm

Model	25S800	25S900**	25S958	25S1058**	25S1114	25S1214**
Dimensions (mm)	500x500x267	500x500x267	500x500x308	500x500x308	500x500x349	500x500x349
Maximum height	215mm	238mm	257mm	279mm	298mm	320mm



** Compartment Extenders cannot be added

30 COMPARTMENT



Model	30S318	30S434	30S638	30S800	30S958	30S1114
Dimensions (mm)	500x500x143	500x500x184	500x500x225	500x500x267	500x500x308	500x500x349
Maximum height	92mm	133mm	174mm	215mm	257mm	298mm



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Glasswasher Rack

36 COMPARTMENT





Model	36S318	36S418**	36S434	36S534**	36S638	36S738**
Dimension(mm)	500x500x143	500x500x143	500x500x184	500x500x184	500x500x225	500x500x225
Maximum height	92mm	114mm	133mm	155mm	174mm	196mm

Model	36S800	36S900**	36S958	36S1058**	36S1114	36S1214**
Dimension(mm)	500x500x267	500x500x267	500x500x308	500x500x308	500x500x349	500x500x349
Maximum height	215mm	238mm	257mm	279mm	298mm	320mm

** Compartment Extenders cannot be added

49 COMPARTMENT





Model	49S318	49S414	49S638	49S800	49S958	49S1114
Dimension(mm)	500x500x143	500x500x184	500x500x225	500x500x267	500x500x308	500x500x349
Maximum height	92mm	133mm	174mm	215mm	257mm	298mm

COMPONENT RACK

Model	Exterior dimensions (mm)	Compartment dimensions (mm)	Inside rack height(mm)
10HC414	500 x 250 x 143	104 x 88	107
16C258	500 x 500 x 101	111 x 111	67
20C258	500 x 500 x 101	111 x 89	67



Model : 10HC414



Model : 16C258



Model : 20C258



Full drop extender : E1

OPEN EXTENDER



HE3



E3



Half drop extender: E2

Model	Description	Dimensions (mm)
HE3	Half size open extender	502 x 252 x 51
E3	Full size open extender	499 x 499 x 51

BASE RACK



Model: HBR258




Model: BR258

Model	Description	Dimensions (mm)
HBR258	Half size base rack	500 x 250 x 101
BR258	Full size base rack	500 x 500 x 101



Full drop extender: E4



Half drop extender: E5

Model	Dimension(mm)
9E1	150 x 150 x *h41-*H51
16E1	111 x 111 x *h41-*H51
20GE1	89 x 89 x *h41-*H51
25E1	89 x 89 x *h41-*H51
30GE1	73 x 73 x *h41-*H51
36E1	73 x 73 x *h41-*H51
49E1	62 x 62 x *h41-*H51
9E2	150 x 150 x *h41-*H51
16E2	111 x 111 x *h41-*H51
20E2	111 x 89 x *h41-*H51
20GE2	89 x 89 x *h41-*H51
25E2	89 x 89 x *h41-*H51
30GE2	73 x 73 x *h41-*H51
36E2	73 x 73 x *h41-*H51
49E2	62 x 62 x *h41-*H51
16E4	111 x 111 x *h41-*H51
25E4	89 x 89 x *h41-*H51
36E4	89 x 89 x *h41-*H51
16E5	89 x 89 x *h41-*H51
25E5	89 x 89 x *h41-*H51
36E5	73 x 73 x *h41-*H51

*h - Inside rack height *H - Outside rack height

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Cup Racks

- Tilt feature drains water from mug or cup bases for quick and sanitary drying
- Color: Soft Grey (151)

16 Compartment





11.1 x 10.95 cm
Compartment
Dimensions

Model	16C258	16C414	16C578
Dimensions (mm)	500x500x101	500x500x143	500x500x184
Maximum height	66mm	107mm	149mm



Model: 16C414

20 Compartment





11.1 x 8.73 cm
Compartment
Dimensions

Model	20C258	20C414
Dimensions (mm)	500x500x101	500x500x143
Maximum height	66mm	107mm

Peg Rack & Flatware Rack

- Open End Tray Rack
- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright

Camrack Full & Half Size Flatware Racks & Cylinder

- Flatware Cylinder fits into 9-Compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.



Model : OETR314



Model : 8FBNH434



Model : FWC56



Model : 8FB434



Model : RF258



Model : PR314



Model : PR59314



Soft gray
(151)



Beige
(184)

9 spacing configuration holds up to:
- Eighteen 254 mm plates
- Twelve 305 mm plates
- Twenty-seven 190 mm plates or
- Nine 360 x 460mm trays

Model	Description
OETR314	Open End Tray Rack
PR314	9 x 9 Peg Rack
PR59314	5 x 9 Peg Rack
FWC56	Flatware cylinder, wide 11.43 cm , Height 13.97 cm
8FB434	8 compartment half flatware basket with handle
8FBNH434	8 compartment half flatware basket no handle
FR258	Full Flatware Racks

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Glasswasher Rack



Model : DRC2020
Dimensions: 498 x 498 x 238 mm

Lid Full Rack Cover

- Use to transport anything from stacks of sheet pans to catering equipment
- Reduce employee lifting and carrying, reducing possible injury
- Made of extremely durable plastic that will not dent, crack, rust or corrode
- Heavy-duty casters maneuver easily over all types of terrain
- For heavy transport needs, select models with handles and rear Big Wheels

Dishwasher Chemical



Dishwater detergent
CHEM-1

- The dish washer chemical is a customs made chemical use for maximizing the hygiene for the dishwasher
- The dishwasher will automatically drain the chemical into the washing chamber
- Keep away from children, food, sunlight, moist area, heat and always keep the cover closed
- Avoid direct contact with the eyes, mouth or skin. If swallowed, do not induce vomiting
- Immediately rinse mouth and drink a glass of water and get to the doctor immediately
- In case if it reached the eyes, hold eyes open and rinse slowly and gently with water for at least 15 minutes and visit the doctor. Do not attempt to repackage the chemical especially in hot weather

Warnings: Do not use this for other purpose, please read the instruction carefully before use



Rinse-aid liquid
CHEM-2

- Rinse-aid is a chemical created for the last step for the dishwashers
- This product is odorless and safe. The coating will help to keep the dish clean and reduce bacteria growing rate. The dishwasher will automatically drain the chemical to the chamber to coat the dish for the last step

Warnings: Keep away from children and food
If swallowed, do not induce vomiting. Immediately rinse mouth and drink a glass of water and get to the doctor immediately





STAINLESS STEEL FABRICATION



4 tiers plain shelf	202
4 tiers slatted shelf	202
Bain marie	195-196
Burner Chinese range	192
Burner Thai range	191
Cabinet slidind doors	184
Cabinet swing door	185
Clean dish table	188
Cocktail unit	182
Equipment stand	182
Exhaust hood	197-198
Flour bin cabinet	204
Footing	207
Garbage bin	204
Grease trap	187
Ice bin cabinet	182
Noodle range	193
Open cabinet	183
Over high rack shelf	201
Over high shelf	201
Plate warmer cabinet	194
Pot rail	202
Room service cart	204
Sink	205-207
Sink table	186-187
Soiled dish table	189-190
Soup range	193
Stock pot stove	193
Tray slide	202
Trolley	203-204
Wall cabinet	199-200
Wall rack shelf	201
Wall shelf	201
Work table	180-182

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

AMERICAN STANDARD SPECIFICATIONS FOR STAINLESS STEEL FABRICATION

STAINLESS STEEL 304	
TOP	Stainless steel sheet no.16, thickness 1.5 cm
SHELF	Stainless steel sheet no.18, thickness 1.2 cm
BACKSPLASH	Stainless steel sheet no.16, thickness 1.5 cm
BODY	Stainless steel sheet no.20, thickness 0.9 cm
TUBULAR LEG	Ø1.5"
ADJUSTABLE FOOTING	
TUBULAR CROSS BRACING	Ø1.5"
SLEEVE	
GUSSET	Ø2"

WHY USE STAINLESS STEEL 304?

- Provide rust resistance
- Resists corrosion and has hygienic and aseptic properties
- Does not require the labor-intensive application of an added surface treatment
- Does not alter the essence and flavor of food
- Surface is easy to clean
- Requires very little upkeep
- 100% recyclable







AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

WORK TABLE

Model: TB



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

WORK TABLE WITH BACKSPLASH

Model: TBB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

WORK TABLE WITH UNDER SHELF

Model: TBS



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

WORK TABLE WITH UNDERSHELF AND BACKSPLASH

Model: TBSB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

WORK TABLE WITH DOUBLE UNDER SHELVES

Model: TBDS



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

WORK TABLE WITH DOUBLE UNDER SHELVES AND BACKSPLASH

Model: TBDSB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

WORK TABLE WITH DRAWERS

Model: TBDW



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm

Model: TB2DW



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

WORK TABLE WITH DRAWERS AND BACKSPLASH

Model: TBDWB




750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm

Model: TB2DWB



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

WORK TABLE WITH UNDER SHELF AND DRAWERS

Model: TBSDW




750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm

Model: TBS2DW



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

WORK TABLE WITH UNDER SHELF, DRAWERS AND BACKSPLASH

Model: TBSDWB




750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm

Model: TBS2DWB



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

EQUIPMENT STAND

Model: EQSNB



750 x 750 x 850+500mm
900 x 750 x 850+500mm
1000 x 750 x 850+500mm



1100 x 750 x 500+500mm
1200 x 750 x 500+500mm
1500 x 750 x 500+500mm



1600 x 750 x 500 + 500mm
2000 x 750 x 500 + 500mm
2300 x 750 x 500 + 500mm

ICE BIN CABINET

Model: IBC



500 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm

ICE BIN CABINET WITH BACKSPLASH

Model: IBCB




750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm

COCKTAIL UNIT

Model: CTB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

OPEN CABINET

Model: OPC



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

OPEN CABINET WITH BACKS PLASH

Model: OPCB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

OPEN CABINET WITH UNDER SHELF

Model: OPCS



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

OPEN CABINET WITH UNDER SHELF AND BACKSPLASH

Model: OPCSB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

CABINET SLIDING DOORS

Model: CSD



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

CABINET SLIDING DOORS AND BLACKSPLASH

Model: CSDB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

CABINET SLIDING DOORS WITH UNDER SHELVES

Model: CSSD



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

CABINET SLIDING DOORS WITH UNDER SHELF AND BACKSPLASH

Model: CSSDB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

CABINET SWING DOORS

Model: CSW



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

CABINET SWING DOORS WITH BACKSPLASH

Model: CSWB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

CABINET SWING DOORS WITH UNDER SHELVES

Model: CSSW



750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

CABINET SWING DOORS WITH UNDER SHELVES AND BACKSPLASH

Model: CSSWB



750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm




1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

SINK TABLE WITH FAUCET


Model: STF



A 750 x 750 x 850mm
900 x 750 x 850mm
1000 x 750 x 850mm



B 1100 x 750 x 850mm
1200 x 750 x 850mm
1500 x 750 x 850mm



C 1200 x 750 x 850mm
1500 x 750 x 850mm
2300 x 750 x 850mm

SINK TABLE WITH FAUCET AND BACKSPLASH

Model: STFB



A 750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



B 1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



C 1200 x 750 x 850+150mm
1500 x 750 x 850+150mm
2300 x 750 x 850+150mm

DOUBLE SINK WITH FAUCET


Model: 2STF



A 1100 x 750 x 850mm
1300 x 750 x 850mm
1500 x 750 x 850mm



B 1600 x 750 x 850mm
1700 x 750 x 850mm
1800 x 750 x 850mm



C 2100 x 750 x 850mm
2200 x 750 x 850mm
2300 x 750 x 850mm

DOUBLE SINK WITH FAUCET AND BACKSPLASH

Model: 2STFB



A 1100 x 750 x 850+150mm
1300 x 750 x 850+150mm
1500 x 750 x 850+150mm



B 1600 x 750 x 850+150mm
1700 x 750 x 850+150mm
1800 x 750 x 850+150mm



C 2100 x 750 x 850+150mm
2200 x 750 x 850+150mm
2300 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

TRIPLE SINK TABLE WITH 2 FAUCETS


Model: 3ST2F



A 1600 x 750 x 850mm
1700 x 750 x 850mm
1800 x 750 x 850mm




B 2100 x 750 x 850mm
2200 x 750 x 850mm
2300 x 750 x 850mm




C 2100 x 750 x 850mm
2200 x 750 x 850mm
2300 x 750 x 850mm

TRIPLE SINK TABLE WITH 2 FAUCETS AND BACKSLPASH


Model: 3ST2FB



A 1600 x 750 x 850+150mm
1700 x 750 x 850+150mm
1800 x 750 x 850+150mm




B 2100 x 750 x 850+150mm
2200 x 750 x 850+150mm
2300 x 750 x 850+150mm




C 2100 x 750 x 850+150mm
2200 x 750 x 850+150mm
2300 x 750 x 850+150mm

GREASE TRAP

Model: GSTR




A 500 x 400 x 300mm
500 x 400 x 350mm



B 500 x 400 x 300mm
500 x 400 x 350mm




C 500 x 400 x 300mm
500 x 400 x 350mm



D 500 x 400 x 300mm
500 x 400 x 350mm



E 500 x 400 x 300mm
500 x 400 x 350mm



F 500 x 400 x 300mm
500 x 400 x 350mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

CLEAN DISH TABLE

Model: CLDSTBB



A 750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



B 750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



C 1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



D 1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



E 1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm



F 1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

CLEAN DISH TABLE WITH UNDER SLATTED SHELF

Model: CLDSTBSLSB



A 750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



B 750 x 750 x 850+150mm
900 x 750 x 850+150mm
1000 x 750 x 850+150mm



C 1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



D 1100 x 750 x 850+150mm
1200 x 750 x 850+150mm
1500 x 750 x 850+150mm



E 1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm



F 1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

SOILED DISH TABLE

Model: SODSTBSGHB



1300 x 750 x 850+150mm
1400 x 750 x 850+150mm
1500 x 750 x 850+150mm




1300 x 750 x 850+150mm
1400 x 750 x 850+150mm
1500 x 750 x 850+150mm

Model: SODSTBSGHB




1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm




1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

Model: SODSTB2SFB




1300 x 750 x 850+150mm
1400 x 750 x 850+150mm
1500 x 750 x 850+150mm




1300 x 750 x 850+150mm
1400 x 750 x 850+150mm
1500 x 750 x 850+150mm

Model: SODSTB2SGHFB



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm




1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

SOILED DISH TABLE L SHAPE

Model: SODSTB1SGHBL-S




A 1500+1200 x 750 x 850+150mm
1500+1500 x 750 x 850+150mm




B 1500+1200 x 750 x 850+150mm
1500+1500 x 750 x 850+150mm


Model: SODSTB2SGHBL-S




A 1800+1500 x 750 x 850+150mm
2000+1500 x 750 x 850+150mm



B 1800+1500 x 750 x 850+150mm
2000+1500 x 750 x 850+150mm



A 1800+1500 x 750 x 850+150mm
2000+1500 x 750 x 850+150mm



B 1800+1500 x 750 x 850+150mm
2000+1500 x 750 x 850+150mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

1 BURNER THAI RANGE WITH FAUCET


Model: TBNFB



A 700 x 750 x 750+250mm
800 x 750 x 750+250mm
900 x 750 x 750+250mm



B 1000 x 750 x 750+250mm
1300 x 750 x 750+250mm
1500 x 750 x 750+250mm



C 1000 x 750 x 750+250mm
1300 x 750 x 750+250mm
1500 x 750 x 750+250mm

2 BURNERS THAI RANGE WITH FAUCET

Model: 2TBNFB



A 1000 x 750 x 750+250mm
1100 x 750 x 750+250mm
1200 x 750 x 750+250mm



B 1300 x 750 x 750+250mm
1400 x 750 x 750+250mm
1500 x 750 x 750+250mm



C 1300 x 750 x 750+250mm
1400 x 750 x 750+250mm
1500 x 750 x 750+250mm

3 BURNERS THAI RANGE WITH 2 FAUCETS

Model: 3TBNFB



A 1800 x 750 x 750+250mm
1900 x 750 x 750+250mm
2000 x 750 x 750+250mm



B 2100 x 750 x 750+250mm
2200 x 750 x 750+250mm
2300 x 750 x 750+250mm




C 2100 x 750 x 750+250mm
2200 x 750 x 750+250mm
2300 x 750 x 750+250mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

1 BURNER CHINESE RANGE WITH FAUCET


Model: CBNFB



A 800 x 750 x 750+250mm
1000 x 750 x 750+250mm
1200 x 750 x 750+250mm



B 1300 x 750 x 750+250mm
1400 x 750 x 750+250mm
1500 x 750 x 750+250mm




C 1300 x 750 x 750+250mm
1400 x 750 x 750+250mm
1500 x 750 x 750+250mm

2 BURNER CHINESE RANGE WITH FAUCET


Model: 2CBNFB



A 1300 x 750 x 750+250mm
1400 x 750 x 750+250mm
1500 x 750 x 750+250mm



B 1600 x 750 x 750+250mm
2000 x 750 x 750+250mm
2300 x 750 x 750+250mm




C 1600 x 750 x 750+250mm
2000 x 750 x 750+250mm
2300 x 750 x 750+250mm

3 BURNER CHINESE RANGE WITH 2 FAUCETS


Model: 3CBN2FB



A 1900 x 750 x 750+250mm
2100 x 750 x 750+250mm
2300 x 750 x 750+250mm



B 2100 x 750 x 750+250mm
2200 x 750 x 750+250mm
2300 x 750 x 750+250mm



C 2100 x 750 x 750+250mm
2200 x 750 x 750+250mm
2300 x 750 x 750+250mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

SOUP RANGE

Model: SPRA



700 x 750 x 750+250mm
750 x 750 x 750+250mm

NOODLE RANGE

Model: NDRA




A 700 x 750 x 750+250mm
750 x 750 x 750+250mm



B 700 x 750 x 750+250mm
750 x 750 x 750+250mm

STOCK POT STOVE LOW PRESSURE

Model: SPSB-LOW



700 x 750 x 500+500mm
750 x 750 x 500+500mm
800 x 750 x 500+500mm


Model: 2SPSB-LOW



1100 x 750 x 500+500mm
1300 x 750 x 500+500mm
1500 x 750 x 500+500mm


STOCK POT STOVE HIGH PRESSURE

Model: SPSB-HI



700 x 750 x 500+500mm
750 x 750 x 500+500mm
800 x 750 x 500+500mm

Model: 2SPSB-HI



1100 x 750 x 500+500mm
1300 x 750 x 500+500mm
1500 x 750 x 500+500mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

PLATE WARMER CABINET

Model: PLWMC



700 x 750 x 850mm
1000 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm



700 x 750 x 850mm
1000 x 750 x 850mm
1500 x 750 x 850mm



1600 x 750 x 850mm
2000 x 750 x 850mm
2300 x 750 x 850mm

PLATE WARMER CABINET WITH BACKSLPLASH

Model: PLWMCB



700 x 750 x 850+150mm
1000 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm



700 x 750 x 850+150mm
1000 x 750 x 850+150mm
1500 x 750 x 850+150mm



1600 x 750 x 850+150mm
2000 x 750 x 850+150mm
2300 x 750 x 850+150mm

BAIN MARIE

Model: CBM



A 1100 x 750 x 850mm
1300 x 750 x 850mm
1500 x 750 x 850mm




B 1100 x 750 x 850mm
1300 x 750 x 850mm
1500 x 750 x 850mm




C 1100 x 750 x 850mm
1300 x 750 x 850mm
1500 x 750 x 850mm



D 1600 x 750 x 850mm
1700 x 750 x 850mm
1800 x 750 x 850mm



E 1600 x 750 x 850mm
1700 x 750 x 850mm
1800 x 750 x 850mm



F 1600 x 750 x 850mm
1700 x 750 x 850mm
1800 x 750 x 850mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

BAIN MARIE


Model: CBM



G 1900 x 750 x 850mm
2100 x 750 x 850mm
2300 x 750 x 850mm




H 1900 x 750 x 850mm
2100 x 750 x 850mm
2300 x 750 x 850mm



I 1900 x 750 x 850mm
2100 x 750 x 850mm
2300 x 750 x 850mm



J 2100 x 750 x 850mm
2200 x 750 x 850mm
2300 x 750 x 850mm



K 2100 x 750 x 850mm
2200 x 750 x 850mm
2300 x 750 x 850mm

BAIN MARIE WITH BACKSPLASH

Model: CBMB




A 1100 x 750 x 850+150mm
1300 x 750 x 850+150mm
1500 x 750 x 850+150mm




B 1100 x 750 x 850+150mm
1300 x 750 x 850+150mm
1500 x 750 x 850+150mm




C 1100 x 750 x 850+150mm
1300 x 750 x 850+150mm
1500 x 750 x 850+150mm



D 1600 x 750 x 850+150mm
1700 x 750 x 850+150mm
1800 x 750 x 850+150mm



E 1600 x 750 x 850+150mm
1700 x 750 x 850+150mm
1800 x 750 x 850+150mm




F 1600 x 750 x 850+150mm
1700 x 750 x 850+150mm
1800 x 750 x 850+150mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

BAIN MARIE WITH BACKSPLASH


Model: CBMB



G 1900 x 750 x 850+150mm
2100 x 750 x 850+150mm
2300 x 750 x 850+150mm



H 1900 x 750 x 850+150mm
2100 x 750 x 850+150mm
2300 x 750 x 850+150mm




I 1900 x 750 x 850+150mm
2100 x 750 x 850+150mm
2300 x 750 x 850+150mm



J 2100 x 750 x 850+150mm
2200 x 750 x 850+150mm
2300 x 750 x 850+150mm

REF : CBMB



K 2100 x 750 x 850+150mm
2200 x 750 x 850+150mm
2300 x 750 x 850+150mm

COUNTER BAIN MARIE

Model: CNBM



A 1100 x 750 x 450mm
1300 x 750 x 450mm
1500 x 750 x 450mm



B 1100 x 750 x 450mm
1300 x 750 x 450mm
1500 x 750 x 450mm




C 1300 x 750 x 450mm
1400 x 750 x 450mm
1500 x 750 x 450mm




D 1300 x 750 x 450mm
1400 x 750 x 450mm
1500 x 750 x 450mm




E 1300 x 750 x 450mm
1400 x 750 x 450mm
1500 x 750 x 450mm



F 1600 x 750 x 450mm
1700 x 750 x 450mm
1800 x 750 x 450mm



G 1900 x 750 x 450mm
2100 x 750 x 450mm
2300 x 750 x 450mm



H 1900 x 750 x 450mm
2100 x 750 x 450mm
2300 x 750 x 450mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

EXHAUST HOOD ISLAND TYPE

Model: EXIL (A)



1200 x 1900 x 500mm
1500 x 1900 x 500mm




2000 x 1900 x 500mm
2500 x 1900 x 500mm




3000 x 1900 x 500mm
3500 x 1900 x 500mm


Model: EXIL (B)



1200 x 1900 x 500mm
1500 x 1900 x 500mm




2000 x 1900 x 500mm
2500 x 1900 x 500mm




3000 x 1900 x 500mm
3500 x 1900 x 500mm

EXHAUST HOOD WALL TYPE


Model: EXW (A)



1200 x 900 x 500mm
1500 x 900 x 500mm




2000 x 900 x 500mm
2500 x 900 x 500mm




3000 x 900 x 500mm
3500 x 900 x 500mm


Model: EXW (B)



1200 x 900 x 500mm
1500 x 900 x 500mm



2000 x 900 x 500mm
2500 x 900 x 500mm




3000 x 900 x 500mm
3500 x 900 x 500mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

EXHAUST HOOD ISLAND TYPE WITH FRESH AIR

Model: EXILFRA (A)




2000 x 2300 x 500mm
2500 x 2300 x 500mm




3000 x 2300 x 500mm
3500 x 2300 x 500mm

Model: EXILFRA (B)




2000 x 2300 x 500mm
2500 x 2300 x 500mm



3000 x 2300 x 500mm
3500 x 2300 x 500mm

EXHAUST HOOD WALL TYPE WITH FRESH AIR

Model: EXWFRA




A 1200 x 1100 x 500mm
1500 x 1100 x 500mm




B 2000 x 1100 x 500mm
2500 x 1100 x 500mm




C 3000 x 1100 x 500mm
3500 x 1100 x 500mm



D 2000 x 1100 x 500mm
2500 x 1100 x 500mm



E 3000 x 1100 x 500mm
3500 x 1100 x 500mm



F 3000 x 1100 x 500mm
3500 x 1100 x 500mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

OPEN WALL CABINET


Model: WC



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm



1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm



1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

OPEN WALL CABINET WITH UNDER SHELF


Model: WCS



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm




1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm



1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

WALL CABINET WITH SLIDING DOORS


Model: WCSD



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm



1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm




1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304


MADE IN THAILAND

WALL CABINET WITH UNDERSHELF AND SLIDING DOORS AND UNDER SHELF


Model: WCSSD



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm



1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm




1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

WALL CABINET WITH SWING DOORS


Model: WCSW



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm




1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm




1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

WALL CABINET WITH SWING DOORS AND UNDER SHELF


Model: WCSSW



750 x 400 x 600mm
900 x 400 x 600mm
1000 x 400 x 600mm



1100 x 400 x 600mm
1200 x 400 x 600mm
1500 x 400 x 600mm



1600 x 400 x 600mm
2000 x 400 x 600mm
2300 x 400 x 600mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

WALL SHELF

Model: WS



750 x 350 x 150mm
1000 x 350 x 150mm
1500 x 350 x 150mm



1600 x 350 x 150mm
2000 x 350 x 150mm
2300 x 350 x 150mm

DOUBLE WALL SHELVES

Model: 2WS



750 x 350 x 150+150mm
1000 x 350 x 150+150mm
1500 x 350 x 150+150mm



1600 x 350 x 150+150mm
2000 x 350 x 150+150mm
2300 x 350 x 150+150mm

WALL RACK SHELF

Model: WRCS



750 x 350 x 150+150mm
1000 x 350 x 150+150mm
1500 x 350 x 150+150mm



1600 x 350 x 150+150mm
2000 x 350 x 150+150mm
2300 x 350 x 150+150mm

OVER HI RACK SHELF

Model: OVRCS




750 x 600 x 500+295mm
1000 x 600 x 500+295mm
1500 x 600 x 500+295mm



1600 x 600 x 500+295mm
2000 x 600 x 500+295mm
2300 x 600 x 500+295mm

OVER HI SHELF

Model: OVS




750 x 350 x 150mm
1000 x 350 x 150mm
1500 x 350 x 150mm




1600 x 350 x 500mm
2000 x 350 x 500mm
2300 x 350 x 500mm

DOUBLE OVER HI SHELVES

Model: DOVS



750 x 350 x 500+400mm
1000 x 350 x 500+400mm
1500 x 350 x 500+400mm



1600 x 350 x 500+400mm
2000 x 350 x 500+400mm
2300 x 350 x 500+400mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

TRAY SLIDE

Model: TYSD



750 x 350 x 150mm
1000 x 350 x 150mm
1500 x 350 x 150mm




1600 x 350 x 150mm
2000 x 350 x 150mm
2300 x 350 x 150mm

POT RAIL

Model: PTR



750 x 100 x 100mm
1000 x 100 x 100mm
1500 x 100 x 100mm



1600 x 100 x 100mm
2000 x 100 x 100mm
2300 x 100 x 100mm

4 - TIRES SLATTED SHELVES

Model: 4SL



1000 x 500 x 1500mm
1200 x 500 x 1500mm
1500 x 500 x 1500mm



1600 x 500 x 1500mm
2000 x 500 x 1500mm
2300 x 500 x 1500mm

4 - TIRES PLAIN SHELVES

Model: 4PL



1000 x 500 x 1500mm
1200 x 500 x 1500mm
1500 x 500 x 1500mm



1600 x 500 x 1500mm
2000 x 500 x 1500mm
2300 x 500 x 1500mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

STAINLESS STEEL KITCHEN TROLLEY

Model: KCTL



A 800 x 800 x 900mm



B 800 x 600 x 900mm



C 800 x 600 x 900mm



D 800 x 600 x 900mm



E 800 x 600 x 900mm



F 800 x 600 x 900mm



G 800 x 700 x 850mm



H 800 x 700 x 850mm

STAINLESS STEEL KITCHEN TROLLEY WITH SWING DOORS

Model: KCTLSWD



A 800 x 700 x 850mm



B 800 x 700 x 850mm



C 800 x 700 x 850mm

SOILED DISH CART

Model: SODSCR



A 1000 x 800 x 850mm



B 800 x 800 x 900mm



C 800 x 800 x 900mm



D 1000 x 800 x 900mm

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

RACK TROLLEY
Model: RCTL



530 x 530 x 900mm

PLATE TROLLEY
Model: PLTL



1100 x 700 x 900mm

DRY LINEN TRUCK TROLLEY
Model: DLNTKTL



700 x 800 x 850mm

MOBILE GARBAGE BIN
Model: MBGB




400 x 700mm

ROOM SERVICE CART
Model: RSCRSQ



1100 x 1100 x 800mm



SUKI TROLLEY
Model: SKTL

375 x 500 x 1500mm

MOBILE FLOUR BIN
Model: MBFL



650 x 700 x 750mm
700 x 700 x 750mm



650 x 700 x 750mm
700 x 700 x 750mm

MOBILE ICE BIN
Model: MBIBSW



700 x 750 x 750mm

Model: MBIBSD



700 x 750 x 750mm
900 x 750 x 750mm

GN TROLLEY FOR GN PAN
Model: GNTL



6 Layer

620 x 650 x 900 mm



7 Layer

620 x 520 x 900 mm



15 Layer

620 x 650 x1500 mm



19 Layer

620x 650 x1800 mm

BAKING TRAY TROLLEY USE FOR BAKING TRAY
Model: BKTT

495 x 650 x 900 mm | 495 x 650 x 900 mm | 495 x 650 x1500 mm | 495 x 650 x1800 mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

SINK


- Easy to clean
- Suitable size for industrial kitchen
- Material: Stainless steel 304 with 1.2mm thickness
- Color: Satin finish

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

Model: SINK404030


Dimensions 400 x 400 x 300mm







Model: SINK505030

Dimensions 500 x 500 x 300mm








Model: SINK404030-M


- With 1 middle drain hole


Dimensions 400 x 400 x 300mm













Model: SINK505030-M


- With 1 middle drain hole

Dimensions 500 x 500 x 300mm










SINK

- Easy to clean
- Suitable size for industrial kitchen
- Material: Stainless steel 304 with 1.2mm thickness
- Color: Satin finish

AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND








Model: SINK454530-AMO

- With 1 middle drain hole + 1 overflow hole

Dimensions 450 x 450 x 300mm











Model: SINK504028-AS

- With 1 side drain hole

Dimensions 400 x 500 x 280mm









Model: SINK505030-S

- With 1 side drain hole

Dimensions 500 x 500 x 300mm





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

SINK

- Easy to clean
- Suitable size for industrial kitchen
- Material: Stainless steel 304 with 1.2mm thickness
- Color: Satin finish


AMERICAN STANDARD SPECIFICATIONS
Stainless Steel 304

MADE IN THAILAND

Model: SINK524028-AS


- With 1 side drain hole

Dimensions 525 x 400 x 280mm









Model: SINK505030-ASO


- With 1 side drain hole + 1 overflow hole

Dimensions 500 x 500 x 300mm









Model: SINK705030-ASO


- With 1 side drain hole + 1 overflow hole

Dimensions 700 x 500 x 300mm









Footing

- Iron electroplating body
- Strong, durable, beautiful
- Color and surface: Stainless steel

Model	Dimensions	Diameter	Weight
BH-67	395 x 440 x 190mm	Ø36mm	0.2 kg
BH-67-36	395 x 440 x 190mm	Ø36.5mm	0.2 kg
BH-67-365	395 x 440 x 190mm	Ø37mm	0.2 kg






PROJECT DESIGN

Kitchen project	209
Main kitchen	210-211
Electric system	212

KITCHEN PROJECT

















PROJECT DESIGN


Main Kitchen



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products nts MART


PROJECT DESIGN
Main Kitchen
Thai Kitchen
European Kitchen
Butchery Area
Loading
Counter Bar
To Serve
Return Soiled Dish
Washing Area
Wash ing Area
CH
BR01
BR02
BR03
BR04
BR05
BR06
CO1
CO2
CO3
CO4
CO5
CO6
CO7
CO8
CO9
CO10
CO11
CO12
CO13
CO14
CO15
CO16
CO17
CO18
CO19
CO20
CO21
CO22
CO23
CO24
CO25
CO26
CO27
CO28
BU01
BU02
BU03
BU04
BU05
BU06
BU07
BU08
BU09
CK01
CK02
CK03
CK04
CK05
CK06
CK07
CK08
CK09
CK10
CK11
WS01
WS02
WS03
WS04
WS05
WS06
WS07
WS08
WS09


Cooking Area
Preperation Area
Washing Area
Dispenser Bar
CH
CA1
CA2
CA3
CA4
CA5
CA6
CA7
CA8
CA8.1
CA9
CA9.1
CA10
CA11
CA12
CA13
CA13.1
CA14
CA15
CA16
CA1.1
PA1
PA2
PA3
PA4
WA1
WA2
WA3
WA4
WA5
WA6
WA7
DB1
DB2
DB3
DB4
DB5


PROJECT DESIGN

Electric System



SYMBOL		DESCRIPTION
	ROW.	ELECTRICAL DUPLEX RECEPTACAL OUTLET ON WALL
	ROF.	ELECTRICAL DUPLEX RECEPTACAL OUTLET ON FLOOR
	ROC.	ELECTRICAL DUPLEX RECEPTACAL OUTLET FROM CEILING
	EOW.	ELECTRICAL OUTLET ON WALL
	EOF.	ELECTRICAL OUTLET ON FLOOR
	EOC.	ELECTRICAL OUTLET FROM CEILING
	AFF.	ABOVE FROM FINISH FLOOR
	W/CB	WITH CRICUIT BREAKER
	J.	JUNCTION BOX

Gas System



SYMBOL		DESCRIPTION
G	GOW.	GAS OUTLET ON WALL W/GAS BALL VALVE 1/2"
G	GOF.	GAS OUTLET ON FLOOR W/GAS BALL VALVE 1/2"
	AFF.	ABOVE FINISHED FLOOR
	LO.	LOW PRESSURE W/ GAS REGULATOR
		HI. HIGH PRESSURE

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



STORAGE &TROLLEY

Storage

Bus box	230
Cutlery box	230
Dunnage rack	216
Food storage box	229
Food storage container	228
Gastronorm food pans	221-227
Ice caddie	234
Ingredient bin	230
Pizza dough box	220
Shelving	124-125

Trolley

Adjustable tray & dish trolley	233
Dish caddy	233
Dry linen trolley	220
Gastronorm trolley	216-220
Rack dolly	322
Utility trolley	231-232

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Components

Camshelving® ELEMENTS SERIES

STRONG TECHNOLOGY



- Composite material is as strong as steel.
- 1980 mm stationary traverse is the longest and strongest in the industry; supports loads up to 272 kg per shelf.
- 60% lighter in weight than steel; easy to set up, adjust and change configurations.
- Resistant to moutsure; won't rust or corrode

HYGIENIC DESIGN



- Non-porous surface simply wipes clean.
- Shelf plates are easily removed for thorough dishwasher cleaning.
- Camguard® Antimicrobial protection is permanently embedded in shelf plates.
- Camguard works continuously to suppress the growth of microbes between cleanings

SHELVING FOR LIFE



- Lifetime warranty against corrosion and rust.
- Withstands temperatures as cold as-38 ˚C or warm environments up to 88 ˚C.
- Ideal for wet, dry, cold or humid environments.
- Impervious to moisture and chemicals.
- Won't peel, dent or warp; corrosion resistant.
- Composite material is as strong as steel.
- 1980 mm stationary traverse is the longest and strongest in the industry;supports loads up to 272 kg per shelf.
- 60% lighter in weight than steel; easy to set up, adjust and change configurations.
- Resistant to moisture; won't rust or corrode. Camshelving®





Weight bearing components are made with steel core.



- Creates a custom storage unit that can accommodate a variety of storage products and sizes on a single unit.

Vented 4-Shelf Stationary Starter 460 mm Width

HEIGHT	LENGTH	910 mm	1220 mm	1530 mm
1830 mm	MODEL	ESU183672	ESU184872	ESU186072



Vented 4-Shelf Stationary Starter Units 540 mm Width

HEIGHT	LENGTH	910 mm	1070 mm	1220 mm	1380 mm	1530 mm
1630 mm	MODEL	ESU213664	ESU214264	ESU214864	ESU215464	ESU216064
1830 mm	MODEL	ESU213672	ESU214272	ESU214872	ESU215472	ESU216072

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Shelving



Easy and Quick to Clean For A Sanitary

- Smooth polypropylene surfacequickly wipes clean
- Spills clean quickly and easily, reducing the risk of cross-contamination
- Camshelving® is weldless, so liquids and dirt cannot get insidecrevices



Easy to Adjust and Configure

- Assembles in minutes, requiring only the use of a mallet
- Shelves can be adjusted in 100 mm increments without disassembling the entire unit
- Two units can be connected together with shelves at alternating heights for maximum storage flexibility
- Corner Connectors attach units tocreate a 90˚ angle or U shape



Unquestionably Strong,Durable and Stable


- Posts and traverses are the weight bearing components, constructed with a steel core and encapsulated by a thick polypropylene outer layer



Rust Free


- Lifetime limited warranty against rust and corrosion for traverses and stationary posts

EASY TO ASSEMBLE!




Traverses slide easily down onto dovetail

EASY TO ADJUST!



Shelves can be adjusted in 100 mm increments, without disassembling the unit.





Vented Starter Units ***460 mm Width***

HEIGHT	LENGTH	910 mm	1070 mm	1220 mm	1380 mm	1530 mm
1630 mm	MODEL	CSU48366	CSU48426	CSU48486	CSU48546	CSU48606
1830 mm	MODEL	CSU48367	CSU48427	CSU48487	CSU48547	CSU48607

Vented Starter Units ***540 mm Width***

HEIGHT	LENGTH	910 mm	1070 mm	1220 mm	1380 mm	1530 mm
1630 mm	MODEL	CSU41366	CSU41426	CSU41486	CSU41546	CSU41606

Vented Starter Units ***610 mm Width***

HEIGHT	LENGTH	910 mm	1070 mm	1220 mm	1380mm	1530 mm
1830 mm	MODEL	CSU44367	CSU44427	CSU44487	CSU54547	CSU44607


CAMBRO
MANUFACTURING COMPANY

MADE IN USA

- Keep frozen, cold or dry inventory 12" (30.5 cm) safely off the floor
- One-piece, heavy-duty polypropylene construction is easy to clean
- Will never rust, corrode or bend
- Choose slotted tops for maximum air circulation around perishable products
- Solid tops are ideal for storing non-perishable products or equipment
- Includes one Camlink Connector to securely lock multiple racks together for greater stability
- NSF listed



Solid top



Slotted top

Single line

Speckle gray (480)

Dark brown (131)

Slotted top

Model	Dimensions	Load capacity
DRS300	300 x 533 x 760mm	680 kg
DRS360	300 x 533 x 915mm	680 kg
DRS480	300 x 533 x 1220mm	1,360 kg
DRS600	300 x 533 x 1525mm	1,360 kg

Ultra Camcart



Ultra Pan Carrier and Ultra Camcart H-Series


Hot holding	65.5 °C to 73.8 °C
Warm up time (From ambient to temperature)	1 hour
Recovery time (time to recover to temperature after door is held open for 30 seconds	3 minutes
Transport time (after reaching temperature, amount of time unit can be held pasively/unlugged until contents reach 64.4 °C	4 hours+

*Base on test with 4 full-sized, 4" deep H-Pans filled with 87.7 C hot water


Capacity Guide

	Starting Temperature	1 hr	2 hr	3 hr	4 hr
UPCH400	87.7	82.7	81.6	80	78.8
UPCH800	87.7	83.8	82.7	81	80


Capacity Guide



Food Pan Portion Guide



Summary of GN container sizes



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Ultra Camcart


Temperature Maintenance – Optimize Food Holding Performance

Camchiller® – GN1/1 Size and GN1/2 Size

Use to
– Pre-chill cabinet cavity
– Hold package food in food pan wells (Half Size Only)
– Maximize cold food holding
– Minimize open cavity space

Easy to use
1. Freeze 8 hours
2. Slide one or two on top rails and pre-chill cavity 15-20 minutes
3. Load in pans of pre-chilled food below Camchiller (A)
4. Move pans and Camchiller down as food is removed (B)

COLD HOLDING




ThermoBarrier® – GN1/1 Size

Use to
– Hold hot and cold food in same cabinet cavity
– Minimize open cavity space

Easy to use
1. Slide between hot food on top and cold food on bottom (A)
2. Slide under hot food loaded in upper cavity space (B)
3. Slide above cold food loaded into lower cavity space (C)

HOT AND COLD HOLDING




Camwarmer® – GN1/2 Size

Use to
– Pre-heat cabinet cavity
– Maximize hot food holding
– Minimize open cavity space

Easy to use
1. Heat in 180˚C oven for 45 minutes
2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
3. Load in pans of pre-heated food above Camwarmers (A)
4. Move pans and Camwarmers up as food is removed (B)

HOT HOLDING



CAMBRO
MANUFACTURING COMPANY

MADE IN USA

Ultra Pan Carrier and Ultra Camcart H-Series





401
Slate blue

- Designed for both electric hot holding and non-electric transport
- Gentle, 65˚ to 74˚C non-radiant heat will not cook food and maintains food moisture
- Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies
- One hour preheat time from room temperature and three minute recovery
- Energy consumption is substantially less than comparable metal cabinets
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged
- Models with only the top heated door offer unique versatility with an electric hot holding cabineton top and passive hot or cold food holding on the bottom




Power On and Heat On Indicators
Communicate the Power and Heating status of the UPCH16002 unit. Know instantly when the compartment has reached target temperature.



Vertical Vents
Consistent heating throughout the unit is generated by vertical vents that constantly circulate heat from front to back of the cabinet.



Tough Exterior
All UPCH units are made of tough, polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch.



Insulation
CFC-free, foamed-in place polyurethane foam insulation will hold temperature above 65ºC for over 4 hours when used unplugged





Model: UPCH4002-401



UPCHD400-401
Color: 401 Slate blue



UPCHD8002-401
Color: 401 Slate blue

Model	Description	Exterior dimensions	Compartment dimensions	Case (Kg) (M3)
UPCH4002	Heated Ultra Pan Carrier,220V	460 x 670 x 630mm	335 x 533 x 486mm	20.45 (0.225)
UPCH8002	Heated Ultra Camcart,220V	520 x 690 x 1372mm	330 x 545 x 485mm	43.36 (0.563)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Ultra Camcart

- Double-compartment, high-capacity carts hold and transport hot or cold food
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments
- Airtight removable gaskets maintain safe food temperatures for hours
- Easy to maintain and won't dent, crack, rust, chip or break
- Durable nylon door latches open easily and close securely
- Full-swing doors open to the side of the cart for easy loading and unloading
- Molded-in handles ensure easy maneuvering
- Molded-in bumpers minimize damage to walls, furniture and other equipment

Model	300MPC
Description	Insulated front loading to transport gastronorm food pans
EXT. Dimension(mm)	425 x 620 x 570
INT. Dimension(mm)	340 x 535 x 360
Case kg	13.29



Navy Blue (186)



Granite (401)



Dark Brow (131)



Granite (194)



Model: 300MPC
Colour: Navy Blue (186)



Model: 300MPC



Model: 300MPC
StackedDolly





Model: UPCS400

Polyurethane insulation keeps hot food hot and cold food cold. »



Model	UCPS400
Description insulated	Carrier
EXT. dimensions (mm)	635 x 360 x 630
INT. dimensions (mm)	535 x 335 x 485
Case (kg)	14.87



Model: UPC600



Model: UPC800



Model: UPC1200



Model: UPC1600

Model	UPC600	UPC800	UPC1200	UPC1600
Description	Base Model	Base Model	Base Model	Base Model
EXT. dimensions (mm)	520 x 690 x 1,145	520 x 690 x 1,370	725 x 820 x 1,160	715 x 820 x 135
Compartment dimensions (mm)	340 x 540 x 355	330 x 545 x 485	540 x 665 x 345	535 x 665 x 535
Case (kg)	33.57	39.01	49.29	55.34

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Optional Accessories ThermoBarrier® Camchiller® Camwarmer®







ThermoBarrier®

Model	Fit to	Dimensions
300DIV	300MPC, UPC600	530 x 330 x 25mm
400DIV	UPC400, UPC800, UPCS400, UPC800, UPCS400	540 x 330 x 38mm
1600DIV	UPC1600	530 x 335 x 38mm

Camchiller®

Model	Fit to	Dimensions
CP1220	300MPC, UPC400, UPC600, UPC800, UPC1200, UPC1600	530 x 330 x 38mm

Camwarmer®

Model	Fit to	Dimensions
1210PW	300MPC, UPC400, UPC600, UPC800, UPC1200, UPCS1600	340 x 275 x 40mm

Pizza Dough Boxes



Model : DB18263P

* Polypropylene dough boxes are safe for use in high temperature dishwashers



Model : DB18266CW



Model : CD1826PDB
Capacity : 136 kg
Holds : DB18263CW, DB18266CW, DB18263P

- Prevents crusting to increase the storage life of dough
- Virtually unbreakable polycarbonate construction is reinforced on all sides
- Boxes won't bend or lose their shape
- Withstands temperatures from -40˚C to 99˚C
- Available in 7.62 cm and 15.24 cm depths

Polypropylene Pizza Dough Box

Model	Outside Dimensions	Inside Dimensions
DB18263P	460 x 660 x 76mm	406 x 609mm

Polypropylene Cover

Model	Outside Dimensions
DBC1826P	460 x 660mm

Camwear®Polypropylene Pizza Dough Box

Model	Outside Dimensions	Inside Dimensions
DB18263CW	460 x 660 x 76mm	406 x 609mm
DB18266CW	460 x 660 x 153mm	406 x 609mm

Camwear®Polypropylene Cover

Model	Outside Dimensions
DBC1826CW	460 x 660mm - Camdolly for Pizza dough box

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Camwear® Polycarbonate Lid Sizes & Ordering Information

Flat Cover
Available in all pan sizes.



Cover with Handle
Deep molded handle provides secure grip. Also available in black to help block light, reducing discoloration of meats and cheeses. Helps maintain freshness.



Notched Cover with Handle
Easy access for ladles or spoons.



Seal Cover
Designed to fit Camwear®polycarbonate Food Pans, our new Translucent Seal Covers feature an inner seal that provides superior spill resistance and maximizes product freshness.



FlipLid®
Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.



Notched FlipLid
Flip Lid with notch to rest spoon in contents with lid closed.



GripLid®
Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.



Fit pans	Model	Description
GN1/1 32.5 x 53cm	10CWC	Flat cover
	10CWCH	Cover with handle
	10CWCHN	Notched cover with handle
	10CWGL	GripLid
	10PPCWSC	Seal Cover
GN1/2 Long 16.2 x 53cm	20LPCWC	Flat Cover
GN1/2 26.5 x 32.5cm	20CWC	Flat Cover
	20CWCH	Cover with Handle
	20CWCHN	Notched Cover with Handle
	20CWL	FlipLid
	20CWLN	Notched FlipLid
	20CWGL	GripLid
	20PPCWSC	Seal Cover
GN1/3 17.6 x 32.5cm	30CWC	Flat Cover
	30CWCH	Cover with Handle
	30CWCHN	Notched Cover with Handle
	30CWL	FlipLid
	30CWLN	Notched FlipLid
	30CWGL	GripLid
	30PPCWSC	Seal Cover
GN1/4 16.2 x 26.5cm	40CWC	Flat Cover
	40CWCH	Cover with Handle
	40CWCHN	Notched Cover with handle
	40PPCWSC	Seal Cover
GN1/6 16.2 x 17.6cm	60CWC	Flat Cover
	60CWCH	Cover with Handle
	60CWCHN	Notched Cover with Handle
	60CWL	FlipLid
	60CWLN	Notched FlipLid
	60CWGL	GripLid
	60PPCWSC	Seal Cover
GN1/9 108 x 17.6cm	90CWC	Flat Cover
	90CWCN	Flat Notched Cover
	90PPCWSC	Seal Cover




CAMBRO MANUFACTURING COMPANY

MADE IN USA

Gastronorm Food Pans

Camwear® Polycarbonate Gastronorm Food Pans Size, & Ordering Information



Store, transport and serve all inone pan. Camwear food pans are made from durable polycarbonate that will not crack, bend or dent.Precisely designed to Gastronorm GN specifications, with a bottom to reduce food waste. At half the cost of stainless steel, Camwear polycarbonate pans keep contents as cold as metal pans with less condensation. Pans stack neatly without wedging or sticking.

Configurations	Model	Depth pan (cm)
GN1/1 32.5 x 53 cm	12CW 14CW 16CW 18CW 10CWD	6.5 10.0 15.0 20.0 Drian shelf
GN1/2 Long 16.2 x 53 cm	22LPCW 24LPCW	6.5 10.0
GN1/2 26.5 x 53 cm	22CW 24CW 26CW 28CW 20CWD	6.5 10.0 15.0 20.0 Drian shelf
GN1/3 17.6 x 32.5 cm	32CW 34CW 36CW 38CW 30CWD	6.5 10.0 15.0 20.0 Drian shelf
GN1/4 16.2 x 26.5 cm	42CW 44CW 46CW 40CWD	6.5 10.0 15.0 Drian shelf
GN1/6 16.2 x 17.6 cm	62CW 64CW 66CW 60CWD	6.5 10.0 15.0 Drian shelf
GN1/9 10.8 x 17.6 cm	92CW 94CW	6.5 10.0


Drain shelves
- Supports products and promotes drainage
- Available to fit all pan sizes



- Rinse, drain and store all in one pan
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling
- Colanders simply lift out of the food pan for safe and quick disposal of liquids
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry
- Camwear polycarbonate flat covers, covers with handles and notched covers with handles fit on pans with colanders

Configurations	Model	Depth pan(cm)
GN1/2 26.5 x 32.5 cm	23CLRCW 25CLRCW	7.6 12.7
GN1/3 17.6 x 32.5 cm	33CLRCW 35CLRCW	7.6 12.7
GN1/6 16.2 x 17.6 cm	63CLRCW 65CLRCW	7.6 12.7

Cold Test



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products
nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Gastronorm Food Pans

Flat Cover
Available in all pan sizes.



Cover with Handle
Deep molded handle gives secure grip.



Notched Cover with Handle
Easy access for ladles or spoons.



Seal Cover
Designed to fit Camwear® polycarbonate Food Pans, our new Translucent Seal Covers feature an inner seal that provides superior spill resistance and maximizes product freshness.




FlipLid®
Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.



Notched FlipLid®
Flip Lid with notch to rest spoon in contents with lid closed.



GripLid®
Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.




Fit pans	Model	Description
GN1/1 32.5 x 53 cm	10HPC 10HPCH 10HPCHN 10SC	Flat cover Cover with handle Notched cover with handle Seal cover
GN1/2 Long 16.2 x 53 cm	20LPHPC	Flat cover
GN1/2 26.5 x 53 cm	20HPC 20HPCH 20SC	Flat cover Cover with handle Seal cover
GN1/3 17.6 x 32.5 cm	30HPC 30HPCH 30HPCHN 30HPL 30HPLN 30SC	Flat cover Cover with handle Notched cover with handle FlipLid Notch FlipLid Seal cover
GN1/4 16.2 x 26.5 cm	40HPC 40HPCH 40HPCHN 40SC	Flat cover Cover with handle Notched cover with handle Seal cover
GN1/6 16.2 x 17.6 cm	60HPC 60HPCH 60HPCHN 60SC	Flat cover Cover with handle Notched cover with handle Seal cover
GN1/9 10.8 x 17.6 cm	90HPC	Flat cover

Color code :

Color	Amber[150]
Seal cover color	White[148]
GripLid color	Clear[135]








CAMBRO MANUFACTURING COMPANY

MADE IN USA


Gastronorm Food Pans

FULL SIZE




GN1/1

HALF SIZE LONG




GN1/2 Long

HALF SIZE




GN1/2

ONE THIRD SIZE




GN1/3

QUARTER SIZE




GN1/4

ONE SIXTH SIZE



GN1/6

ONE NINTH SIZE



GN1/9



Drain shelves


- Supports products and promotes drainage
- Available to fit all pan sizes

- Reduce handling and save expense with one pan that can go from prep to cooler to oven to steam table
- H-Pans are designed to Gastronorm, GN specifications. Unlike metal pans, H-Pans are safe for use in microwave ovens
- Also ideal for heated carts, steam tables and chafing dishes
- H-Pans have both standard and metric graduation markings to promote easy inventory management

Configurations Model		Depth pan (cm)	Approximate capacity(L)
GN1/1 32.5 x 53 cm	12HP 14HP 16HP 10HPD	6.5 10.0 15.0 Drian shelf	8.9 13.7 20.6
GN1/2 26.5 x 53 cm	22HP 24HP 26HP 20HPD	6.5 10.0 15.0 Drian shelf	4.1 6.3 9.4
GN1/3 17.6 x 32.5 cm	32HP 34HP 36HP 30HPD	6.5 10.0 15.0 Drian shelf	1.8 2.7 3.9
GN1/4 16.2 x 26.5 cm	42HP 44HP 46HP 40HPD	6.5 10.0 15.0 Drian shelf	1.8 2.7 3.9
GN1/6 16.2 x 17.6 cm	62HP 64HP 66HP 60HPD	6.5 10.0 15.0 Drian shelf	1.1 1.6 2.4
GN1/9 10.8 x 17.6 cm	92HP 94HP 90HPD	6.5 10.0 Drain shelf	0.6 0.9



H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary




161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Translucent Polypropylene Gastronorm Food Pans



- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance
- Withstands temperature ranges from -40˚C to 70˚C
- Non-stick smooth interior surfaces promotes easy cleaning

TRANSLUCENT FOOD PANS

Configurations	Model	Depth pan (cm)	Approximate capacity(Litre)
GN1/1 32.5 x 53 cm	14PP 16PP 10PPD	10.0 15.0 Drian shelf	13 19.5
GN1/2 26.5 x 53 cm	24PP 26PP 20PPD	10.0 15.0 Drian shelf	5.9 8.9
GN1/3 17.6 x 32.5 cm	34PP 36PP	10.0 15.0	3.6 5.3
GN1/4 16.2 x 26.5 cm	44PP 46PP 40PPD	10.0 15.0 Drian shelf	2.5 3.7
GN1/6 16.2 x 17.6 cm	64PP 66PP	10.0 15.0	1.5 2.2
GN1/9 10.8 x 17.6 cm	94PP 90PPD	10.0 Drian shelf	0.60

Color code :

Color	Translucent[190]







Drain shelves
Available to fit all pan sizes



Available for all food pan sizes

TRANSLUCENT LIDS









Fits pan	Model	Description
GN1/1 32.5 x 53 cm	10PPCH 10PPSC	Cover with handle Seal cover
GN1/2 26.5 x 53 cm	20PPCH 20PPSC	Cover with handle Seal cover
GN1/3 17.6 x 32.5 cm	30PPCH 30PPCHN 30PPSC	Cover with handle Notched cover w/handle Seal cover
GN1/4 16.2 x 26.5 cm	40PPCH 40PPSC	Cover with handle Seal cover
GN1/6 16.2 x 17.6 cm	60PPCH	Cover with handle
GN1/9 10.8 x 17.6 cm	90PPSC	Seal cover



Notched cover with handle
Available for GN1/3 and GN1/6



Available for GN1/9 food pans



Available for all food pans sizes

Gastronorm Food Pan

- European style
- Produced in EN-631 standard
- Stackable
- Rust resistant
- satin finished



GN 1/1

Model	Dimensions	Thickness	Material
GN1120	530 x 325 x 20mm	0.6mm	Non-magnetic stainless steel
GN1140	530 x 325 x 40mm	0.6mm	Non-magnetic stainless steel
GN1165	530 x 325 x 65mm	0.6mm	Non-magnetic stainless steel
GN11100	530 x 325 x 100mm	0.6mm	Non-magnetic stainless steel
GN11150	530 x 325 x 150mm	0.7mm	Non-magnetic stainless steel
GN11200	530 x 325 x 200mm	0.7mm	Non-magnetic stainless steel



GN 1/2

Model	Dimensions	Thickness	Material
GN1220	325 x 265 x 20mm	0.6mm	Non-magnetic stainless steel
GN1240	325 x 265 x 40mm	0.6mm	Non-magnetic stainless steel
GN1265	325 x 265 x 65mm	0.6mm	Non-magnetic stainless steel
GN12100	325 x 265 x 100mm	0.6mm	Non-magnetic stainless steel
GN12150	325 x 265 x 150mm	0.7mm	Non-magnetic stainless steel
GN12200	325 x 265 x 200mm	0.7mm	Non-magnetic stainless steel



GN 1/3

Model	Dimension	Thickness	Material
GN1320	325 x176 x 20mm	0.6mm	Non-magnetic stainless steel
GN1340	325 x 176 x 40mm	0.6mm	Non-magnetic stainless steel
GN1365	325 x 176 x 65mm	0.6mm	Non-magnetic stainless steel
GN13100	325 x 176 x 100mm	0.6mm	Non-magnetic stainless steel
GN13150	325 x 176 x 150mm	0.7mm	Non-magnetic stainless steel
GN13200	325 x 176 x 200mm	0.7mm	Non-magnetic stainless steel



GN 1/6

Model	Dimensions	Thickness	Material
GN1665	176 x 162 x 65mm	0.6mm	Non-magnetic stainless steel
GN16100	176 x 162 x 100mm	0.6mm	Non-magnetic stainless steel
GN16150	176 x 162 x 150mm	0.7mm	Non-magnetic stainless steel
GN16200	176 x 162 x 200mm	0.7mm	Non-magnetic stainless steel



GN 1/9

Model	Dimensions	Thickness	Material
GN1965	176 x 108 x 65mm	0.6mm	Non-magnetic stainless steel
GN19100	176 x 108 x 100mm	0.7mm	Non-magnetic stainless steel
GN19150	176 x 108 x 150mm	0.7mm	Non-magnetic stainless steel

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Gastronorm Food Pan

- European style
- Produced in EN-631 standard
- Stackable
- satin surface
- Rust resistant
- Material: non-magnetic stainless steel



GN 2/1

Model	Dimensions
GN2120	650 x 530 x 20mm
GN2140	650 x 530 x 40mm
GN2165	650 x 530 x 65mm
GN21100	650 x 530 x 100mm
GN21150	650 x 530 x 150mm
GN21200	650 x 530 x 200mm





GN 2/3

Model	Dimensions
GN2320	353 x 325 x 20mm
GN2340	353 x 325 x 40mm
GN2365	353 x 325 x 65mm
GN23100	353 x 325 x 100mm
GN23150	353 x 325 x 150mm
GN23200	353 x 325 x 200mm

GN 2/4

Model	Dimensions
GN2420	530 x162 x 20mm
GN2440	530 x162 x 40mm
GN2465	530 x162 x 65mm
GN24100	530 x162 x 100mm
GN24150	530 x162 x 150mm

- European style
- Produced in EN-631 standard
- Stackable
- Satin surface
- Rust-proof

Lid of Gastronorm Pan



GN 1/1 Lid

Model	Dimensions
GN11L	530 x 325 mm

GN 1/2 Lid

Model	Dimensions
GN12L	325 x 265 mm

GN 1/3 Lid

Model	Dimensions
GN13L	325 x1 76mm

GN 1/4 Lid

Model	Dimensions
GN14L	265 x 126mm

GN 1/6 Lid

Model	Dimensions
GN16L	176 x 126mm

GN 1/9 Lid

Model	Dimensions
GN19L	176 x 108mm

GN 2/1 Lid

Model	Dimensions
GN21L	650 x 530 mm

GN 2/3 Lid

Model	Dimensions
GN23L	353 x 325mm

GN 2/4 Lid

Model	Dimensions
GN24L	530 x 162mm





CAMBRO MANUFACTURING COMPANY

MADE IN USA

Food Storage Containers

- Store ingredients or transport ready to serve or partially prepared foods.
- Clear Camwear polycarbonate allows for easy content identification at a glance.
- Reduces risk of contamination and enhances food safety.
- Round shape promotes proper air circulation, ideal for stirring soups and sauces.
- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40˚C to 70˚C.
- Snap on covers fit tightly to protect contents and extend product freshness

Polycarbonate round food storage container



Model	RFSCW1	RFSCW2	RFSCW4	RFSCW6	RFSCW8	RFSCW12	RFSCW18	RFSCW22
Capacity(qt)	1(0.9L)	2(1.9L)	4(3.8L)	6(5.7L)	8(7.6L)	12(11.4)	18(17.2L)	22(20.8L)
Dimensions	Top dia.6 1/16", Height 5"	Top dia.8 3/16", Height 4 3/16"	Top dia.8 3/16", Height 8 9/16"	Top dia.9 15/16", Height 7 15/16"	Top dia.9 15/16", Height 10 7/8"	Top dia.14 7/8", Height 8 3/8"	Top dia.14 7/8", Height 12"	Top dia.14 7/8", Height 15"
Color	Clear(135)							

Polycarbonate covers



RFSCWC
Color: Clear(135)

Model	Description
RFSCWC1	Fits 0.9 L
RFSCWC2	Fits 1.9 L & 3.8 L
RFSCWC6	Fits 5.7 L & 7.6 L
RFSCWC12	Fits 11.4 L & 17.2 L & 20.8 L



Polycarbonate square food storage container



Model	2SFSCW	4SFSCW	6SFSCW	8SFSCW	12SFSCW**	18SFSCW**	22SFSCW**
Capacity(qt)	2(1.9L)	4(3.8L)	6(5.7L)	8(7.6L)	12(11.4L)	18(17.2L)	22(20.8L)
Dimensions (cm)	18.4 x 18.4 x 9.8	18.4 x 18.4 x 18.7	21.3 x 21.3 x 18.4	21.3 x 21.3 x 23.2	28.6 x 31.1 x 22.2	28.6 x 31.1 x 32.1	28.6 x 31.1 x 40
Color	Clear(135)						

**Dimension include handles

Covers



Model	SFC2	SFC6	SFC12
Color	Kelly green(452)	Winter rose(451)	Midnight blue(453)
Description	Fits 1.9 & 3.8 L	Fits 5.7 & 7.6 L	Fits 11.4, 17.2 & 20.8 L





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Food Storage Box

Camwear Polycarbonate ColanderKits™

- A complete food safety system packaged in one carton
- Store raw meats, fish on ice or bulk produce safely
- Juices and liquids drip into the food box below for quick and easy disposal
- Reduces handling and risk of crosscontamination
- Kit consists of 1 each of 18269CW food box, 1 each 18268CLRCW colander, and 1 each 1826SCCW sliding lid





Model	182612CW	182615CW	12183CW	12186CW	12189CW
Capacity(litres)	17 (64.4L)	22 (83.3L)	1.75 (6.6L)	3.0 (11.4L)	4.75 (18L)
Dimensions (cm)	42.7 x 66 x 30.5	42.7 x 66 x 38.1	30.5 x 45.7 x 8.9	30.5 x 45.7 x 15.2	30.5 x 45.7 x 22.9
Color	Clear(135)				

Cover



Model	1826CCW Flat lid	1826SCCW Sliding lid	1218CCW Flat lid	1218SCCW Sliding lid
Dimensions(cm)	45.7 x 66	45.7 x 66	30.5 x 45.7	30.5 x 45.7
Case kg	7.3	8.65	3.58	4.3
Color	Clear(135)			







Model	18263P	18266P	18269P
Dimensions(cm)	5(18.9L)	8.75 (33.1L)	13.0 (49.2L)



Model	182612P	182615P	12183P	12186P	12189P
Capacity(litres)	17 (64.4L)	22 (83.3L)	1.75 (6.6L)	3.0 (11.4L)	4.75 (18L)
Dimensions (cm)	42.7 x 66 x 30.5	42.7 x 66 x 38.1	30.5 x 45.7 x 8.9	30.5 x 45.7 x 15.2	30.5 x 45.7 x 22.9
Color	Natural white(148)				

Poly cover



1826CP Flat lid



1218CP Flat lid

Model	1826CP Flat lid	1218CP Flat lid
Dimension(cm)	42.7 x 66 x 30.5	30.5 x 45.7
Color	Natural white(148)	











Model	1826DSCW	1218DSCW	1826CLRCW(5"deep)	18268CLRCW(8"deep)	18268CLRKIT
Description	Drain shelf	Drain shelf	Colander	Colander	ColanderKit
Dimensions (cm)	Fits 45.7 x 66 Food storage box	Fits 30.5 x 45.7 Food storage box	Fits 45.7 x 66 x 15.2 Food storage box and deeper	Fits 45.7 x 66 x 22.9 Food storage box and deeper	One 20.3 deep colander One 45.7x66x22.9 Food box One 45.7x66 SlidingLid
Color	Clear(135)				

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Ingredient Bins

- Store bulk dry ingredients such as flour and grain
- Hygienic clear sliding lid reduces handling and allows for quick content identification
- Bin made of FDA-accepted material so no liners are needed
- Designed to fit under standard work tables

Model	Dimensions (mm)	Capactiy(Litre)	Model	Dimensions (mm)	Capactiy(Litre)
IB27	320 x 750 x 740	102	IBS20	330 x 750 x 710	81
IB32	560 x 610 x 585	121	IBS27	420 x 750 x 710	102
IB36	390 x 750 x 740	129	IBS37	550 x 750 x 710	140
IB44	470 x 750 x 740	161	IBSF27	330 x 765 x 725	102
			CC32	560 x 610 x 585	121



Casters feature wide wheels for excellent stability and weight bearing capability.

(S) Sliding Lid



Model: IB32



Model: IB36



Model: IBS27



Model: IBS37



Model: CC32 (Camcrisper)

Bus Box

Model	Dimensions (mm)
1520CBP	506 x 398 x 125
1520CBR	389 x 506 x 125
1520CBP-148	406 x 52
Color	Brown(131)
	Black(110), LightGray (180)



180
light gray



131
light gray



110
Black



148
White

Model : 1520CBCP-148



Model: 1520CBR-131



Model: 1520CBP

R* = Regal
P* = Poly

Cutlery Box

Model	Dimensions (mm)
1120CBP	520 x 289 x 95
1120CBR	520 x 289 x 95



180
light gray



131
light gray



110
Black



Model: 1120CBR*-131



Model: 1120CBP*-110

R* = Regal
P* = Poly

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Service , Utillity Cart

- Versatile, durable and economically-priced carts
- Marine rails and lightly-textured polypropylene shelves keep contents in place
- Aluminum uprights ensure stability
- Ships "knocked down" to minimize shipping costs
- Easy to assemble





Black (110)



Speckled gray (480)

Model	BC331KD	BC340KD
Description	Service Cart	Large Utility Cart
Caster Dia./Type	10.2 cm, 4 swivel, no brake	12.7 cm, 4 swivel, no brake
Overall Dimensions	83.5 x 41.3 x 96.5cm	101.5 x 54 x 95cm
Shelf Dimimensions	62 x 40 x 30cm	80 x 52 x 29.8cm
Load Capacity	136 kg	180 kg

Optional Accessories







MODEL	BC331KDTC	BC331KDSH	BC34OKDP
Description	30 L Trash Container	9,5 L Silverware Holder	Single Shelf Panel Set (for BC340KD only)
Dimensions	33 x 24 x 56cm	33 x 24 x 18.5cm	80.3 x 45 x 29.8cm

Dinner Collecting Cart

MADE IN CHINA



Model: CC-D3L-GY

- Standard functional design
- Three trays + two buckets
- Durable use

Dimension: 800 x 440 x 930mm
Trolley material: iron chrome
Tray material: PP (Polypropylene)
Color : Grey

MADE IN CHINA

Multipurpose Cart (Three layers)



Dimension: 800 x 410 x 900 mm
Trolley material: iron chrome
Tray material: PP (Polypropylene)
Color: Grey

Model: CC-M3L-GY

CAMBRO MANUFACTURING COMPANY

Service , Utillity Cart

MADE IN USA

Model: BC230 Model: BC235



- All-purpose versatile, durable and dependable workhorses
- Ideal for use on the receiving dock or setting up and bussing tables
- Made of one-piece, polyethylene with molded-in handles and shelves
- Choose from models with open or enclosed sides

Model: BC330 Model: BC225

Model	Dimentions (mm)	Capacity(kg)
BC225	710 x 410 x 820	159
BC230	845 x 510 x 880	227
BC235	950 x 550 x 880	227
BC330	845 x 510 x 880	227



Model: BC11TC



Model: BC1115SH

Optional Accessories

Model	BC11TC	BC1115SH
Description	42L Trash Container	6.6 L Silverware Holder
Dimensions	350 x 206 x 537cm	368 x 152 x 137cm

Rack Dolly



- Use to transport anything from stacks of sheet pans to catering equipment
- Reduce employee lifting and carrying, reducing possible injury
- Made of extremely durable plastic that will not dent, crack, rust or corrode
- Heavy-duty casters maneuver easily over all types of terrain
- For heavy transport needs, select models with handles and rear Big Wheels

Model: CDR2020H



Model: CDR2020

Model	Dimensions (mm)
CDR2020 (Non handle)	540 x 540 x 200
CDR2020H (With handle)	540 x 590 x 940

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

NSF StoreSafe

MADE IN USA

Adjustable Tray & Dish Cart

S-Series Adjustable Dish Caddy



- Store one size dish or acombination of different sizes in a single caddy
- Features easy-to-adjust column towers



A 2 cm plated steel rear axle allows for 227 kg load capacity.



Vinyl cover included with every dolly for sanitary storage.



Model: ADCS

- Use to store a wide variety of plates and trays
- Move two adjustable dividers into position easily to secure trays and plates
- Made of durable polyethylene that cushions plates and trays to prevent chipping
- Easy to clean and won't dent, rust, chip or break

Model	TDC30
Dimension(mm)	590 x 990 x 880
	15.2 cm, all swivel, 2 w/brake
Caster Color	Stale blue(401), Coffee beige(157), Dark brown(131), Granite green(192), Granite red(193), Granite sand(194)



Model: TDC30

Dish Caddies

Model	Dimension(mm)	Plate size range(mm)	Columns/caddy
DC575	830 x 600 x 810	Up to 146	6
DC700	830 x 600 x 810	149-178	6
DC825	730 x 605 x 815	181-210	4
DCS950	690 x 780 x 810	213-241	4
DCS1125	690 x 780 x 810	244-286	4
DC1225	830 x 700 x 815	289-311	4

- Use to store and protect valuable dishware
- Dividers are molded into the body in a standard poker chip design
- Made of durable polyethylene that protects plates from chipping
- Open access from two sides for easy loading and unloading
- Rounded corners inside and out protect dishware, furniture and walls



Model: DC575



Model: DC700



Model: DC825



Model: DC950



Model: DC1125



Model: DC1225

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Ice Caddies



Model: ICS100L

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination
- Recessed well and drain shelf keep ice out of water, extending holding times
- Recessed, molded-in handles ease lifting and maneuvering
- No assembly required



Model: ICS175TB



Model: ICS125L

Model	Dimensions (mm)	Capacity(kg)	Caster type
Short			
ICS100L	570 x 770 x 730	46	A1
ICS125L	585 x 800 x 745	57	A
ICS125LB	585 x 800 x 745	57	C
ICS175L	610 x 955 x 745	80	A
ICS175LB	610 x 955 x 745	80	D
Tall			
ICS125T	585 x 800 x 880	57	A
ICS175T	585 x 865 x 955	80	A
ICS175TB	585 x 865 x 955	80	D
ICS200TB	585 x 865 x 1005	91	E

Caster description

A : 2 fixed, 2 swivel, 1 with brake
A1 : 2 swivel, 2 locking
B : 4 swivel, 1 with brake
C : 2 swivel, 1 with brake, 2 203 mm Easy wheels
D : 2 swivel, 1 with brake, 2 254 mm Easy wheels
E : 2 swivel, 1 with brake, 2 254 mm wide easy wheels





161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

KITCHEN UTENSILS



Baker spatula	248
Bread slicer	248
Butter knife	247
Can opener	259-261
Cheese knife	247
Chinese spatula	245
Conical strainer	246
Corer	247
Cup brushes	264
Cutting board	258
Dredger	263
Egg slicer	251
Filter bucket	241
Flatware cylinder	264
Fried egg mould	250
Frying pan	240
Funnel	242
Insect killer	261
Knives	253-257
Ladle	245
Lemon cutter	247
Mandoline	252
Measuring spoon and cup	243
Meat tenderizer	252
Melon baller	247
Metal mesh glove	259
Order rack/ Check rack	242
Paella pan	240
Peeler	247
Roast pan	240
Sauce bucket	241
Sauce pot	237-239
Scoop	244
Scraper	248
Shear	259
Shakers	263
Skimmer	246
Soup bucket	241
Spatula	249
Squeeze	251
Stock pot	236
Turner	248
Wet area matting	262
Whisk	250
Zester	247

Stock Pot

Compound Steel Pot with Fixed Handles - Stainless steel 304



- Solid handle
- Easy to clean
- Heated evenly along base and sidewalls
- Double handles
- Great for both stove top and induction cooking

Model	Dimensions	Thickness
CSPO-16	Φ160 x H75mm	2.5mm
CSPO-18	Φ180 x H85mm	2.5mm
CSPO-20	Φ200 x H95mm	2.5mm
CSPO-22	Φ220 x H110mm	2.5mm

Model	Dimensions	Thickness
CSPO-24	Φ240 x H120mm	2.5mm
CSPO-26	Φ260 x H135mm	2.5mm
CSPO-28	Φ280 x H145mm	2.5mm
CSPO-30	Φ300 x H155mm	2.5mm

Stock Pot with Compound Bottom - Stainless steel 443





Model	Dimensions	Thickness
CSSP-20	Φ200 x H200mm	0.8mm
CSSP-25	Φ250 x H250mm	0.8mm
CSSP-28	Φ280 x H280mm	0.8mm
CSSP-30	Φ300 x H300mm	0.8mm
CSSP-32	Φ320 x H320mm	0.8mm
CSSP-36	Φ360 x H360mm	1.0mm
CSSP-40	Φ400 x H400mm	1.0mm
CSSP-45	Φ450 x H450mm	1.2mm
CSSP-50	Φ500 x H500mm	1.2mm

Model	Dimensions	Thickness
CSPL-30	Φ300 x H200mm	0.8mm
CSPL-32	Φ320 x H220mm	0.8mm
CSPL-36	Φ360 x H240mm	1.0mm
CSPL-40	Φ400 x H260mm	1.0mm
CSPL-45	Φ450 x H280mm	1.2mm
CSPL-50	Φ500 x H300mm	1.2mm

American Style Stock Pot - Aluminium





Model	Dimensions	Thickness
STP-AL-30	Φ300 x H200mm	4mm
STP-AL-32	Φ320 x H220mm	4mm
STP-AL-36	Φ360 x H240mm	4mm
STP-AL-40	Φ400 x H260mm	4mm
STP-AL-45	Φ450 x H280mm	5mm
STP-AL-50	Φ500 x H300mm	5mm
STP-AL-55	Φ550 x H350mm	5mm
STP-AL-60	Φ600 x H400mm	5mm

Model	Dimensions	Thickness
STP-AL-20H	Φ200 x H200mm	3mm
STP-AL-25H	Φ250 x H250mm	3mm
STP-AL-28H	Φ280 x H280mm	4mm
STP-AL-30H	Φ300 x H300mm	4mm
STP-AL-32H	Φ320 x H320mm	4mm
STP-AL-36H	Φ360 x H360mm	4mm
STP-AL-40H	Φ400 x H400mm	4mm
STP-AL-45H	Φ450 x H450mm	5mm
STP-AL-50H	Φ500 x H500mm	5mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Solid handle
- Easy to clean
- Heated evenly along base and sidewalls
- Double handles
- Material: stainless steel 304 + aluminium+ high quality food grade stainless steel

Compound Steel Hammered Sauce Pot

Model	Dimensions	Thickness
CHSP-DLH8	Φ80 x H70mm	2.0mm
CHSP-DLH10	Φ100 x H75mm	2.0mm
CHSP-DLH12	Φ120 x H85mm	2.0mm
CHSP-DLH14	Φ140 x H95mm	2.0mm
CHSP-DLH16	Φ160 x H105mm	2.0mm
CHSP-DLH18	Φ180 x H115mm	2.0mm

Sauce Pot



Model	Dimensions	Thickness
CHSP-DLH20	Φ200 x H125mm	2.5mm
CHSP-DLH22	Φ220 x H135mm	2.5mm
CHSP-DLH24	Φ240 x H145mm	2.5mm
CHSP-DLH26	Φ260 x H150mm	2.5mm
CHSP-DLH28	Φ280 x H160mm	2.5mm
CHSP-DLH30	Φ300 x H180mm	3.0mm



Compound Steel Hammering Sauce Pot

Model	Dimensions	Thickness
CHSP-DL8	Φ80 x H40mm	2.0mm
CHSP-DL10	Φ100 x H45mm	2.0mm
CHSP-DL12	Φ120 x H50mm	2.0mm
CHSP-DL14	Φ140 x H55mm	2.0mm
CHSP-DL16	Φ160 x H60mm	2.0mm
CHSP-DL18	Φ180 x H65mm	2.0mm
CHSP-DL20	Φ200 x H70mm	2.5mm
CHSP-DL22	Φ220 x H75mm	2.5mm
CHSP-DL24	Φ240 x H80mm	2.5mm
CHSP-DL26	Φ260 x H85mm	2.5mm
CHSP-DL28	Φ280 x H100mm	2.5mm
CHSP-DL30	Φ300 x H110mm	3.0mm



Compound Steel Hammered Sauce Pot

Model	Dimensions	Thickness
CHSP8	Φ80 x H40mm	2.0mm
CHSP10	Φ100 x H45mm	2.0mm
CHSP12	Φ120 x H50mm	2.0mm
CHSP14	Φ140 x H55mm	2.0mm
CHSP16	Φ160 x H60mm	2.0mm
CHSP18	Φ180 x H65mm	2.0mm
CHSP20	Φ200 x H70mm	2.5mm
CHSP22	Φ220 x H75mm	2.5mm
CHSP24	Φ240 x H80mm	2.5mm
CHSP26	Φ260 x H85mm	2.5mm
CHSP28	Φ280 x H100mm	2.5mm
CHSP30	Φ300 x H110mm	3.0mm



Chef Pot - Stainless steel

Model	Diameter	Height
CHP1	Φ200 x 320mm	180mm
CHP2	Φ230 x 360mm	200mm
CHP3	Φ260 x 400mm	220mm
CHP4	Φ290 x 450mm	240mm
CHP5	Φ330 x 500mm	260mm
CHP6	Φ350 x 550mm	300mm
CHP7	Φ400 x 600mm	320mm



Compound Steel Pan with Handle

Model	Dimensions	Thickness
CSP-14	Φ140 x H70mm	2.5mm
CSP-16	Φ160 x H75mm	2.5mm
CSP-18	Φ180 x H85mm	2.5mm
CSP-20	Φ200 x H95mm	2.5mm
CSP-22	Φ220 x H110mm	2.5mm

Sauce Pot with Handle

- Solid handle
- Easy to clean
- Heated evenly along base and sidewalls
- Single handle
- Material: Stainless steel 304+aluminum+ high quality food grade stainless steel



Model	Dimensions	Thickness
CHSPH8	Φ80 x H70mm	2.0mm
CHSPH10	Φ100 x H75mm	2.0mm
CHSPH12	Φ120 x H85mm	2.0mm
CHSPH14	Φ140 x H95mm	2.0mm
CHSPH16	Φ160 x H105mm	2.0mm
CHSPH18	Φ180 x H115mm	2.0mm
CHSPH20	Φ200 x H125mm	2.5mm
CHSPH22	Φ220 x H135mm	2.5mm
CHSPH24	Φ240 x H145mm	2.5mm
CHSPH26	Φ260 x H150mm	2.5mm
CHSPH28	Φ280 x H160mm	2.5mm
CHSPH30	Φ300 x H180mm	3.0mm

- Durable and convenient
- Ideal for delicated food preparation, reheating, preheating, etc.
- Heated evenly along base and sidewalls
- Solid handles, Easy to clean
- Great for both stovetop and induction cooking
- Material: non-magnetic stainles steel



Model	Dimensions
CSSA-16	Φ160 x H60mm
CSSA-18	Φ180 x H65mm
CSSA-20	Φ200 x H75mm
CSSA-22	Φ220 x H75mm
CSSA-24	Φ240 x H80mm



Model	Dimensions
CSSA-26	Φ260 x H85mm
CSSA-28	Φ280 x H95mm
CSSA-30	Φ300 x H100mm



Model	Dimensions
WASC-16	Φ160 x 315 x 80mm
WASC-18	Φ180 x 333 x 80mm
WASC-20	Φ200 x 355 x 85mm



Model	Dimensions
CSSAH-16	Φ160 x H95mm
CSSAH-18	Φ180 x H110mm
CSSAH-20	Φ200 x H120mm
CSSAH-22	Φ220 x H130mm
CSSAH-24	Φ240 x H140mm



Model	Dimensions
CSSAH-26	Φ260 x H150mm
CSSAH-28	Φ280 x H160mm
CSSAH-30	Φ300 x H180mm



Model	Dimensions
WASCS-16	Φ160 x 310 x 80mm
WASCS-18	Φ180 x 333 x 85mm
WASCS-20	Φ200 x 355 x 80mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Sauce Pot with Handle

Aluminium Sauce Pot with Cast Handle

Model	Dimensions	Thickness
SP-AL-10	Φ100 x H45mm	3.0mm
SP-AL-12	Φ120 x H50mm	3.0mm
SP-AL-14	Φ140 x H55mm	3.0mm
SP-AL-16	Φ160 x H60mm	3.0mm
SP-AL-18	Φ180 x H65mm	3.0mm
SP-AL-20	Φ200 x H70mm	3.0mm
SP-AL-22	Φ220 x H75mm	3.0mm
SP-AL-24	Φ240 x H80mm	3.0mm
SP-AL-26	Φ260 x H85mm	3.0mm
SP-AL-28	Φ280 x H95mm	4.0mm
SP-AL-30	Φ300 x H105mm	4.0mm



Model	Dimensions	Thickness
SP-AL-10H	Φ100 x H75mm	3.0mm
SP-AL-12H	Φ120 x H85xmm	3.0mm
SP-AL-14H	Φ140 x H95mm	3.0mm
SP-AL-16H	Φ160 x H105mm	3.0mm
SP-AL-18H	Φ180 x H115mm	3.0mm
SP-AL-20H	Φ200 x H125mm	3.0mm
SP-AL-22H	Φ220 x H135mm	3.0mm
SP-AL-24H	Φ240 x H145mm	3.0mm
SP-AL-26H	Φ260 x H150mm	3.0mm
SP-AL-28H	Φ280 x H160mm	4.0mm
SP-AL-30H	Φ300 x H180mm	4.0mm



Model	Dimensions	Thickness
SPL-AL-16	Φ160 x H90mm	3.0mm
SPL-AL-18	Φ180 x H120mm	3.0mm
SPL-AL-20	Φ200 x H125mm	3.0mm
SPL-AL-22	Φ220 x H130mm	3.0mm
SPL-AL-24	Φ240 x H145mm	3.0mm
SPL-AL-26	Φ260 x H150mm	3.0mm
SPL-AL-28	Φ280 x H155mm	3.0mm
SPL-AL-30	Φ300 x H160mm	3.0mm



Model	Dimensions	Thickness
SPL-AL-16H	Φ160 x H105mm	3.0mm
SPL-AL-18H	Φ180 x H115mm	3.0mm
SPL-AL-20H	Φ200 x H125mm	3.0mm
SPL-AL-22H	Φ220 x H135mm	3.0mm
SPL-AL-24H	Φ240 x H145mm	3.0mm
SPL-AL-26H	Φ260 x H155mm	3.0mm
SPL-AL-28H	Φ280 x H165mm	3.0mm



Aluminium Pan with Compound Bottom

Model	Dimensions	
SPCW-AL-15	Φ150 x H70mm	2.0mm
SPCW-AL-18	Φ180 x H80mm	2.0mm
SPCW-AL-21	Φ210 x H93mm	2.0mm
SPSW-AL-15	Φ150 x H70mm	2.0mm
SPSW-AL-18	Φ180 x H80mm	2.0mm
SPSW-AL-21	Φ210 x H93mm	2.0mm



- Durable and convenient
- Ideal for delicated food preparation, reheating, preheating, etc.
- Heated evenly along base and sidewalls
- Solid handles
- Easy to clean



Frying Pan with Compound Bottom
Stainless steel 443

Model	Dimensions
CFP-20	Φ220 x H40mm
CFP-22	Φ220 x H41mm
CFP-24	Φ240 x H45mm
CFP-26	Φ260 x H47mm
CFP-28	Φ280 x H48mm
CFP-30	Φ300 x H49mm
CEP-32	Φ320 x H50mm



Compound Steel Slant Sided Frying Pan with Steel Handle
Stainless steel 304

Model	Dimensions	Thickness
CSFP-24	Φ240 x H50mm	2.5mm
CSFP-26	Φ260 x H50mm	2.5mm
CSFP-28	Φ280 x H55mm	2.5mm
CSFP-30	Φ300 x H60mm	2.5mm

Aluminum Frying Pan with Steel Handle - Thickness 3mm



Model	Dimensions
FPA-AL-16BH	Φ160 x H45mm
FPA-AL-18BH	Φ180 x H45mm
FPA-AL-20BH	Φ200 x H45mm
FPA-AL-22BH	Φ220 x H45mm
FPA-AL-24BH	Φ240 x H45mm
FPA-AL-26BH	Φ260 x H45mm
FPA-AL-28BH	Φ280 x H45mm
FPA-AL-30BH	Φ300 x H50mm
FPA-AL-32BH	Φ320 x H50mm
FPA-AL-36BH	Φ360 x H50mm



Model	Dimensions
FP-S-10	Φ100 x H25mm
FP-S-20	Φ200 x H45mm
FP-S-22	Φ220 x H46mm
FP-S-24	Φ240 x H47mm
FP-S-26	Φ260 x H48mm
FP-S-28	Φ280 x H49mm
FP-S-30	Φ300 x H50mm



Model	Dimensions
FP-AL-20	Φ200 x H45mm
FP-AL-22	Φ220 x H46mm
FP-AL-24	Φ240 x H47mm
FP-AL-26	Φ260 x H48mm
FP-AL-28	Φ280 x H49mm
FP-AL-30	Φ300 x H50mm



Roast Pan (exclude grid)
non-magnetic stainless steel

Model	Dimensions
RR2821	280 x 210mm
RR3728	370 x 280mm
RR4332	430 x 320mm



Roast Pan
non-magnetic stainless steel

Model	Dimensions	Thickness
PAN-R1	415 x 335mm	1.5mm
PAN-R2	515 x 415mm	1.5mm
PAN-R3	615 x 495mm	1.5mm



Paella Pan with Compound Cottom
Stainless steel 443

Model	Dimensions
CFP2-36	Φ360 x H53 mm
CFP2-40	Φ400 x H55 mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Bucket with lid

- Anti-rust
- Durable use
- Easy to clean

Square Soup Bucket

Model	Dimensions	Thickness	Capacity
SQSB1	105 x 105 x 105mm	0.7mm	1 Litre
SQSB2	135 x 135 x 135mm	0.7mm	2 Litre
SQSB3	150 x 150 x 150mm	0.7mm	3 Litre
SQSB4	165 x 165 x 165mm	0.7mm	4 Litre
SQSB5	180 x 180 x 180mm	0.7mm	5 Litre

Model	Dimensions	Thickness	Capacity
SQSB6	195 x 195 x 195mm	0.8mm	6 Litre
SQSB8	210 x 210 x 210mm	0.8mm	8 Litre
SQSB12	240 x 240 x 240mm	0.8mm	12 Litre
SQSB16	270 x 270 x 270mm	0.9mm	16 Litre





Soup bucket



Soup Bucket with Lid

Model	Dimensions
SBL-4	Φ4.0 inch
SBL-6	Φ6.5 inch
SBL-8	Φ8.5 inch
SBL-10	Φ10.5 inch

Sauce Bucket with Lid - Stainless steel 304, thickness 1 mm

Model	Dimensions
SBLS1	155 x 105 x 55mm
SBLS2	155 x 105 x 75mm
SBLS3	155 x 105 x 160mm
SBL15-1	155 x 155 x 75mm
SBL15-2	155 x 155 x 160mm
SBL15-3	155 x 155 x 235mm
SBL24-1	240 x 240 x 75mm
SBL24-2	240 x 240 x 160mm
SBL24-3	240 x 240 x 235mm

Sauce Bucket Lid

Model	Dimensions
SBLS4	155 x 105mm
SBL15-4	155 x 155mm
SBL24-4	240 x 240mm





Strainer - Non-magnetic stainless steel



Model	Dimensions
VEG-CL1	200 x 320 x 180mm
VEG-CL2	230 x 360 x 200mm
VEG-CL3	260 x 400 x 220mm
VEG-CL4	290 x 450 x 240mm
VEG-CL5	330 x 550 x 260mm
VEG-CL6	350 x 550 x 300mm
VEG-CL7	400 x 600 x 320mm

Filter Bucket - Non-magnetic stainless steel

Model	Dimensions
FBT4	Φ100 x H100mm
FBT5	Φ125 x H125mm
FBT6	Φ150 x H150mm
FBT7	Φ175 x H175mm
FBT8	Φ200 x H200mm
FBT9	Φ225 x H225mm
FBT10	Φ250 x H250mm
FBT11	Φ275 x H275mm
FBT12	Φ300 x H300mm



Perforated colander



Fine perforated colander



Non-magnetic stainless steel

COL-P1	Φ280 x H96mm	Perforated
COL-P2	Φ400 x H120mm	Perforated
COL-PF1	Φ280 x H100mm	Fine perforated
COL-PF2	Φ400 x H125mm	Fine perforated

Order Rack / Check Rack

- Anti-rust
- Easy to clean
- Durable use
- Wall mounted
- Non-magnetic stainless steel



Model	Dimensions
CHH-300	300 x 80 x 20mm
CHH-400	400 x 80 x 20mm
CHH-500	500 x 80 x 20mm
CHH-600	600 x 80 x 20mm
CHH-900	900 x 80 x 20mm
CHH-1200	1200 x 80 x 20mm

KMW King Metal Works



Model	Dimensions
ORA12	310mm
ORA18	460mm
ORA24	610mm
ORA36	920mm
ORA48	1220mm
ORA60	1520mm
ORA72	1830mm

Funnel and Holder

Non-magnetic stainless steel



FUN-S
Φ180 x 130



FUN-SH
Φ160 x Φ185 x 205



FUN1
Φ145 x 290



FUN1H
Φ150 x 330



DIS1
Φ170 x H200



DIS1H
Φ220 x H150

Funnel with Stand (3 spouts)
Polycarbonate



FN-S-PC
270 x 220 mm

Funnel with holder (3 spouts)
Stainless steel 304



FUNH-35

Oil funnel with holder
Non-magnetic stainless steel



FUN-OL
Φ130 x 200



FUN-OLH
Φ115 x Φ130 x 165

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Anti-rust
- Durable use
- Easy to clean
- Non-magnatic stainless steel



Measuring Cup with Scale

Model	Dimensions	Capacity
MCS500	125 x 120mm	0.5 Litre
MCS1000	165 x 157mm	1.0 Litre
MCS2000	208 x 210mm	2.0 Litre
MCS3000	230 x 220mm	3.0 Litre

Measuring Cup with Scale - Stainless steel 304

Model	Dimensions	Capactiy
MLK35	105 x 90mm	0.35 Litre
MLK60	125 x 105mm	0.60 Litre
MLK100	140 x 120mm	1.0 Litre
MLK150	160 x 155mm	1.5 Litre
MLK200	180 x 170mm	2.0 Litre



KMW
King Metal Works

Measuring Cup with Scale
Non-magnetic stainless steel

Model	Capacity
MJ100	0.1 Litre
MJ250	0.25 Litre
MJ05	0.5 Litre
MJ1	1.0 Litre
MJ2	2.0 Litre



Measuring Cup with Scale
Aluminium

Model	Dimensions	Capacity
MCS05	Φ109 x 98mm	0.5 qt
MCS1	Φ129 x 129mm	1.0 qt
MCS2	Φ154 x 168mm	2.0 qt
MCS4	Φ187 x 220mm	4.0 qt



CAMBRO
MANUFACTURING COMPANY

NSF

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement
- Durable, virtually unbreakable Camwear polycarbonate will not dent, ensuring an accurate measurement every time
- Molded-in handle will not break off

Model	Capactiy
25MCCW	0.225 Litre
50MCCW	0.5 Litre
100MCCW	1.0 Litre
200MCCW	2.0 Litre



Measuring cup - Non-magnetic stainless steel



Model: MCUP4
4 piece/set: 83 x 163mm / 69 x 150mm / 61 x 141mm / 35 x 133mm



Model	Dimensions
MS-4S2-1	4 piece/set: 129 x 116 x 112 x 110mm
MS-4S2-2	4 piece/set: 135 x 125 x 123 x 122mm

TABLECRAFT



722



725

Model	Dimensions
722	1/4, 1/2, Tsp, Tbsp, Heavyweight, 4 pc set
725	1/4, 1/3, 1/2 ,1 Cup, Heavyweight, 4 pc set



A



B

	Model	Dimensions
A	FFR8	Right Handle Fry Scoop
B	FFD8	Dual Handle Fry Scoop

Ice Scoop



Non-magnetic stainless steel

Model	Dimensions	Capacity
ISC2-6	L220mm	6 Oz
ISC2-12	L265mm	12 Oz
ISC2-24	L295mm	24 Oz
ISC2-36	L320mm	36 Oz



Stainless steel 304

Model	Dimensions
ISC3-1	L350mm
ISC3-2	L310mm
ISC3-3	L235mm
ISC3-4	L215mm
ISC3-5	L188mm



Scoop - Non-magnetic stainless steel

Model	Dimensions
SC1	190 x 100mm
SC2	250 x 150mm
SC3	160 x 70mm
SC4	201 x 120mm



Chip Scoop - Non magnetic Stainless Steel

Model		Dimensions
CS1	w/ strip handle	90 x 100mm
CS2	w/ tube handle	90 x 100mm
CBS4R	right handle	200 x 200mm
CSS4L	left handle	200 x 200mm

French fry scoop

Non-magnetic stainless steel



FFS1
190 x 230mm



FFS2
190 x 230mm



FFSB1
210 x 230mm



FFSB2
210 x 230mm

CAMBRO MANUFACTURING COMPANY NSF

Scoops



Camwear® Polycarbonate Scoops

- Virtually unbreakable Camwear polycarbonate will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Model	Approximate Capactiy(Litre)
SCP6CW	170
SCP12CW	340
SCP24CW	680
SCP64CW	1814

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Ladle



Model	Dimensions
CLAD-L5	L520mm
CLAD-L4	L485mm
CLAD-L3	L470mm
CLAD-L2	L440mm
CLAD-L1	L420mm

Non-magnetic stainless steel



Model	Dimensions
CLAD-S5	L520mm
CLAD-S4	L485mm
CLAD-S3	L470mm
CLAD-S2	L440mm
CLAD-S1	L420mm



Model	Dimensions
LAD-W2	2 oz,L270mm
LAD-W3	3 oz,L270mm
LAD-W4	4 oz,L330mm
LAD-W6	6 oz,L335mm
LAD-W8	8 oz,L385mm
LAD-W10	10 oz,L390mm



Model	Dimensions
LOP-6	Φ65 x L365mm
LOP-8	Φ80 x L405mm
LOP-9	Φ90 x L425mm
LOP-10	Φ100 x L445mm
LOP-12	Φ120 x L475mm
LOP-14	Φ140 x L525mm
LOP-16	Φ160 x L530mm



Model	Dimensions
LADL-5	Φ5.0cm
LADL-6	Φ6.5cm
LADL-7	Φ7.0cm
LADL-8	Φ8.0cm
LADL-9	Φ9.0cm
LADL-10	Φ10cm
LADL-11	Φ11cm
LADL-12	Φ12cm
LADL-14	Φ14cm
LADL-16	Φ16cm
LADL-18	Φ18cm
LADL-20	Φ20cm

Perforated Ladle



Model	Dimensions
LADLP-5	Φ5cm
LADLP-6	Φ6.5cm
LADLP-7	Φ7cm
LADLP-8	Φ8cm
LADLP-9	Φ9cm
LADLP-10	Φ10cm
LADLP-11	Φ11cm
LADLP-12	Φ12cm
LADLP-14	Φ14cm
LADLP-16	Φ16cm
LADLP-18	Φ18cm
LADLP-20	Φ20cm



Model	Dimensions
LAD-10	100 x 350mm

Perforated Ladle



Model	Dimensions
LAD-10P	100 x 350mm



Ladle - Non-magnetic stainless steel

Model	Capacity	Model	Capacity
LOP005	0.5Oz / 15ml	LOP06	6Oz / 177ml
LOP01	1Oz / 30ml	LOP07	7Oz / 207ml
LOP015	1.5Oz /45ml	LOP08	8Oz / 237ml
LOP02	2Oz / 59ml	LOP12	12Oz /354ml
LOP03	3Oz / 89ml	LOP16	16Oz /472ml
LOP04	4Oz / 120ml	SPT23	540mm solid
LOP05	5Oz / 148ml	SPT23P	540mm perforated

Chinese Spatula



CSP-36	105 x 100 x 360mm
CSP-36P	105 x 100 x 360mm

Turner



TUR-N	non-perforated
TUR-P	perforated

Carving Fork



CAF-33	100 x 330mm

Skimmer



Pan Gripper
Non-magnetic stainless steel

P-GRIP
165 x 70mm



304 stainless steel

Model	Dimensions
SKIMM-14	Φ140mm
SKIMM-16	Φ160mm
SKIMM-18	Φ180mm
SKIMM-20	Φ200mm
SKIMM-24	Φ240mm
SKIMM-28	Φ280mm



Model	Dimensions
SKIM-8	Φ80 x 350mm
SKIM-10	Φ100 x 350mm
SKIM-12	Φ120 x 350mm



Non-magnetic stainless steel

Model	Dimensions
SKIM-S10	Φ100mm
SKIM-S12	Φ120mm
SKIM-14	Φ140mm
SKIM-16	Φ160mm
SKIM-18	Φ180mm
SKIM-20	Φ200mm

KMW King Metal Works

Skimmer
Non-magnetic stainless steel



SKS4	100 x 100 x 32mm
SKS5	130 x 130 x 32mm



Skimmer with Mesh
Non-magnetic stainless steel

Model	Diameter	Handle length
WS12N	120mm	340mm
WS14N	140mm	360mm
WS18N	180mm	420mm
WS20N	200mm	440mm
WS22N	220mm	460mm
WS24N	240mm	520mm

Conical Strainer



Non-magnetic stainless steel

Model	Dimensions
CST13	130mm
CST16	160mm
CST18	180mm
CST20	200mm



Non-magnetic stainless steel

Model	Dimensions
CSTR-18	Φ180mm
CSTR-20	Φ200 x L450mm
CSTR-24	Φ240 x L510mm
CSTR-27	Φ270 x L555mm
CSTR-30	Φ300 x L605mm



Stainless steel 304

Model	Dimensions
CSTRW-6	6.0" - Φ150mm
CSTRW-7	7.0" - Φ175mm
CSTRW-8	8.0" - Φ200mm
CSTRW-9	9.0" - Φ225mm
CSTRW-10	10" - Φ250mm



Stainless steel 304

Model	Dimensions
STRA-8	Φ80 x L215mm
STRA-10	Φ100 x L250mm
STRA-12	Φ12.50 x L300mm
STRA-14	Φ140 x L320mm
STRA-16	Φ160 x L335mm
STRA-18	Φ180 x L390mm
STRA-20	Φ200 x L415mm
STRA-22	Φ220 x L440mm
STRA-24	Φ240 x L470mm



Stainless steel 304

Model	Dimensions
STRA-D24	Φ240 x 470mm
STRA-D26	Φ260 x L600mm
STRA-D30	Φ300 x L640mm
STRA-D33	Φ330 x L675mm
STRA-D36	Φ360 x L705mm



Stainless steel 304

Model	Dimensions
CSE-12	Φ120 x L310mm
CSE-14	Φ140 x L330mm
CSE-16	Φ160 x L350mm
CSE-18	Φ180 x L370mm
CSE-20	Φ200 x L390mm
CSE-22	Φ220 x L410mm
CSE-25	Φ250 x L435mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART



Butter Knife

PBUK-185
185 x 85mm



Cheese Knife

PCHK-230
230 x 80mm



Channel Knife

PPEL-20
155 x 20mm



Lemon Cutter

LCU-GR
168 x 320mm



Vegetable Peeler

PPEL-65
170 x 65mm



Peeler

PPEL-55
160x55mm



Apple Corer

PCOR-95
185mm/95mm



Zester

PLEK-D
165mm/27mm



Cabbage Corer - V Shape

PPEL-225 225mm
PPEL-220 220mm
Blade length: 110mm



Combination Zester

PLEK-150 150mm
PLEK-154 154mm
Blade length: 25mm



Decorating Knife

PPR-9
200mm
Blade length: 90mm



Peeling Knife

PKN-11
210mm
Blade length: 110mm



Single Melon Baller

PFRS-10	Φ10 x 148 mm
PFRS-15	Φ15 x 152mm
PFRS-22	Φ22 x 155mm
PFRS-25	Φ25 x 158mm
PFRS-30	Φ30 x 162mm



Double Melon Baller

PFRSD-25	Φ22/25 x 162mm
PFRSD-30	Φ22/ 30 x 168mm



Double Oval/Scalloped Melon Baller

PFRSSO-D	Φ 26 or 30 / 176mm





Oval Melon Baller

PFRSOV-26	Φ 26 x 158mm
PFRSSC-30	Φ 30 x 165mm



Heart Sharpe Baller

PFRSH-30	Φ 30 x 160mm



Scraper

KNSC-3WH
155 x75mm



Butter Knife

KNBU-3WH
32 x 85mm



Square Turner

KNST-2WH
58 x 86mm



Cake Turner

KNCT-4WH
55 x 140mm



Cake Turner

KNCT-5WH
76 x 160mm



Perforated Turner

KNPT-3WH
75 x 240mm



Turner

KNCT-3WH
75 x 240mm



Turner

KNT-3WH
74 x 200mm



Turner

KNT-4WH
75 x 145mm



Triangular Turner

KNTT-4WH
100 x 130mm



Grill Turner

KNGT-4WH
107 x 178mm



Grill Turner

KNGT-5WH
130 x 205mm



Cake Turner

KNCT-60WH
blade length: 145mm



Triangular Turner

KNT-24WH
blade length: 105mm



Pie Knife

KNPI-27WH
blade length: 135mm



Bread Slicer

KNBS-9WH
blade length: 230mm



Bread Knife

KNBK-10WH
blade length: 250mm



Bread Knife

KNBKR-10WH
blade length: 250mm

KNBKR-12WH
blade length: 300mm



Baker Spatula

KNSP-12WH
blade length: 300mm

KNSP-10WH
blade length: 250mm

KNSP-14WH
blade length: 350mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART



WH-T3
395 x 100mm



WH-T2

Turner with Wooden Handle



WH-TA
270 x 75mm



Wooden handle bend spatula
Model: CTURW-36P
Dimensions: 360 x 72mm



Wooden handle bend spatula
Model: CTURW-36
Dimensions: 360 x 72mm



Model: SCRA-10

Model	Dimensions
SCRA-10	206 x 100 mm



Wooden handle spatula

TURW-5	300 x 110mm
TURW-6	345 x 110mm



Wooden handle spatula

TURW-4
305 x 70mm



Wooden handle spatula

TURW-3
275 x 74mm



Fork with wooden handle

CFW-1	330 x 21mm
CFW-2	535 x 25mm



WH-S
153 x 110mm



Model	Dimensions
TURW-2	270 x 75mm

Japanese food Turner



Model	Dimensions
TTURW-12	270 x 120mm
TTURW-10	240 x 100mm
TTURW-8	218 x 86mm
TTURW-7	190 x 72mm
TTURW-6	80 x 66mm



Model	Dimensions
SPRE-19	190 x 30mm



Model	Dimensions
CTURW-6	256 x 60

MADE IN CHINA

Whisk

Non-magnetic stainless steel



WHSB8-10

Whisk - 12 wires

Model	Description	Dimensions
WHS12-10	1"12-wire	L10"
WHS12-12	1"12-wire	L12"
WHS12-14	1"12-wire	L14"
WHS12-16	1"12-wire	L16"
WHS12-18	1"12-wire	L18"
WHS12-20	1"12-wire	L20"
WHS12-22	1"12-wire	L22"
WHS12-24	1"12-wire	L24"





Whisk - 8 wires

Model	Description	Dimensions
WHS8-10	3/4"8-wire	L10"
WHS8-12	3/4"8-wire	L12"
WHS8-14	1"8-wire	L14"
WHS8-16	1"8-wire	L16"
WHS8-18	1"8-wire	L18"
WHS8-20	1"8-wire	L20"
WHS8-22	1"8-wire	L22"
WHS8-24	1"8-wire	L24"
WHS8-L85	1"8-wire	L 85 cm
WHS8-L100	1"8-wire	L 100 cm
WHS8-L120	1"8-wire	L 120 cm

Whisk with a ball - 8 wires

Model	Description	Dimensions
WHSB8-10	3/4"8-wire	L10"
WHSB8-12	3/4"8-wire	L12"

KMW King Metal Works

MADE IN INDIA



Whips (Piano W/Hook Type)

Item Code	Dimensions	
	inch	cm
WP25HK	10	25
WP30HK	12	30
WP35HK	14	35
WP40HK	16	40
WP45HK	18	45



Item Code	Dimensions	
	inch	cm
WP25F	10	25
WP30F	12	30
WP35F	14	35
WP40F	16	40
WP45F	18	45



Whips (Piano Type)


Item Code	Dimensions	
	Inch	cm
WP25P	10	25
WP30P	12	30
WP35P	14	35
WP40P	16	40
WP45P	18	45

Fried Egg Mould

- Food grade material
- Anti-rust
- Durable use
- Easy to clean
- Material: High quality food grade, non-magnetic stainless steel

Model	Dimensions
FEMH1	90 x 15 x 240mm
FEMH2	100 x 20 x 285mm
FEM1	75 x 25 x 45mm
FEM2	88 x 25 x 47mm
FEMB1	90 x 13 x 70mm
FEMB2	90 x 25 x 85mm
FEMB1H	80 x 13 x 70mm
FEBS1	symmetrical921
FEBS2	150 x 90 x 75mm
FEBS3	120 x 90 x 70mm

Model	Dimensions
FEBS4	125 x 110 x 90mm
FEBS5	150 x 85 x 90mm
FEBS6	100 x 90 x 90mm
FEBS7	140 x 70 x 90mm
FEBS8	120 x 110 x 90mm
FEBS9	heart 90 x 95mm
FEBS10	heart 80 x 90mm



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Anti-rust
- Durable use
- Food grade material

Egg Slicer



Model: EGS-RS-1
Φ100 x 30mm
Stainless Steel 304



Model: EGS-SS
Φ100 x 85 x 30mm
Stainless Steel 304



Model: EGS-RS-2
Φ100 x 135 x 30mm
Stainless Steel 304



Model : EGS-SA
130 x 80mm



Model: EGS-SP
Dimension: 210 x 80 x 40mm

Apple Slicer



Model: APSL-100
Dimension: 170 x 100mm



Model: APSL-50
Dimension: 185 x 50mm

Potato puree press



Squeezer
Model: PPP-1
Dimensions: Φ90 x 280mm



Potato puree press
Model: PPP-2
Dimensions: Φ90 x 280mm



Potato puree press
Model: PPP-3
Dimensions: Φ90 x 300mm

Lemon Squeezer



Model: SQZ-LM-1
Dimension: 115 x 40mm



Model: SQZ-LM-2
Dimension: 155 x 7 x 28mm



Model: SQZ-LM-3
Dimension : 75 x 63 mm



Model: SQM-LM-3
Dimension: 155 x 80 x 15mm



Hand juicer
Stainless steel 304

JU-HM
Φ110 x H370mm



Model: OJC2
Dimension: 105 x 115mm

Orange Juicer



Model: OJC1
Dimension: 160 x 95mm



Model: SQZ-OR
Dimension: 200 x 65mm



Mandoline (large size)
Non-magnetic stainless steel

MAND-L
Φ300mm



Mandoline
Non-magnetic stainless steel

MAND-S Φ200mm
MAND-M Φ230mm



Mandoline
Non-magnetic stainless steel

MAND-SLI 510 x 125 x 200mm



Grater
Non-magnetic stainless steel

GRA1 110 x 80 x 230mm



Funnel with handle
Stainless steel 201

FUH-10 Φ100mm
FUH-13 Φ130mm
FUH-15 Φ150mm



Tong
Non-magnetic stainless steel

Model	Dimensions
TOH-9	Length 9.5"
TOH-12	Length 12"
TOH-14	Length 14"
TOH-16	Length 16"



Manual flour sifter
Stainless steel 202

MFS1 1 cup Φ80 x 85mm
MFS3 3 cups Φ95 x 130mm
MFS5 5 cups Φ120 x 130mm



Manual flour mixer
Stainless steel 201

MFM Φ160mm x 165mm

Meat Tenderizers



Model : MTZ-S
65 x 55 x 30mm
Aluminum alloy



Model : MTZ-1
110 x110 x220mm
Non-magnetic stainless steel



Model : MTZ-2S
50 x 50 x 60mm
Aluminum alloy



Model : MTZ-2L
70 x 60 x 70mm
Aluminum alloy



Steak presser with wood handle
Aluminium Alloy
SP-WH 210 x 110mm



Model : MTZ-R
Φ35 x 50mm
Aluminum alloy



Model : MTZ-L
70 x 65 x 40mm
Aluminum alloy

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Knives

- Ergonomic design handle for comfortable hand feeling
- Clean with a dry soft cloth after use
- Do not cut hard metal and rigid things



Chef knife plastic handle 160 mm

Model
KNC-6BK
KNC-6WH
KNC-6BR
KNC-6BL
KNC-6GR
KNC-RD
KNC-6YL

Chef knife plastic handle 190 mm

Model
KNC-7BK
KNC-7WH
KNC-7BR
KNC-7BL
KNC-7GR
KNC-7RD
KNC-7YL



BK = Black
WH = White
BR = Brown
BL = Blue
GR = Green
RD = Red
YL = Yellow

Chef knife plastic handle 200 mm

Model
KNC-8BK
KNC-8WH
KNC-8BR
KNC-8BL
KNC-8GR
KNC-8RD
KNC-8YL

Chef knife plastic handle 250 mm

Model
KNC-10BK
KNC-10WH
KNC-10BR
KNC-10BL
KNC-10GR
KNC-10RD
KNC-10YL

Chef knife plastic handle 300 mm

Model
KNC-12BK
KNC-12WH
KNC-12BR
KNC-12BL
KNC-12GR
KNC-12RD
KNC-12YL

Knife case

Stainless steel 201

KNH-GR	320 x 70 x 315mm
CC-O	160 x 70 x 315 mm
CC-H	160 x 70 x 315 mm



KNH-GR CC-O CC-H

Magnetic knife rack - Stainless steel, iron

Model	Dimensions
MKR-340	340 x 40 x 20mm
MKR-470	470 x 40 x 20mm
MKR-620	620 x 40 x 20mm




DEXTER THE EDGE SINCE 1818

MADE IN USA

Knives

Built to be both tough and sanitary. A textured, slip-resistant, easy-to-clean polypropylene handle withstands both high and low temperatures. An mpervious blade-to-handle seal provides the utmost in sanitary qualification. Stain-free, high-carbon steel blade, with an individually ground and honed edge, excels in commercial use. Made in USA. NSF Certified.



	Description		WHITE Item No.	BLUE Item No.	GREEN Item No.	RED Item No.	YELLOW Item No.	TAN Item No.	NSF Certified
A	3¼"	Paring Knife	15303	15303C	15303G	15303R	15303Y	15303T	NSF
B	6"	Flexible Boning Knife	01543	01543C	01543G	01543R	01543Y	01543T	NSF
	6"	Narrow Boning Knife	01563	01563C	01563G	01563R	01563Y	01563T	NSF
C	8"	Scalloped Bread Knife	13313	13313C	13313G	13313R	13313Y	13313T	NSF
D	8"	Cook's Knife	12443	12443C	12443G	12443R	12443Y	12443T	NSF
	10"	Cook's Knife	12433	12433C	12433G	12433R	12433Y	N/A	NSF
E	10"	Scalloped Bread Knife	18173	18173C	18173G	18173R	18173Y	N/A	NSF
F	12"	Scalloped Roast Slicer	13463	13463C	13463G	13463R	13463Y	N/A	NSF
I	4"	Pizza Cutter	18023	N/A	18023G	18023R	N/A	N/A	
J	8" x 3"	Perforated Turner	19703	19703C	19703G	19703R	19703Y	N/A	NSF
K	8" x 3"	Cake Turner	19693	19693C	19693G	19693R	19693Y	N/A	NSF
L	7"	Stainless Steel Cleaver	08253	N/A	N/A	N/A	N/A	N/A	NSF
M	10"	Diamond Sharpener	07613	N/A	N/A	N/A	N/A	N/A	
	12"	Diamond Sharpener	07633	N/A	N/A	N/A	N/A	N/A	
N	12"	1/2" x 12" Knife sharpener	07343						

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Knives

MADE IN USA



20713 7 pc. SofGrip™ cutlery set, black



15012 Connoisseur 3" paring knife



15032 Connoisseur 31/2'forged paring knife



12162 Connoisseur 7" forged duo edge santoku



13240 Connoisseur 8" scalloped bread knife
13582 Connoisseur 9" forged scalloped bread knife



01272 Connoisseur 6" forged narrow boning knife



12132 Connoisseur 8" forged chef knife
12142 Connoisseur 10" forged chef knife



08282 Connoisseur 8" chinese chefs knife



13032 Connoisseur 12" duo edge roast slicer

Dexter Basics™



31442 4" Deba Knife



31444 6 1/2" Nakiri Knife



31445 6 1/2" Deba Knife



31445 10" Sashimi Knife





31443 6 1/2" Sashimi Knife



31446 12" Sashimi Knife

MADE IN USA

NSF **Knives**

The standard in non-slip and comfortable design for demanding kitchen environments. A soft rubber grip reduces stresses that may cause fatigue and common wrist injuries like carpal tunnel syndrome. Stain-free, high-carbon steel blade, with an individually ground and honed edge. Made in USA. NSF Certified.



24333B 3¼" Cook's parer



24323B 3¼" Clip point parer



24013B 6" Wide boning knife



24033B 6" Narrow stiff boning knife
6" Narrow flexible boning knife



24503B 7" Duo-edge Santoku knife



24513B 9" Duo-edge Santoku knife



24153B 8" Cook's knife



24163B 10" Cook's knife



24173B 10" Cimeter steak knife



24303 5 1/2" Scalloped utility knife



24203B 6" Scalloped utility knife



24253B 8" Scalloped utility slicer



24293B 8" Tiger edge slicer



24223B 8" Scalloped bread knife



24423B 9" Scalloped offset slicer



24383B 10" Scalloped bread knife



24243B 12" Scalloped roast slicer



24273B 12"Duo-edge roast slicer



24533G Green handle
24533C Blue handle
24533R Red handle
24533Y Yellow handle
24533B Black handle

8" x 3 ¼" Chinese chef's knife colored handle



25353 Kitchen/Poultry shears

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

DEXTER
THE EDGE SINCE 1818

MADE IN USA



18000	pizza knife attachment



10473	2 ¾"Oyster Knife



10483	2 ¾"Oyster Knife



10503	4 "Oyster Knife

Oyster Knives

Edlund

MADE IN USA



Model : EDL1-395

ELECTRIC KNIFE SHARPENER

- Lighted rocker switch indicates when motor is running.
- Our precise guidance system consistently provides excellent sharpening results.
- Proven and reliable motor and replacement stone will provide years of precise sharpening of practically any knife – from 3⁄16 of an inch knives to cleaver blades.
- The width of the knife slot has been reduced to 3⁄16 of an inch for additional safety.
- ABS plastic knife guides for easier cleaning and ease of operation.
- There are no magnets that can eventually magnetize the blade and contaminate food with metal shavings.
- Knife guides allow knife heel to be inserted closer to the grinding stone to maximize sharpened area on blade.
- Stainless steel case.

SPECIFICATIONS

Model	Description	CASE CUBE(FT3/M3)	Master Case	Weight
EDL1-395	Electric Knife Sharpener 220 Volt	1.1 / .03	3	13.9kg

PRODUCT OF USA

Cutting Board & Cutting Board Rack

Color-coded system reduces the risk of cross-contamination. Each board individually shrink-wrapped with label. Easy to clean. Dishwasher safe.



Cutting Board



1/2"Thick, Polyethylene

Model	Description
CB1218BLA	12" x 18" Blue
CB1218BRA	12" x 18" Brown
CB1218GNA	12" x 18" Green
CB1218RA	12" x 18" Red
CB1218WA	12" x 18" White
CB1218YA	12" x 18" Yellow
CB1520BLA	15" x 20" Blue
CB1520BRA	15" x 20" Brown
CB1520GNA	15" x 20" Green
CB1520RA	15" x 20" Red
CB1520WA	15" x 20" White
CB1520YA	15" x 20" Yellow
CB1824BLA	18" x 24" Blue
CB1824BRA	18" x 24" Brown
CB1824GNA	18" x 24" Green
CB1824RA	18" x 24" Red
CB1824WA	18" x 24" White
CB1824YA	18" x 24" Yellow

3/4"Thick, Polyethylene

Model	Description
CB1218BLB	12" x 18" Blue
CB1218BRB	12" x 18" Brown
CB1218GNB	12" x 18" Green
CB1218RB	12" x 18" Red
CB1218WB	12" x 18" White
CB1218YB	12" x 18" Yellow
CB1520BLB	15" x 20" Blue
CB1520BRB	15" x 20" Brown
CB1520GNB	15" x 20" Green
CB1520RB	15" x 20" Red
CB1520WB	15" x 20" White
CB1520YB	15" x 20" Yellow
CB1824BLB	18" x 24" Blue
CB1824BRB	18" x 24" Brown
CB1824GNB	18" x 24" Green
CB1824RB	18" x 24" Red
CB1824WB	18" x 24" White
CB1824YB	18" x 24" Yellow



Model : CBR6BK



Model : CBR6



Black Vinyl-Coated or Stainless steel

Model	Description
CBR6BK	Black Vinyl-Coated rack with 6 hooks. Holds 6 cutting boads and 6 brushes
CBR6	S/S Rack, Holds 6 cutting boards

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Can Opener (Light Duty)



COP-W
200mm



COP-S
220 x 90 x 45mm



COP-P
185 x 80 x 50mm

Poultry Shear



SCIS-PS-S
L: 4"



SCIS-PS-P
L: 240mm

Kitchen Shear



SCIS-RD
L: 213mm



SCIS-BL
L: 195mm



SCIS-GY
L: 220mm



Sharpening Rod
Stainless steel
L: 300mm

SHR-BK	Black
SHR-WH	White



Wire Brush (Fish Scale Peeling)
Wood & Steel nails

FSP-W	L235mm



Pot Brush
Oak wood

POT-BR	495 x 75mm

Metal Mesh Glove



Model: MMG-S
Metal mesh glove
Material: Stainless Steel 304
Size : S



Model: MMG-M
Metal mesh glove
Material: Stainless Steel 304
Size : M



Model: MMG-L
Metal mesh glove
Material: Stainless Steel 304
Size : L

MADE IN U.S.A

Electric Can Openers

The 270 Electric Can Opener is our flagship.

Demand for higher volume opening requirements led to the creation of the 270 electric opener.
It's designed to meet the needs of commercial and non-commercial operators alike.



Model : EDL-270

Opens most sizes and shapes of cans. Precisely weighted and balanced, the 270 lifts even the heaviest #10 can to the knife for easy opening

- Heavy duty stainless steel construction
- Two-speed motor for opening large or small cans, fast
- Removable knife holder and knife require no tools
- Gear and shield prevent splash-back from entering interior
- Also removes without tools
- Slot machine style lever requires minimum effort, eliminates fatigue
- Sealed base
- NSF Certified
- Made in U.S.A.

Specifications

Unit Dimensions	172 x 292 x 254mm
Shipping Dimensions	349 x 269 x 289mm
Power	1.5 Amp, 1.2 Amp 60 Hz
Cube	44 cubic feet (.03 cubic meters)
Shipping Weight	9kg
Recommended Usage	100 - 200 cans per day.



Model : EDL-270 C

The 270 C's easy-glide slide bar mounting allows all cans larger than #10's to be opened easily. Ideal for most international can sizes.

- Heavy duty stainless steel construction
- Two-speed motor for opening large or small cans, fast
- Removable knife holder and knife require no tools
- Gear and shield prevent splash-back from entering interior
- Also removes without tools
- Slot machine style lever requires minimum effort, eliminates fatigue
- Sealed base
- NSF Certified
- Made in U.S.A.

Specifications

Unit Dimensions	278 x 278 x 667mm
Shipping Dimensions	349 x 330 x 826mm
Power	0.8 Amp, 0.6 Amp 50 - 60 Hz
Cube	3.33 cubic feet (.01 cubic meters)
Shipping Weight	13.6kg
Recommended Usage	100 - 200 cans per day.

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Edlund
MADE IN U.S.A



Model : EDL1-1

MANUAL CAN OPENER W/NEW PLATED STEEL

- Rust resistant arbor
- New base with plastic insert
- Delrin plastic spool reduces friction against handle to improve wear
- Base design for more rigidity
- Melonite arbor provides greater rust resistance to make gear changing easier
- Replaceable plastic base insert provides smooth glide action and reduces wear on opener shaft
- Can opener with new plated steel base (for cans up to 11" tall)
- Table style can opener with new plated steel base



Model : EDL1-2

SPECIFICATIONS

Model	Case Cube(FT^3/M^3)	Case Weight
EDL1-1	1.6/.05	12.3kg
EDL1-2	2.6/.07	15.8kg





Model : EDL-266
Single speed can opener



Model : EDL-203
2 speed can opener

ELECTRIC CAN OPENERS

- Countertop or portable convenience
- Effortless electric operation
- Opens most can shapes/sizes
- Durable stainless steel construction
- Model 201 features high impact lexan plastic housing
- Replaceable knife and gear
- Spring-loaded mechanism opens even dented cans
- Compact design allows for easy storage when not in use
- Available in 115 or 230 volt
- 3 Master Case
- 1.1FT3 / 0.3M3 Case Cube

SPECIFICATIONS

Model	Description	Weight
EDL-203	Electric Can Opener 220 Volt 2 speeds	18.9kg
EDL-266	Electric Can Opener 220 Volt	18.9kg

Insect Killer



Model: IK30



Model: IK40

Specifications

Model	Machine Dimensions	Voltage	Wattage	Fluoresent Lamp	Coverage Area	Weight
IK30	440 x 190 x 550mm	220-240V	45W	15w x 2	4-5Meters	5.75kg
IK40	510 x 190 x 700mm	220-240V	58W	20w x 2	5-7Meters	7.2kg

Wet Area Matting

- Flexible roll mat suitable ideal for changing rooms and around swimming pools.
- Waved Pattern design surface to reduce slipping.
- Open structure allows drainage of water.
- Studs on the underside of mat provide exceptional drainage properties.
- Comfortable to walk on, even barefoot.
- Hygienic-does not support the growth of bacteria.
- Can be easily rolled up for cleaning purposes.





Material: Vinyl+Nitrile


Roll Sizes: 3' x 40'
Height: 8.5mm




Model	Color
ZG-01	Navy blue
ZG-02	Gray
ZG-03	Red
ZG-04	Dark green


Navy blue


Gray



Red


Dark green



Studs on the underside

Z-Grid Plus

- Flexible vinyl tile suitable for use in shower areas and around swimming pools
- Textured top surface for excellent slip resistance
- Holes allow drainage of water
- Studs on the underside of mat provide exceptional drainage properties
- Interlinks to cover any shape or size of area
- Comfortable to walk on, even barefoot
- Does not support the growth of bacteria
- Can be easily rolled up for cleaning purposes
- Beveled edging system available





Material: Vinyl
Size: 300 x 300 x 13mm



Model	Color
VD-01	Black
VD-02	Dark green
VD-03	Gray
VD-04	Royal blue
VD-05	Red
VD-06	White



Black


Dark green


Gray


Royal blue


Red


White



V Deck

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Dredger (Mesh)



DRED-M1	Ø55 x 75mm
DRED-M2	Ø69 x 86mm
DRED-M3	Ø65 x 125mm

Dredger
(Perforated: holes:2.5))



DRED-P1	Ø55 x 75mm
DRED-P2	Ø69 x 86mm
DRED-P3	Ø65 x 125mm

Dredger
(3 hole sizes)



DRED-FP1	Ø55 x 75mm
DRED-FP2	Ø69 x 86mm
DRED-FP3	Ø65 x 125mm



Dredge（3 hole sizes) - S/S 304

DRED-3H2	Φ65 x H140mm

KMW
King Metal Works
SINCE 1970

MADE IN INDIA



Item Code	Size (mm)		Capacity		Type
	Dia	Height	oz	ml	
DRG86F	60	85	8	240	1.5 MM hole
DRG86C	60	85	8	240	3 MM hole
DRG86M	60	85	8	240	MESH

CAMBRO
MANUFACTURING COMPANY

Shakers



Model	Lid color
Shakers complete with lids (Approx. capacity 300 (mL))	
96SKRF	(w/fine ground lid) Green (407)
96SKRP	(w/pasley lid) White (148)
96SKRD	(w/salt & pepper lid) Beige (406)
96SKRC	(w/cheese lid) Yellow (405)
96SKRN	(w/solid lid) White (148)
96SKRM	(w/medium ground lid) Rose (408)

Shaker Color : Clear (135)

King Metal Works

Flatware Cylinder
Non-magnetic stainless steel

FC1NM	w/o slot	95 x 130mm
FC2NM	slotted	95 x 130mm
FC3	straight heavy	95 x 130mm
FC4	straight beaded edge	115 x 135mm



FC1NM FC2NM FC3 FC4



Flatware Cylinder
Non-magnetic stainless steel

FCY-S	Ø115 x 145mm



Flatware Cylinder
Plastic

FCY-P	Ø115 x 145mm





Flatware cylinder holder
Stainless steel 201

FCH1-3	1 layer / 3 holders	385 x 150 x 180mm
FCH1-4	1 layer / 4 holders	505 x 150 x 180mm
FCH2-4	2 layers / 4 holders	265 x 305 x 200mm
FCH2-6	2 layers / 6 holders	385 x 305 x 200mm
FCYL-S2/4	2 layers / 8 holders	505 x 305 x 200mm





Flatware cylinder with plastic holder
Stainless steel 201

FCYL-P1/3	1 layer / 3 holders	385 x 150 x 180mm
FCYL-P1/4	1 layer / 4 holders	505 x 150 x 180mm
FCYL-P1/5	1 layer / 5 holders	630 x 150 x 180mm
FCYL-P2/2	2 layers / 4 holders	265 x 305 x 200mm
FCYL-P2/3	2 layers / 6 holders	385 x 305 x 200mm
FCYL-P2/4	2 layers / 8 holders	505 x 305 x 200mm

Cup brushes - 3 pieces



CBR-25
250 x 180 x 95mm



CBR-19
190 x 185 x 95mm



CBR-18
180 x 90 x 25mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



BAKERY UTENSILS

Sheet pan	266
Baking Mould	267
Basket	282
Biscut sheet	266
Bread Mould	269
Cake mould	271-274
Chocolate mould	275-278
Chocolate plugger	284
Cooling rack	266
Display tray	282
Knives	283
Loaf pan	268-269
Measuring cup and spoon	284
Mould ring	270
Nylon cutter set	288
Oven mitt	291
Pastry bag	291
Pastry cutter	287,289
Pastry tip	292
Pizza board	284
Pizza cutter	290
Pizza pan	271
Roller docker	290
Rolling pin	286
Scraper	285-286
Sieves	284
Silicone mould	278-281
Spatula	287
Tag holder	282
Wool brush	285
Whisk	284

**Measurement in mm.



Al.Alloy Corrugated Sheet Pan (Non-stick)
SN1332 1.5mm Al.Alloy 600x400x20



Al.Alloy Sheet Pan-Round Corner (Anodized)
SN1049 1.5mm Al.Alloy 600x400x20




Al.Alloy Sheet Pan-Flat Bar(Non-stick)
SN1092 1.2mm Al.Alloy 600x400x20



Al.Alloy Sheet Pan-Round Corner (Non-stick)
SN1050 1.5mm Al.Alloy 600x400x20




Al.Alloy Sheet Pan (Anodized)
SN1071 1.5mm Al.Alloy 600x400x20




Al.Alloy Sheet Pan (Non-stick)
SN1072 1.5mm Al.Alloy 600x400x20



Al.Alloy Sheet Pan-Round Corner (P.F.A.)
SN1543 1.5mm Al.Alloy 600x400x20



Perforated Al.Alloy Sheet Pan (Non-stick)
SN1526 1.2mm Al.Alloy 600x400x25



Diameter size 3mm

Perforated Al.Alloy Sheet Pan (Anodized)
SN1534 1.0mm Al.Alloy 600x400x25




Alusteel Sheet Pan
SN1077 0.7mm Alusteel 600x400x30




Alusteel Sheet Pan (Non-stick)
SN1078 0.7mm Alusteel 600x400x30



Al.Alloy Perforated Sheet Pan-Flat Bar(Anodized)
SN1093 1.2mm Al.Alloy 600x400x20



4 Rows Baguette Tray (Non-stick)
SN1586 Al.Alloy 600x400x39 / 86x24



5 Rows Baguette Tray (Non-stick)
SN1587 Al.Alloy 600x400x39 / 66x25




Rectangular Bun Pan (Non-stick)-12 Indents
SN1651 0.8mm Alusteel 600x400x48



Hot Dog Bun Pan (Non-stick)-8 Indents
SN1640 0.8mm Alusteel 600x400x40
243x75x15 / 223x55



Hot Dog Bun Pan (Non-stick)-12 Indents
SN1643 0.8mm Alusteel 600x400x40
143x73x14.2 / 126x56



Ø 93x84x15

3.5" Hamburger Bun Pan (Non-stick)-15 Indents (Curved Base)
SN1613 0.8mm Alusteel 600x400x40 Ø93x84x15

4" Hamburger Bun Pan (Non-stick)-15 Indents (Curved Base)
SN1615 0.8mm Alusteel 600x400x40 Ø102x94x15



Biscut Sheet-24 Holes(80mm) PVC Plastic
SN0506 570x370



Biscut Sheet-40 Holes(50mm) PVC Plastic
SN0507 570x370



S/S Cooling Rack(Electrolysis)
SN1575 304 S/S 600x400x8




Silicopat (White)
SN0491 Silicone gel 570x370

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

Alusteel




600x400x45




SN9423 Octagonal Cake Mould
15 Indents (Silicone)
SN9427 Octagonal Bread Mould
15 Indents (Non-stick)

Alusteel




600x400x40




SN9023 Peach Cake Mould
28 Indents (Silicone)

Alusteel




600x400x42




SN9051 Oval Cake Mould
12 Indents (Silicone)
SN9054 Oval Bread Mould
12 Indents (Non-stick)

Alusteel




600x400x23




SN9035 Madeleine Mould
28 Indents (Silicone)

Alusteel




600x400x24




SN9044 Madeleine Mould
24 Indents (Silicone)

Alusteel




620x400x26




SN9070 Pineapple Cake Mould
48 Indents (Non-stick)

Alusteel




600x400x20




SN9075 Tart Mould
40 Indents (Non-stick)

Alusteel




600x400x39




SN9083 Muffin Mould
24 Indents (Silicone)

Alusteel



600x400x32




SN9088 Muffin Mould
35 Indents (Silicone)

Alusteel




600x400x52




SN9121 Papaya Cake Mould
12 Indents (Silicone)

Alusteel




600x400x29




SN9213 Heart Cake Mould
24 Indents (Silicone)

Alusteel




600x400x26




SN9089 Oval Bread Mould
36 Indents (Non-stick)

Alusteel




600x400x39



SN9222 Jumbo Muffin Mould
15 Indents (Silicone)

Alusteel



SN9053 Non-stick Baking Pan
8 Indents (Silicone)
600x400x42

Alusteel




SN9103 Non-stick Baking Pan
4 Indents (Non-stick)
400x138x80

Alusteel




SN9132 Non-stick Baking Mould
16 Indents (Non-stick)
400x300x53

Alusteel




SN9133 Silicon Baking Pan
36 Indents (Silicone)
600x400x34

Alusteel




SN9207 Non-stick Baking Pan
18 Indents (Silicone)
600x400x32

Alusteel



SN9433 Non-stick Baking Pan
15 Indents (Silicone)
600x400x38

Alusteel



SN9436 Non-stick Baking Pan
15 Indents (Non-stick)
600x400x38

Alusteel



SN9453 Non-stick Baking Pan
15 Indents (Non-stick)
600x400x37



Al.Alloy+PC Plastic
18 Shelves Al.Alloy
Trolley-Fix(Anodized)
SN1961 643x471x1697mm




201 S/S
16 Shelves S/S Trolley-Fix
SN1971 620x470x1730mm

**Measurement in mm.



Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2000 1500g 450x128x130 / 450x128
SN2004 1200g 370x120x125 / 361x116
SN2012 1000g 327x121x121 / 312x119
SN2022 900g 325x106x122 / 316x100



Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2032 750g 316x100x116 / 305x93
SN2042 600g 309x91x107 / 300x84
SN2052 450g 197x106x110




Corrugated Loaf Pan (Golden P.T.F.E.)
1.0mm Al.Alloy
SN2006 1200g 370x120x125 / 361x116
Corrugated Loaf Pan (Non-stick)
SN2007 1200g 370x120x125 / 361x116
SN2015 1000g 327x121x121 / 312x119
SN202 900g 325x106x122 / 316x100



Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2897 4 Straps 900g 595x340x125
SN2906 3 Straps 1000g 505x340x124



Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN9111 5 Straps 900g 565x269x65




Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2103 370x75x80



Loaf Pan (Non-stick)-Without Lid
Al.Alloy
SN2051 450g 197x106x110



Loaf Pan (Non-stick)-Without Lid
Al.Alloy
SN2058 450g 197x106x110



Loaf Pan With Lid
Al.Alloy
SN2003 1200g 370x120x125




Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2059 450g 197x106x110




Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2009 1200g 370x120x125
SN2019 1000g 327x121x121
SN2021 900g 327x106x122
SN2029 900g 327x106x122



Loaf Pan-With Lid
Al.Alloy
SN2031 750g 316x100x116



Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2044 450g 196x106x110
SN20442 217x124x13



Loaf Pan (Non-stick)-With Lid
Al.Alloy
SN2025 900g 327x106x122



1.0mm Alusteel
SN2045 450g Alusteel Unibody Corrugated Loaf Pan-W/O Lid 196x106x110/184x100
SN20452 450g Alusteel 214x123x13 Loaf Pan Lid (Non-stick)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.



Corrugated Loaf Pan with Lid(Golden P.T.F.E.)
1.0mm Al.Alloy
SN2054 450g without Lid 196x106x110/186x101
SN20542 450g with Lid 214x123x13




Patent design:
uni-body moulding process
and reinforcement corners
make the pan stronger


Folded Loaf Pan (Non-stick) without Lid
SN2057 450g 196x106x110 / 186x101



Loaf Pan(Non-stick) without Lid
SN2082 385g 217x94x77 / 209x84



Corrugated Loaf Pan (Non-stick)
SN2083 385g 217x94x77 / 211x88



Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2092 385g 180x120x55 / 180x120




Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2093 180x60x60 / 180x60
SN2094 177x60x92 / 175x58
SN2097 160x96x76 / 152x88




Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2095 118x60x92 / 115x58



Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2096 85x85x73



Square Loaf Pan (Non-stick)
1.0mm Al.Alloy
SN2179 60x60x60
SN2182 100x100x100



Cake Mould (Non-stick) without Lid
1.0mm Al.Alloy
SN2124 268x95x80 / 152x88



Cake Mould (Silicone)-without Lid
1.0mm Al.Alloy
SN2121 151x67x67 /142x58



Round Loaf Pan
(Non-stick)
Al.Alloy
SN2303 Ø83x287



Plum Blossom Bread
Mould (Non-stick)
Al.Alloy
SN2306 250x100x92



Heart Bread Mould (Non-stick)
Al.Alloy
SN2307 250x105x99



**Measurement in mm.



Round Ring
0.8mm Stainless steel 304

SN3223		Ø140x30
SN3224		Ø160x30
SN3225		Ø180x30




Round Ring
1.2mm Stainless steel 304

SN3243	6"	Ø152x50
SN3244	7"	Ø178x50
SN3245	8"	Ø203x50
SN3246	9"	Ø229x50
SN3247	10"	Ø254x50



Triangular Ring
1.2mm Stainless steel 304

MOR-T9	9"	198x173x50
SN3283	6"	131x114x50
SN3285	8"	175x153x50
SN3287	10"	220x192x50



Square Ring
1.2mm Stainless steel 304

SN3305	8"	144x144x50
SN3306	9"	161x161x50



Hexagonal Ring
1.2mm Stainless steel 304

SN3327	10"	254x50



Octagonal Ring
1.2mm Stainless steel 304

SN3343	6"	Ø152x50
SN3345	8"	Ø203x50
MOR-OC1	1"	Ø45x20
MOR-OC2	2"	Ø55x30
MOR-OC3	3"	Ø65x35
MOR-OC7	7"	Ø178x50
MOR-OC9	9"	Ø229x50
MOR-OC10	10"	Ø254x50



Oval Ring
1.2mm Stainless steel 304

SN3263	6"	152x110x50



Rectangular Ring
1.2mm Stainless steel 304

SN3381		125x82x30
SN3382		140x90x30
SN3380		154x102x30



Heart Ring
1.2mm Stainless steel 304

MOR-HE5	5"	120x113x35
SN3363	6"	142x134x50
SN3364	7"	166x156x50
SN3365	8"	189x178x50
SN3366	9"	213x200x50
SN3367	10"	238x222x50



Plum Blossom Ring
1.2mm Stainless steel 304

SN3523	6"	Ø152x50
SN3525	8"	Ø203x50
SN3527	10"	Ø254x50



Drop Ring
1.2mm Stainless steel 304

SN3403	6"	152x108x50
SN3405	8"	203x144x50
SN3407	10"	254x179x50




Star Ring
1.2mm Stainless steel 304

SN3503	6"	Ø152x50
SN3505	8"	Ø203x50
SN3507	10"	Ø254x50




Mousse Ring
1.2mm Stainless steel 304

MOR-SH8	8"	194x133x50



Mousse Cake Mould(Anodized)
1.5mm Al.Alloy

SN3570	364x60x46
SN3571	364x60x46
SN3572	364x60x43
SN3573	364x60x45



Pyramidmould Base Board
0.8mm 304 S/S

SN3594	6indents	400x75x40
SN3595	5indents	400x80x45
SN3596	4indents	400x100x50



Mousse Ring
Stainless steel 304

MOR-T8A	8"	175x163x50
MOR-T10A	10"	218x184x50



Mousse Ring
Stainless steel 304

MOR-CS6	6"	125x125x50
MOR-CS8	8"	167x167x50
MOR-CS10	10"	209x209x50



Pyramid Mousse Mould
Stainless steel 304

MOM-1P6	6"	60x60x43
MOM-1P7	7"	72x72x51
MOM-1P8	8"	84x84x60



Mousse Mould
Al.Alloy

SN3881	8"	144x50



Round Ring (Hard Anodized)
2.0mm Al.Alloy

SN3860		Ø160x30
SN3861		Ø180x30
SN3865	8"	Ø203x50
SN3867	10"	Ø254x55



Rectangular Ring
8 Indents(Anodized)
Al.Alloy

SN9066	363x81x28 / 63x32x28



Rectangular Ring
8 Indents(Anodized)
Al.Alloy

SN9069	375x64x16 / 48x36x16



Square Ring
6 Indents(Anodized)
Al.Alloy

SN9071	363x63x23 / 45x45x23
SN9072	363x63x30 / 45x45x30
SN9073	363x63x20 / 45x45x23



Square Ring
6 Indents(Anodized)
Al.Alloy

SN9073	363x63x20 Ø50x20

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.



Pizza Pan
1.0mm Al. Alloy, Hard Anodized

SN5741	5"	127x117x23
SN5742	6"	152x142x24
SN5743	7"	178x168x24
SN5744	8"	203x193x25
SN5745	9"	229x219x25



Pizza Pan
1.0mm Al. Alloy, Hard Anodized

SN5722	6"	152x127x16
SN5723	7"	178x152x17
SN5724	8"	203x178x17
SN5725	9"	229x203x18
SN5726	10"	254x229x18
SN5727	11"	279x254x19
SN5728	12"	305x279x19

Feature of Pizza Pan
* Anodized coating would prevent from oxidizing and keep wash-safe.
* Al.alloy would be heated evenly and effectively, saving time and cost.



Pie Pan
1.0mm Al. Alloy, Hard Anodized

SN5515	7"	178x143x24
SN5516	8"	203x161x28
SN5517	9"	229x181x32



Deep Pizza Pan
1.0mm Al. Alloy, Hard Anodized

SN5763	7"	178x166x41
SN5765	9"	229x213x41
SN5768	12"	305x289x41




Deep Pizza Pan
1.0mm Al. Alloy, Hard Anodized

SN5782	9"	231x211x36
SN5786	12"	305x285x36



Pizza Net Pan
1.0mm Al. Alloy, Anodized

SN5535	9"	Ø229x4
SN5538	12"	Ø305x4



Diathermancy analysis:
1. After being anodized, aluminum alloy becomes rust-free and wash-safe.
2. Aluminum alloy can be heated evenly and effectively of transmit heat which is faster than any other materals.

Note:
1. Please use soft cloth to clean and dry up, and brush oil on surface before using.
2. Please use warm water with detergent to clean, and dry up after using.
3. Do not heat the product by fire or over 350 C .



Round Fluted Tart Mould
1.0mm Al. Alloy, Anodized
Removable Bottom

SN5440	160x143x23
SN5441	200x181x26
SN5442	240x221x26
SN5443	280x261x26



Round Fluted Tart Mould
1.0mm Al. Alloy, Hard Anodized

SN5552	160x143x23
SN5553	200x181x26
SN5554	240x221x26



Round Fluted Tart Mould
1.0mm Al. Alloy, Anodized

SN5431	100x82x21



Pie Mould
Al. Alloy, Anodized

PIEM-16	160x143x23
PIEM-20	200x181x26
PIEM-24	240x221x26

Cake Mould



Deep Round Embossed Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5035	7"	178x172x74
SN5045	8"	203x197x74
SN5065	10"	254x248x79
SN5075	12"	305x299x79
SN5085	14"	356x345x79



Deep Round Embossed Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5027	6"	152x147x70
SN5037	7"	178x172x75
SN5047	8"	203x197x75
SN5057	9"	229x223x75
SN5067	10"	254x248x80
SN5077	12"	305x299x80



Deep Round Embossed Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5026	6"	152x147x69
SN5036	7"	178x172x74
SN5046	8"	203x197x74
SN5056	9"	229x223x74
SN5066	10"	254x248x79
SN5076	12"	305x299x79
SN5086	14"	356x345x79
SN5094	16"	406x395x79



Deep Round Embossed Cake Pan
1.0mm Al. Alloy, Anodized

SN5028	6"	152x147x70
SN5038	7"	178x172x75
SN5048	8"	203x197x75



Deep Round Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5013	5"	127x123x60
SN5009	4"(Non-stick)	102x98x60



Deep Round Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5001	4"	102x100x59
SN5011	5"	127x125x56
SN5021	6"	152x147x69
SN5041	8"	203x197x74
SN5081	14"	356x350x79



Deep Round Cake Pan
1.0mm Al. Alloy, Hard Anodized

SN5221	5"	127x113x57
SN5231	6"	152x135x70
SN5251	8"	203x183x8
SN5261	9"	224x205x86
SN5271	10"	254x232x88



Heart Pan
1.0mm Al. Alloy, Anodized

SN6851	3"	73x68x27
SN6852	4"	93x88x35

**Measurement in mm.



Cake Mould
1.0mm Al. Alloy, Anodized

SN5280	100x80x54
SN5281	150x135x80
SN5283	210x195x95
SN5284	Ø150x54



Deep Round Cake Tube
1.0mm Al.Alloy, Anodized

SN5293	6"	Ø129x104
SN5294	7"	Ø158x104
SN5295	8"	Ø181x104
SN5296	9"	Ø202x104



Heart Pan
1.0mm Al. Alloy, Hard Anodized

SN6916	8"	189x178x60
SN6918	10"	236x222x67



Heart Pan
1.0mm Al. Alloy, Hard Anodized

SN6904	6"	142x134x55
SN6908	10"	236x222x67



Cake Mould
1.0mm Al.Alloy Anodized

SN6831	Φ110x50
SN6832	Φ130x55
SN6833	Φ178x60
SN6834	Φ215x70



Chiffon cake Mould
Al.Alloy

SN5214	110x100x135



Chiffon cake Mould
Al.Alloy

SN5285	Φ210x54



Cake Mould
Al.Alloy

SN5821	6"	Φ152x70
SN5831	7"	Φ178x75
SN5841	8"	Φ203x75
SN5851	9"	Φ229x75
SN5861	10"	Φ254x80



Dough pan

DPC8	8"
DPC9	9"



Cake Mould
Al.Alloy

SN6835	102x102x120
SN6836	120x120x120
SN6837	152x152x120
SN6838	203x203x120

Cheese Cake Mould-Non-stick
1.0mm Al.Alloy Anodized



SN6861 SN6863

SN6861	214x100x55
SN6863	214x100x55

Triangular Crimped Cake Mould Alusteel Non-stick



SN6871

Rolan Cake Mould 0.7mm Alusteel Silicone



SN6880

SN6871	215x89x62
SN6880	227x76x49

0.6mm Al.Alloy Anodized





SN6411	Cake Mould-Mouse	71x52x38
SN6412	Cake Mould-Cow	71x52x38





SN6413	Cake Mould-Tiger	71x52x38
SN6414	Cake Mould-Rabbit	71x52x38



Pizza Trays
(Wide Rim-Perforated)
Aluminium

PTWP09	230mm
PTWP12	310mm
PTWP16	410mm



Pizza Pans (Tapered)
Aluminium

PPT09	230x40
PPTP12	300x50
PPTP16	410x50





SN6419	Cake Mould-Monkey	71x52x38
SN6420	Cake Mould-Chicken	71x52x38





SN6421	Cake Mould-Dog	71x52x38
SN6422	Cake Mould-Pig	71x52x38





SN6415	Cake Mould-Dragon	71x52x38
SN6416	Cake Mould-Snake	71x52x38





SN6423	Cake Mould-Panda	71x52x38
SN6424	Cake Mould-Penguin	71x52x38





SN6425	Cake Mould-Elephant	71x52x38





SN6417	Cake Mould-Horse	71x52x38
SN6418	Cake Mould-Lamb	71x52x38

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

Small Cake Mould



Savarin Mould
0.6mm Al.Alloy, Anodized

SN6001	Ø60x20
SN6002	Ø65x22
SN6003	Ø70x24
SN6004	Ø75x26
SN6005	Ø80x28



Round Cup Mould
0.6mm Al.Alloy, Anodized

SN6011	45x33x45
SN6012	53x37x50
SN6014	60x45x56
SN6017	80x57x65



Round Cup Mould
0.6mm Al.Alloy, Anodized

SN6021	47x34x25
SN6022	53x38x28
SN6023	59x42x31
SN6025	71x52x37
SN6026	77x56x40



Round Cup Mould
0.6mm Al.Alloy, Anodized

SN6033	105x90x37



Half Sphere Mould
0.6mm Al.Alloy, Anodized

SN6041	Ø51x25
SN6042	Ø61x30
SN6043	Ø70x35



Half Sphere Flower Mould
0.6mm Al.Alloy, Anodized

SN6046	Ø51x25
SN6047	Ø61x30
SN6048	Ø71x35



Half Sphere Mould-Deep
1.0mm Al.Alloy, Anodized

SN6050	Ø40x35
SN6051	Ø53x42
SN6052	Ø60x52



Tart Mould
0.6mm Al.Alloy, Anodized

SN6061	70x39x23
SN6064	72x43x23
SN6065	76x46x24




Tart Mould
0.6mm Al.Alloy, Anodized

SN6082	Ø61x30
SN6083	Ø70x35



Star Mould
0.6mm Al.Alloy, Anodized

SN6102	Ø70x22



Plum Blossom Mould
0.6mm Al. Alloy, Anodized

SN6111	76x26x40



Half Sphere Mould-Football
0.6mm Al. Alloy, Anodized

SN6123	Ø70x35



Madeleine Mould
0.6mm Al.Alloy, Anodized

SN6105	Ø70x22



Madeleine Mould
0.6mm Al.Alloy, Anodized

SN6106	67x66x20



Madeleine Mould
0.6mm Al.Alloy, Anodized

SN6109	77x47x16




Lemon Mould
0.6mm Al. Alloy, Anodized

SN6141	89x57x33



Retangular Mould
0.6mm Al. Alloy, Anodized

SN6143	88x45x15



Peach Mould
0.6mm Al. Alloy, Anodized

SN6145	82x72x36



Sponge Mould
1.0mm Al.Alloy, Anodized

SN6601	96x66x40
SN6602	110x83x42



Fluted Boat Mould
0.6mm Al.Alloy, Anodized

SN6161	100x42x12
SN6162	120x55x14



Plum Blossom Mould
0.6mm Al.Alloy, Anodized

SN6236	51x25
SN6237	61x30
SN6238	71x35



Steam Cake Mould
0.6mm Al. Alloy, Anodized

SN6405	71x52x37
SN6406	94x83x35




Oval Briochette Mould
0.6mm Al. Alloy, Anodized

SN6172	75x57x18




Briochette Mould
0.6mm Al.Alloy, Anodized

SN6182	49x26x17
SN6183	60x30x19
SN6184	71x40x21
SN6185	81x50x23



Retangular Briochette
0.6mm Al. Alloy, Anodized

SN6400	82x58x14



Diamond Briochette
0.6mm Al. Alloy, Anodized

SN6401	89x60x19



Oval Briochette Mould
0.6mm Al. Alloy, Anodized

SN6402	92x53x13



Triangular Briochette
0.6mm Al. Alloy, Anodized

SN6403	76x74x19



Cake Mould
0.6mm Al.Alloy, Anodized

SN6291	68x49x40
SN6292	73x51x43
SN6293	79x55x47



Cake Mould
1.0mm Aluminum, Anodized

SN6252	81x52x38




Bundt Cake Mould
0.8mm Aluminum, Anodized

SN6801	143x90x62
SN6802	167x112x70
SN6803	218x150x80



Bundt Cake Mould
1.0mm Al.Alloy, Anodized


SN6820	180x60
SN6821	180x60
SN6823	180x95
SN6824	220x115



SN6813 SN6812

Bundt Cake Mould
0.9mm Aluminum, Anodized

SN6812	205x81
SN6813	190x47



SN6281 SN6282

Cake Mould
0.8mm Aluminum, Anodized

SN6281	Ø76x41
SN6282	Ø95x40



SN6147	85x60x15



SN6194	80x48x24



SN6211	75x41x28



SN6221	Ø73x39



SN6226	Ø92x34

Cake Mould
1.0mm Al.Alloy, Anodized



SN6301	105x81x29

SN6303	105x81x29

SN6251	Ø70x41

SN6253	Ø54x50

SN6215	Ø50x27

CKTU-1	Ø76x41




PCCM-151
275x135mm (10g)
30pcs/37x17x17mm



PCCM-152
275x135mm (10g)
30pcs/37x15x15mm



PCCM-153
275x135mm (10g)
30pcs/37x17x17mm



PCCM-154
275x135mm (10g)
30pcs/37x16x16mm



PCCM-155
275x135mm (10g)
21pcs/Φ26x26mm



PCCM-156
275x135mm (10g)
24pcs/26x23x21mm



PCCM-157
275x135mm (10g)
32pcs/28x22x18mm



PCCM-158
275x135mm (10g)
32pcs/28x22x21mm



PCCM-159
275x135mm (10g)
36pcs/28x18x18mm



PCCM-160
275x135mm (10g)
32pcs/Φ21x28mm



PCCM-3D-1
270x120x70mm



PCCM-3D-2
130x105x40mm




PCCM-3D-3
140x100x65mm




PCCM-3D-4
120x115x53mm



PCCM-3D-5
275x30x35mm
7pcs/Φ23x32mm



PCCM-3D-6
275x30x35mm
5pcs/Φ32x32mm



PCCM-3D-7
275x30x35mm
6pcs/Φ27x32mm



PCCM-3D-8
275x30x35mm
7pcs/Φ21x32mm



PCCM-3D-9
275x30x35mm
7pcs/Φ21x32mm



PCCM-3D-10
275x30x35mm
6pcs/32x23x24mm



PCCM-3D-11
275x30x35mm
6pcs/30x25x23mm



PCCM-P-01
275x135mm (15g)
15pcs/35x14x28mm



PCCM-P-02
275x135mm (12g)
24pcs/25x25x15mm



PCCM-P-03
275x135mm (20g)
10pcs/Φ48x10mm



PCCM-P-04
275x135mm (15g)
15pcs/Φ32x15mm



PCCM-P-05
275x135mm (9g)
18pcs/37x23x18mm



PCCM-P-06
275x135mm (10g)
18pcs/Φ35x15mm



PCCM-P-07
275x135mm (14g)
18pcs/Φ35x16mm



PCCM-P-08
275x135mm (12g)
18pcs/38x26x16mm




PCCM-P-09
275x135mm (7g)
18pcs/32x24x11mm



PCCM-P-10
275x135mm (14g)
12pcs/Φ54x16mm



PCCM-P-11
275x135mm (12g)
18pcs/32x29x15mm



PCCM-P-12
275x175x24mm (10g)
20pcs/30x30x12mm



PCCM-P-13
275x175x24mm (11g)
20pcs/30x30x12mm



PCCM-P-14
275x175x24mm (10g)
20pcs/30x30x12mm




PCCM-P-15
275x175x24mm (10g)
20pcs/30x30x12mm



PCCM-P-16
275x175x24mm (22g)
7pcs/Φ50x9mm



PCCM-P-17
275x175x28mm (5g)
15pcs/Φ40x3mm



PCCM-P3D-01
275x135mm (15g)
15pcs/35x14x28mm



PCCM-P3D-02
275x135mm (12g)
24pcs/25x25x15mm

PCCM-P3D-03
275x135mm (20g)
10pcs/Φ48x10mm

PCCM-P3D-04
275x135mm (15g)
15pcs/Φ32x15mm

PCCM-P3D-05
275x135mm (9g)
18pcs/37x23x18mm

PCCM-P3D-06
275x135mm (10g)
18pcs/Φ35x15mm

PCCM-P3D-07
275x135mm (14g)
18pcs/Φ35x16mm

PCCM-P3D-08
275x135mm (12g)
18pcs/38x26x16mm

PCCM-P3D-09
275x135mm (7g)
18pcs/32x24x11mm

PCCM-P3D-10
275x135mm (14g)
12pcs/Φ54x16mm

PCCM-P3D-11
275x135mm (12g)
18pcs/32x29x15mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART



PCCM-001
275x135mm (7g)
21pcs/37x29x14mm



PCCM-002
275x135mm (7g)
21pcs/Φ24x16mm



PCCM-003
275x135mm (5g)
24pcs/35x25x19mm



PCCM-004
275x135mm (13g)
24pcs/34x25x23mm



PCCM-005
275x135mm (18g)
18pcs/42x32x19mm



PCCM-006
275x135mm (10g)
24pcs/27x26x17mm



PCCM-007
275x135mm (13g)
24pcs/38x29x18mm



PCCM-008
275x135mm (6g)
32pcs/26x23x12mm



PCCM-009
275x135mm (7g)
36pcs/20x20x19mm



PCCM-010
275x135mm (5g)
24pcs/23x17x15mm



PCCM-011
275x135mm (8g)
21pcs/25x25x16mm



PCCM-012
275x135mm (8g)
24pcs/29x18x16mm



PCCM-013
275x135mm (7g)
24pcs/27x22x15mm



PCCM-014
275x135mm (5g)
24pcs/30x18x11mm



PCCM-015
275x135mm (13g)
24pcs/26x26x19mm



PCCM-016
275x135mm (12g)
24pcs/28x25x18mm



PCCM-017
275x135mm (10g)
21pcs/31x28x15mm



PCCM-018
275x135mm (12g)
21pcs/Φ34x27mm



PCCM-019
275x135mm (10g)
32pcs/30x27x18mm



PCCM-020
275x135mm (8g)
24pcs/32x21x14mm



PCCM-021
275x135mm (12g)
24pcs/Φ28x20mm



PCCM-022
275x135mm (10g)
24pcs/Φ31x16mm



PCCM-023
275x135mm (9g)
24pcs/35x21x16mm



PCCM-024
275x135mm (5g)
24pcs/28x14x11mm



PCCM-025
275x135mm (11g)
30pcs/33x19x17mm



PCCM-026
275x135mm (15g)
24pcs/35x29x21mm



PCCM-027
275x135mm (15g)
28pcs/32x28x23mm



PCCM-028
275x135mm (8g)
24pcs/37x29x14mm



PCCM-029
275x135mm (9g)
24pcs/35x30x14mm




PCCM-030
275x135mm (10g)
21pcs/40x35x10mm



PCCM-031
275x135mm (10g)
24pcs/30x28x15mm



PCCM-032
275x135mm (8g)
24pcs/27x21x17mm



PCCM-033
275x135mm (6g)
30pcs/30x15x11mm



PCCM-034
275x135mm (3g)
36pcs/Φ20x10mm



PCCM-035
275x135mm (27g)
8pcs/60x60x12mm



PCCM-036
275x135mm (60g)
5pcs/80x80x16mm



PCCM-037
275x135mm (54g)
3pcs/76x76x15mm



PCCM-038
275x135mm (102g)
2pcs/96x96x18mm



PCCM-039
275x135mm



PCCM-040
275x135mm (9g)
24pcs/28x26x15mm

PCCM-041
275x135mm (10g)
22pcs/46x23x13mm

PCCM-042
275x135mm (5g)
24pcs/Φ24x12mm

PCCM-043
275x135mm (6g)
21pcs/28x24x15mm

PCCM-044
275x135mm (5g)
24pcs/21x18x13mm

PCCM-045
275x135mm (5g)
14pcs/59x31x5mm

PCCM-046
275x135mm (11g)
24pcs/32x22x14mm

PCCM-047
275x135mm (2x6g)
32pcs/Φ27mm

PCCM-048
275x135mm (7g)
21pcs/25x25x19mm

PCCM-049
275x135mm (3g)
24pcs/25x21x8mm

PCCM-050
275x135mm (15g)
21pcs/Φ33x21mm

PCCM-051
275x135mm (6g)
24pcs/29x19x13mm

PCCM-052
275x135mm (12g)
21pcs/32x26x17mm

PCCM-053
275x135mm (6g)
24pcs/27x16x13mm

PCCM-054
275x135mm (9g)
24pcs/Φ27x15mm

PCCM-055
275x135mm (13g)
8pcs/Φ55x5mm

PCCM-056
275x135mm (6g)
24pcs/25x19x10mm

PCCM-057
275x135mm (62g)
3pcs/100x62x9mm

PCCM-058
275x135mm (11g)
32pcs/27x24x27mm

PCCM-059
275x135mm (12g)
21pcs/Φ28x17mm

PCCM-060
275x135mm (11g)
21pcs/33x30x18mm

PCCM-061
275x135mm (11g)
21pcs/Φ29x19mm

PCCM-062
275x135mm (10g)
21pcs/29x29x19mm

PCCM-063
275x135mm (12g)
21pcs/30x30x16mm

PCCM-064
275x135mm (11g)
24pcs/29x29x18mm

PCCM-065
275x135mm (34g)
9pcs/62x41x21mm

PCCM-066
275x135mm (12g)
21pcs/62x41x21mm

PCCM-067
275x135mm (14g)
24pcs/27x27x18mm

PCCM-068
275x135mm (17g)
15pcs/49x36x13mm

PCCM-069
275x120mm

PCCM-070
275x175mm (64g)
8pcs/75x50x25mm



PCCM-071
275x175mm (194g)
3pcs/110x75x35mm



PCCM-072
275x135mm
1pcs/165x38x8mm



PCCM-073
275x135mm (11g)
21pcs/30x30x16mm



PCCM-074
275x135mm (12g)
28pcs/29x25x20mm



PCCM-075
275x135mm (11g)
21pcs/28x28x18mm



PCCM-076
275x135mm (9g)
30pcs/32x17x15mm



PCCM-077
275x135mm (10g)
27pcs/30x21x15mm



PCCM-078
275x135mm (8g)
32pcs/25x25x12mm



PCCM-079
275x135mm (11g)
21pcs/28x28x17mm



PCCM-080
275x135mm (28g)
8pcs/116x22x10mm



PCCM-081
275x135mm (8g)
24pcs/32x25x12mm



PCCM-082
275x135mm (8g)
24pcs/30x24x12mm



PCCM-083
275x135mm (9g)
36pcs/21x21x18mm



PCCM-084
275x135mm (9g)
21pcs/35x27x12mm



PCCM-085
275x135mm (9g)
21pcs/Φ29x18mm



PCCM-086
275x135mm (10g)
21pcs/Φ30x20mm



PCCM-087
275x135mm (13g)
21pcs/26x26x19mm



PCCM-088
275x135mm (13g)
21pcs/Φ29x19mm



PCCM-089
275x135mm (13g)
21pcs/Φ28x20mm



PCCM-090
275x135mm (11g)
21pcs/27x27x18mm



PCCM-091
275x135mm (13g)
21pcs/Φ30x20mm



PCCM-092
275x135mm (2x4g)
36pcs/Φ30mm



PCCM-093
275x135mm (2x4g)
36pcs/Φ30mm



PCCM-094
280x100mm
12pcs/290x100x8mm



PCCM-095
275x135mm
12pcs/270x105x15mm



PCCM-096
260x105mm
12pcs/270x105x15mm



PCCM-097
275x135mm (9.5g)
10pcs/115x25x9mm



PCCM-098
275x135mm (9g)
10pcs/Φ45x5mm



PCCM-099
275x135mm (50g)
4pcs/117x48x5.5mm



PCCM-100
275x135mm (10g)
18pcs/Φ32x14mm



PCCM-101
275x135mm (11g)
30pcs/40x35x19mm



PCCM-102
275x135mm (11g)
30pcs/38x18x17mm



PCCM-103
275x135mm (9g)
24pcs/40x27x13mm



PCCM-104
275x135mm (80g)
6pcs/81x54x27mm



PCCM-105
275x135mm (137g)
4pcs/100x67x33mm



PCCM-106
275x135mm (126g)
4pcs/96x64x32mm



PCCM-107
275x135mm (6g)
27pcs/35x23x12mm



PCCM-108
275x135mm (132g)
4pcs/96x63x32mm



PCCM-109
275x135mm (123g)
4pcs/96x63x32mm



PCCM-110
275x135mm (405g)
2pcs/140x94x47mm

PCCM-111
275x135mm (865g)
1pcs/180x120x60mm

PCCM-112
275x135mm (405g)
2pcs/140x94x47mm

PCCM-113
275x135mm (865g)
1pcs/180x120x60mm

PCCM-114
275x135mm (405g)
2pcs/140x94x47mm

PCCM-115
275x135mm (865g)
1pcs/180x120x60mm

PCCM-116
275x135mm (405g)
2pcs/140x94x47mm

PCCM-117
275x135mm

PCCM-118
275x175mm (42g)
12pcs/Φ50x25mm

PCCM-119
275x175mm (72g)
8pcs/Φ60x30mm

PCCM-120
275x175mm (55g)
6pcs/Φ55x28mm

PCCM-121
275x175mm (82g)
6pcs/Φ63x32mm

PCCM-122
275x175mm (11g)
15pcs/Φ32x16mm

PCCM-123
275x175mm (54g)
3pcs/120x60x9mm

PCCM-124
275x175mm (2x11g)
18pcs/65x23x12mm

PCCM-125
275x175mm (25g)
4pcs/129x52x4mm

PCCM-126
275x175mm (38g)
6pcs/98x49x9mm

PCCM-127
275x175mm (47g)
3pcs/142x63x6mm

PCCM-128
275x175mm (86g)
3pcs/150x74x8mm

PCCM-129
275x175mm (3g)
20pcs/40x24x3mm

PCCM-130
275x175mm (6.5g)
21pcs/38x32x5mm

PCCM-131
275x175mm (4g)
28pcs/35x35x4mm

PCCM-132
275x175mm (22g)
7pcs/102x22x10mm

PCCM-133
275x175mm (6g)
10pcs/Φ43x5mm

PCCM-134
275x175mm (6.5g)
32pcs/Φ35x16mm

PCCM-135
275x175mm (7g)
21pcs/34x34x9mm

PCCM-136
275x175mm (190g)
3pcs/110x74x37mm

PCCM-137
275x175mm (50g)
8pcs/70x47x24mm

PCCM-138
275x175mm (64g)
8pcs/75x50x25mm

PCCM-139
275x175mm (194g)
3pcs/110x75x35mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART



PCCM-140
275x175mm (198g)
3pcs/100x75x35mm



PCCM-141
275x175mm (66g)
8pcs/75x50x25mm



PCCM-142
275x175mm (8g)
9pcs/50x32x10mm



PCCM-143
275x175mm (12g)
9pcs/50x36x13mm



PCCM-144
275x175mm (20g)
7pcs/50x35x15mm



PCCM-145
275x175mm (9g)
28pcs/Φ30x20mm



PCCM-146
275x175mm (18g)
28pcs/Φ30mm



PCCM-147
275x175mm (1g)
1pcs/257x157x24.9mm



PCCM-148
275x175mm (175g)
3pcs/150x75x15mm



PCCM-149
275x175mm (185g)
3pcs/150x75x15mm



PCCM-150
275x175mm



SCM-01
232x160mm
15cup/29x24x23mm



SCM-02
232x160mm
15cup/Φ30x17mm



SCM-03
232x160mm
15cup/Φ30x7mm



SCM-04
232x160mm
15cup/Φ30x22mm



SCM-05
232x160mm
15cup/30x30x20mm



SCM-06
232x160mm
15cup/30x30x21mm



SCM-08
232x160mm
15cup/29x29x21mm



SCM-09
232x160mm
15cup/Φ29x19mm



SCM-10
232x160mm
15cup/26x26x19mm



SCM-11
232x160mm
15cup/25x25x19mm



SCM-12
232x160mm
15cup/Φ28x19mm



SCM-13
232x160mm
15cup/Φ28x15mm



SCM-14
232x160mm
15cup/26x26x22mm



SCM-15
232x160mm
15cup/Φ28x19mm



SCM-16
232x160mm
15cup/Φ29x18mm



SCM-17
232x106mm
15cup/31x27x21mm



SCM-18
232x106mm
15cup/Φ27x16mm



SCM-19
232x106mm
15cup/Φ28x19mm



SCM-20
232x106mm
15cup/26x26x17mm



SCM-22
232x106mm
15cup/Φ25x21mm



SCM-23
232x106mm
14cup/42x20x20mm



SCM-24
232x106mm
15cup/Φ34x18mm



SCM-25
232x106mm
15cup/Φ30x19mm



SCM-26
232x106mm
15cup/Φ30x19mm



SCM-27
232x106mm
15cup/Φ30x19mm



SCM-28
232x106mm
15cup/Φ31x18mm



SCM-29
232x106mm
15cup/Φ30x18mm



SCM-30
232x106mm
15cup/Φ30x18mm



SCM-32
232x106mm
15cup/Φ31x18mm

SCM-33
232x106mm
15cup/Φ31x18mm

SCM-34
232x106mm
15cup/Φ31x18mm

SCM-35
232x106mm
15cup/Φ27x18mm

SCM-36
232x106mm
15cup/Φ27x20mm

SCM-40
232x106mm
15cup/34x25x13mm
34x24x11mm
34x25x11mm

SCM-41
232x106mm
15cup/36x32x16.5mm
31x22x10.5mm
32x44x16mm

SCM-44
232x106mm
12cup/38x28x4.5mm

SCM-45
232x106mm
5cup/105x25x8.5mm

SCM-46
232x106mm
7cup/49x31x23mm

SCM-48
232x106mm
6cup/32x32x16mm

SCM-49
232x106mm
18cup/28x23x13mm
29x20x13mm
26x19x13mm

SCM-50
232x106mm
5cup/58x35x18mm

SCM-51
232x106mm
3cup/68x44x17mm
35x31x8mm

SCM-52
232x106mm
3cup/83x53x21mm
84x55x21mm
82x54x21mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th



SCM-07
8cup / 232x106mm
Φ47x18mm
43x40x17mm
47x43x17mm
36x32x16mm



SCM-21
8cup / 232x106mm
43x43x15mm
41x35x15mm
58x30x15mm
47x31x15mm



SCM-31
15cup / 232x106mm
29x26x18mm
29x20x18mm
31x25x18mm
28x22x18mm



SCM-37
15cup / 232x106mm
29x27x18mm
27x31x18mm
31x30x18mm
35x22x18mm



SCM-38
15cup / 232x106mm
29x26x15mm
32x28x15mm
29x25x15mm
32x19x15mm



SCM-39
15cup / 232x106mm
31x29x15mm
24x23x14mm
26x32x15mm
38x22x14mm



SCM-42
15cup / 232x106mm
35x33x17mm



SCM-43
10cup / 232x106mm
41x15x24 / 37x38x24 / 34x26x24mm
41x31x24 / 39x28x24 / 35x33x24mm




SCM-47
8cup / 232x106mm
Φ37x29mm
37x25x29mm
42x43x29mm
40x30x29mm
Φ40x29mm
Φ40x29mm





Silicone Mould



SBM-001
295x175mm
Φ80 h40mm



SBM-002
295x175mm
Φ70 h35mm



SBM-003
295x175mm
Φ60 h30mm



SBM-004
295x175mm
Φ50 h25mm



SBM-005
295x175mm
Φ40 h20mm




SBM-006
295x175mm
Φ30 h15mm



SBM-007
295x175mm
71x71 h40mm



SBM-008
295x175mm
36x36 h22mm



SBM-009
295x175mm
Φ34 h16mm



SBM-010
295x175mm
Φ41 h12mm



SBM-011
295x175mm
Φ65 h21mm



SBM-012
295x175mm
Φ72 h23mm



SBM-013
295x175mm
Φ45 h10mm




SBM-014
295x175mm
Φ50 h15mm



SBM-015
295x175mm
Φ70 h20mm



SBM-016
295x175mm
Φ70 h20mm



SBM-017
295x175mm
55x33 h20mm



SBM-018
295x175mm
70x50 h20mm




SBM-019
295x175mm
Φ35 h38mm



SBM-020
295x175mm
Φ40 h40mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products
nts MART




SBM-021
295x175mm
Φ70 h20mm



SBM-022
295x175mm
Φ55 h60mm



SBM-023
295x175mm
Φ51 h28mm



SBM-024
295x175mm
Φ69 h35mm



SBM-025
295x175mm
Φ81 h32mm



SBM-026
295x175mm
49x26 h11mm



SBM-027
295x175mm
79x29 h30mm



SBM-028
295x175mm
Φ40 h20mm



SBM-029
295x175mm
Φ60 h35mm



SBM-030
295x175mm
Φ60 h12mm



SBM-031
295x175mm
Φ60 h35mm



SBM-032
295x175mm
Φ60 h35mm




SBM-033
295x175mm
Φ35 h5mm



SBM-034
295x175mm
44x34 h10mm



SBM-035
295x175mm
68x45 h17mm




SBM-036
295x175mm
Φ35 h60mm



SBM-037
295x175mm
Φ79 h37mm



SBM-038
295x175mm
Φ79 h30mm




SBM-039
295x175mm
Φ65 h40mm




SBM-040
295x175mm
Φ38 h26mm



SBM-041
295x175mm
2x30 h15mm



SBM-042
295x175mm
100x44 h15mm



SBM-043
295x175mm
Φ60 h35mm



SBM-044
295x175mm
102x73 h36mm



SBM-045
295x175mm
Φ103 h20mm



SBM-046
295x175mm
Φ40 h13mm



SBM-047
295x175mm
Φ50 h14mm



SBM-048
295x175mm
Φ60 h17mm



SBM-049
295x175mm
Φ70 h17mm



SBM-050
295x175mm
Φ80 h18mm



SBM-051
295x175mm
Φ35 h23mm




SBM-052
295x175mm
Φ68 h45mm



SBM-053
295x175mm
Φ55 h50mm



SBM-054
295x175mm
Φ57 h57mm



SBM-055
295x175mm
Φ75 h60mm



SBM-056
295x175mm
Φ60 h20mm



SBM-057
295x175mm
95x45 h12mm



SBM-058
295x175mm
75x55 h35mm



SBM-059
295x175mm
Φ70 h28mm



SBM-060
295x175mm
Φ55 h36mm

SBM-061
295x175mm
Φ70 h36mm

SBM-062
295x175mm
Φ45 h45mm

SBM-063
295x175mm
50x25 h20mm

SBM-064
295x175mm
Φ75 h40mm



SBM-065
295x175mm
55x35 h17mm



SBM-066
295x175mm
Φ75 h40mm



SBM-067
295x175mm
Φ39 h24mm



SBM-068
295x175mm
Φ40 h11mm



SBM-069
295x175mm
45x35 h10mm



SBM-070
295x175mm
77x51 h29mm



SBM-071
295x175mm
31x28 h13mm



SBM-072
295x175mm
Φ57 h22mm



SBM-073
295x175mm
Φ40 h25mm



SBM-074
295x175mm
Φ42 h23mm



SBM-075
295x175mm
Φ40 h26mm



SBM-076
295x175mm
Φ75 h35mm




SBM-077
295x175mm
Φ75 h40mm




SBM-078
295x175mm
Φ75 h40mm



SBM-079
295x175mm
Φ75 h40mm



SBM-080
295x175mm
Φ39 h26mm




SBM-081
295x175mm
56x66 h30mm



SBM-082
295x175mm
50x48 h22mm



SBM-083
295x175mm
35x34 h22mm



SBM-084
295x175mm
Φ34 h30mm



SBM-085
295x175mm
51x51 h50mm



SBM-086
295x175mm
81x45 h30mm



SBM-087
295x175mm
Φ55 h50mm



SBM-088
295x175mm
50x18 h23.5mm



SBM-089
295x175mm
44x18 h20mm



SBM-090
295x175mm
123x35 h32mm



SBM-091
295x175mm
Φ770 h44mm



SBM-092
295x175mm
38x38 h13mm



SBM-093
295x175mm
60x24 h23mm



SBM-094
295x175mm
Φ40 h13mm



SBM-095
295x175mm
60x24 h21mm



SBM-096
295x175mm
Φ35 h30mm



SBM-097
295x175mm
Φ40 h28mm



SBM-098
295x175mm
30x30 h30mm



SBM-099
295x175mm
Φ35 h35mm



SBM-100
295x175mm
Φ70 h42mm



SBM-101
295x175mm
Φ70 h50mm



SBM-102
295x175mm
72x52 h44mm



SBM-103
295x175mm
Φ75 h48mm



SBM-104
295x175mm
120x35 h36mm

SBM-105
295x175mm
22x32 h33mm

SBM-106
295x175mm
Φ60 h30mm

SBM-107
295x175mm
69x27 h18mm

SBM-108
295x175mm
76x28x22mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART



SBM-109
295x175mm
53x33x16mm



SBM-110
295x175mm
85x60x24mm



SBM-111
295x175mm
44x32x24.5mm



SBM-112
295x175mm
60x45x18mm




SBM-113
295x175mm
77x60x28mm



SBM-114
295x175mm
35x25 H13mm



SBM-115
295x175mm
Φ70x43mm



SBM-116
295x175mm
80x53x40mm



SBM-117
295x175mm
120x33x32mm



SBM-118
295x175mm
Φ60x70mm



SBM-119
295x175mm
124x31x36mm



SBM-120
295x175mm
Φ70x42mm



SBM-121
295x175mm
Φ68x50mm



SBM-122
295x175mm
64x64x42mm



SBM-123
295x175mm
57x51x50mm



SBM-124
295x175mm
120x32x32mm



SBM-125
295x175mm
Φ60x45mm



SBM-126
295x175mm
82x55x42mm



SBM-127
295x175mm
86x58x23mm



SBM-128
295x175mm
Φ55x16mm



SBM-129
295x175mm
74x60x22mm



SBM-130
295x175mm
61x61x26mm



SBM-131
295x175mm
37x37x23mm




SBM-132
295x175mm
58x38x25mm




SBM-133
295x175mm
42x23x20mm



SBM-134
295x175mm
42x24H20mm



SBM-135
295x175mm
90x54x35mm



SBM-136
295x175mm
86x75x32mm



SBM-137
295x175mm
98x77x21mm



SBM-138
295x175mm
85x35x30mm




SBM-139
295x175mm
53x40x12mm



SBM-140
295x175mm
Φ60x38mm



SBM-141
295x175mm
Φ67x50mm




SBM-142
295x175mm
67x62x25



SBM-143
295x175mm
68x63x25mm



SBM-144
295x175mm
84x68x30mm



SBM-145
295x175mm
Φ70x30mm





**Measurement in mm.

Al.Alloy(10 Pcs/set)



Tag Holder
SN85746 47x28x25



Tag Holder
SN85906 95x50



Tag Holder
SN85916 155x50



Tag Holder(Golden)(Anodized)
SN58706 91x36x58



Tag Holder(Silver)(Anodized)
SN58716 91x36x58



304 S/S

Tag Holder (Golden)

SN8612	Bottom 68x56	Height 100x75°
SN8613	Bottom 68x56	Height 75x75°
SN8614	Bottom 68x56	Height 50x75°



304 S/S

Tag Holder (Silver)

SN8639	Bottom 68x56	Height100x75°
SN8640	Bottom 68x56	Height 75x75°
SN8641	Bottom 68x56	Height 50x75°



Plastic Square Display Tray
SN4335 330x330x25


Melamine Display Tray
SN4308 380x290x24



Melamine Display Tray
SN4329 420x280x20



Melamine Display Tray
SN4375 380x280x18



Melamine Display Tray
SN4382 300x200x18



Melamine Display Tray
SN4384 300x150x17
SN4386 390x165x20



Melamine Display Tray
SN4391 320x110x17



Melamine Display Tray
SN4392 320x110x17



Melamine Display Tray
SN4394 335x130x10



Melamine Display Tray
SN4397 432x332x24

PP Plastic



Plastic Rectangular Basket
SN4541 400x300x40



Plastic Rectangular Basket
SN4551 400x300x40



Plastic Rectangular Basket
SN4561 400x300x40



Plastic Deep Rectangular Basket
SN4543 400x300x80



Plastic Deep Rectangular Basket
SN4553 400x300x80



Plastic Deep Rectangular Basket
SN4563 400x300x80

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

Knives Series

Strong Stainless Steel 420



SN4778	8" Professional Spatula-Plastic Handle Total length 328 Blade length 203
SN4779	10" Professional Spatula-Plastic Handle Total length 382 Blade length 257
SN4780	12" Professional Spatula-Plastic Handle Total length 430 Blade length 305

Strong Stainless Steel 420



SN4866	8" Bend Spatula-Plastic Handle Total length 330 Blade length 210
SN4871	10" Bend Spatula-Plastic Handle Total length 375 Blade length 255
SN4872	12" Bend Spatula-Plastic Handle Total length 420 Blade length 300

Molybdenum-Vanadium Steel



SN4830	35cm Cake Knife-Plastic Handle Total length 485 Blade length 355
SN4831	40cm Cake Knife-Plastic Handle Total length 535 Blade length 405
SN4832	45cm Cake Knife-Plastic Handle Total length 585 Blade length 455

Molybdenum-Vanadium Steel



SN4856	24cm Chef Knife-Plastic Handle Total length 370 Blade length 240
SN4857	27cm Chef Knife-Plastic Handle Total length 400 Blade length 270
SN4858	30cm Chef Knife-Plastic Handle Total length 430 Blade length 300

Strong Stainless Steel 420



SN4873	Angular Spatula-Plastic Handle Total length 265 Blade length 135
SN4874	Cleaning Spatula-Plastic Handle Total length 240 Blade length 110
SN4875	Cake Server-Plastic Handle Total length 280 Blade length 150

Strong Stainless Steel 420



SN4876	Professional Angular Spatula-Plastic Handle Total length 265 Blade length 135
SN4877	Professional Cleaning Spatula-Plastic Handle Total length 240 Blade length 110
SN4878	Professional Cake Server-Plastic Handle Total length 280 Blade length 150



SN48594	Baker's Knife(3Pcs/Set) Total Length 157 Blade 55
SN48604	Baker's Knife(3Pcs/Set) Total Length 157 Blade 50
SN4861	Baker's Knife(2Pcs/Set)

**Measurement in mm.

Feature of Professional Whisks

- Made by S/S wire, better flexibility -- not easy to deform
- Electrolysis finishing, match food standard -- easy to clean
- Professional design, good partner for bakery





S/S Handle
304 S/S Electrolysis

SN4883	8" Whisks	Total length 259 Thread length 150
SN4885	10" Whisks	Total length 304 Thread length 185
SN4887	12" Whisks	Total length 373 Thread length 220



0.6mm 304 S/S

SN4951	36cm Mixing Bowl	360x150x145
SN4952	33cm Mixing Bowl	330x150x135
SN4953	30cm Mixing Bowl	300x150x120
SN4954	28cm Mixing Bowl	280x150x110
SN4955	26cm Mixing Bowl	260x140x108
SN4956	24cm Mixing Bowl	240x130x105
SN4957	22cm Mixing Bowl	220x100x90
SN4958	20cm Mixing Bowl	200x105x80

Feature of Measuring Cup

- Made by polycarbonate
- Heat resistance from -35 ℃ ~ 120 ℃
- Accurate and metric measurement
- Easy to wash



SN4706	200cc	Ø71 x 86mm
SN4707	500cc	Ø87 x 126mm
SN4708	1000cc	Ø113 x 164mm
SN4709	2000cc	Ø148 x 213mm
SN4710	3000cc	Ø172 x 242mm

Sieves

SS16	160mm
SS18	180mm
SS21	210mm
SS23	230mm
SS26	240mm
SS29	290mm
SS35	350mm
SS40	400mm
SS45	450mm

KMW
King Metal Works



Measuring Spoons (4 pcs/pet: 15cc, 5cc, 2.5cc, 1.25cc)



SN4690
Stainless Steel



SN4691
ABS plastic



SN4692
304 S/S



Casting Aluminum

SN4151 Revolving Cake Stand 309x140



Pizza Board with Handle
Oak wood

PIZB-8 Inner Ø8", L:340mm
PIZB-12 Inner Ø12", L:440mm



Chocolate Plugger
Polycarbonate

CHOC-PL 130 x 140mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

Feature of Wool Brush

- Made by high standard wool, softer and stronger
- Use S/S steel wire to bind, not easy to take off
- Please put the brush into warm water and soak it fully before use

Wool+Wood



SN4117 SN4118

SN4117	Wool Pastry Brush Round Plastic Handle	Ø25 x 235
SN4118	Wool Pastry Brush	235 x 150 x 35

Wool+Plastic



SN41194 SN4120 SN4121

SN41194	Wool Pastry Brush Plastic Handle(2 Pcs/Set)	235 x 25 x 35
SN4120	Wool Pastry Brush Plastic Handle	235 x 75 x 35
SN4121	Wool Pastry Brush Plastic Handle	

Wool+Wood



SN41274 SN4125 SN4126

SN41274	Wool Pastry Brush (2Pcs/Set)	230x25x35
SN4125	Wool Pastry Brush	220x70x35
SN4126	Wool Pastry Brush	230x70x45


Wool+Wood



SN4128 SN4129

SN4128	Wool Pastry Brush	230x50x35
SN4129	Wool Pastry Brush	235x75x35

Wool+Wood




SN4130 SN4133 SN4134

SN4130	Wool Pastry Brush-Thin	220x70x35
SN4133	Wool Pastry Brush-Thin	230x50x35
SN4134	Wool Pastry Brush-Thin	235x75x35

Plastic Scraper

- Used for non-stick baking tray, fiber glass, Al.Alloy baking tray
- Decorating Comb
- Used for cake decoration

Plastic



PP Plastic



SN4051

SN4050	Plastic Dough Scrapers	(3 Pcs/Set)
SN4051	Plastic Dough Scraper	194x127

PE Plastic



SN4055

PP Plastic



SN4056

SN4055	Plastic Dough Scraper(Soft)(Pink)	133x95x5
SN4056	Plastic Dough Scraper(Hard)(Pink)	133x95x5

PP Plastic



SN40715


TPEE Plastic



SN4072

SN40715	Plastic Dough Scraper (5 Pcs/Set)	130x100
SN4072	Plastic Dough Scraper	159x103

TPEE Plastic



SN4073

SN4073	Plastic Dough Scraper	126x97

PP Plastic



SN4091


PP Plastic



SN4092

SN4091	Plastic Decorating Comb	95x95
SN4092	Plastic Decorating Comb	110x76

PP Plastic



SN4081
0.8mm 304 S/S



SN4082
0.5mm 301 S/S

SN4081	S/S Decorating Comb(Electrolysis)	110x110
SN4082	Plastic Decorating Comb	110x110

PP Plastic



SN4052

PE Plastic



SN4053

SN4052	Plastic Dough Scraper (Hard)	133x95x5
SN4053	Plastic Dough Scraper (Soft)	133x95x5

PVC Plastic



SN4096

0.5mm 301 S/S



SN4098


SN4096	Plastic Decorating Comb	110x109
SN4098	S/S Decorating Comb(Electrolysis)	125x95

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

**Measurement in mm.

Wood has non-stick and non-slip effect, with lower cost on production and material, it is first choice of rolling pins.
Wood has gas hole, it would absorb water when using, and would broken after basking, or get mildrew under wet area, so please store the wood pins in shadow area.

Other Utensil Series



SN8015	Rolling Pin-Removable Handle Ø 80 Length 570
SN8035	Plastic Rolling Pin Ø 30 Length 330
SN8036	Plastic Rolling Pin Ø 25 Length 330
SN8012	Wooden Rolling Pin-Removable Ø 80 Length 560
SN8021	Wooden Rolling Pin-Removable Ø 95 Length 550
SN8022	Wooden Rolling Pin Ø 80 Length 450
SN8023	Wooden Rolling Pin Ø 60 Length 440
SN8024	Wooden Rolling Pin Ø 40 Length 385
SN8033	Wooden Rolling Pin Ø 35 Length 600



Rolling Pin
non-magnetic stainless steel

Model	Dimensions
ROPS-W1	Φ51 x 250 mm
ROPS-W2	Φ63 x 250 mm
ROPS-W3	Φ76 x 250 mm



Rolling Pin
oak wood

Model	Dimensions
ROP-50W	Φ50 x 250 mm
ROP-55W	Φ55 x 250 mm
ROP-60W	Φ60 x 300 mm
ROP-75W	Φ75 x 400 mm



Rolling Pin Cutter
non-magnetic stainless steel

Model	Dimensions
ROPC-30	Φ60 x 380mm
ROPC-40	Φ80 x 430mm
ROPC-50	Φ80 x 500mm



Rolling Pin
non-magnetic stainless steel

ROPS30	Ø32 x 300mm
ROPS45	Ø32 x 450mm
ROPS60	Ø32 x 600mm
ROPS75	Ø32 x 750mm
ROPS90	Ø32 x 900mm



Silicone Scraper
stainless steel 304 + silicone

SCRA-40S	40 x 280mm
SCRA-60M	60 x 315mm
SCRA-60L	60 x 315mm



Silicone Scraper
stainless steel 304 + silicone

SCRA-40SBH	40 x 280mm
SCRA-60MBH	60 x 315mm
SCRA-60LBH	60 x 315mm



Cream Scraper

CRES1	300x70mm
CRES2	255x50mm
CRES3	225x30mm
CRES4	250x55mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

1.2mm 420 S/S



SN4061	S/S Spatula Length 207	

TPR+PP



Rubber Spatula

SN4741	Total length 240	Blade length 89
SN4742	Total length 345	Blade length 114



Heat-resistant Silicone Spatula (white)

SN4755	Total length 264	Blade length 55
SN4756	Total length 347	Blade length 62

Heat-resistant Silicone Spatula (red)

SN4757	Total length 262	Blade length 55
SN4758	Total length 346	Blade length 70

TPR+PC



SN4744 Triangular Rubber Spatula
Length 265

ABS Plastic




SN4745 Plastic Spatula
Length 225x130

PP Plastic




SN4775 Plastic Cake Remover
222x26x8

0.5mm 304 S/S Electrolysis



SN3820	Round Fluted Cutter	8 Pcs/Set

0.5mm 304 S/S Electrolysis




SN3840	Round Cutter	8 Pcs/Set

1.0mm Al.Alloy Non-stick 1.0mm Al.Alloy Anodized




SN42124	Cannoli (2 Pcs/Set)	Ø25x145
SN42134	Cannoli (2 Pcs/Set)	Ø25x145




SN4237	Cake Slicer	530x230x20 (Anodized 301 S/S+Al.Alloy)
SN4237E00	Cake Slicer Blade (301 S/S)	

430 S/S 420 S/S




SN4063	Chocolate Scraper Total length 203 Blade length 72	
SN4065	Lemon Knife Total length 168 Blade length 38	

PC Plastic




SN4181	Lattice Mark	Ø104x33

0.4mm 301 S/S



SN4101	S/S Dough Cutter-Wooden Handle	121x135
SN4106	S/S Dough Cutter-Wooden Handle	121x150

0.5mm 301 S/S




SN4107	S/S Dough Cutter-Plastic Handle	116x130
SN4108	S/S Dough Cutter-Plastic Handle	116x156

PC Plastic




SN4625	Egg Separater	173x70x30

0.8mm 304 S/S




SN4103	S/S Dough Cutter	160x125
SN4105	S/S Fry Scraper	234x152

High-carbon S/S



SN4140	Single Head Baller	Ø30 Length185
SN4141	Melon Baller	Ø30 / Ø25 Length180


ABS Plastic



SN4751	Cake Divider(10/12 Slices)	Ø271x26

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

Nylon Cutter Set



Model	Description
NCT-03	Each set includes 95 x 95 / 85 x 85 / 75 x 75 / 65 x 65 / 55 x 55 / 45 x 45 / 35 x 35 / 25 x 25 / 15 x 15mm
NCT-04	Each set includes 95 x 95 / 85 x 85 / 75 x 75 / 65 x 65 / 55 x 55 / 45 x 45/ 35 x 35 / 25 x 25 / 15 x 15mm



Model	Description
NCT-05	Each set includes 100 / 90 / 80 / 70 / 60 / 50 / 40 / 30 / 20mm
NCT-06	Each set includes 100 / 90 / 80 / 70 / 60 / 50 / 40 / 30 / 20mm




Model	Description
NCT-07	Each set includes 105 x 75 / 95 x 65 / 80 x 55 / 65 x 45 / 50 x 35 / 40 x 25 / 25 x 15mm
NCT-08	Each set includes 105 x 75 / 95 x 65 / 80 x 55 / 65 x 45 / 50 x 35 / 40 x 25 / 25 x 15mm



Model	Description
NCT-09	Each set includes 130 / 110 / 100 / 90 / 70 / 60 / 40 / 30mm
NCT-10	Each set includes 130 / 110 / 100 / 90 / 70 / 60 / 40 / 30mm



Model	Description
NCT-11	Each set includes 130 / 100 / 70 / 40 / 20mm



Model	Description
NCT-12	Each set includes 120 / 100 / 85 / 70 / 60 / 40 / 30mm



Model	Description
NCT-01	Each set includes 100 / 90 / 80 / 70 / 60 / 50 / 40 / 30 / 20mm
NCT-02	Each set includes 100 / 90 / 80 / 70 / 60 / 50 / 40 / 30 /20 mm



Model	Description
NCT-13	Each set includes 120 x 70 / 105 x 60 / 90 x 50 / 70 x 40 / 60 x 30 / 40 x 20 / 30 x 10mm
NCT-14	Each set includes 120 x 70 / 105 x 60 / 90 x 50 / 70 x 40 / 60 x 30 / 40 x 20 / 30 x 10mm



Model	Description
NCT-15	Each set includes 110 x 110 / 95 x 95 / 80 x 80 / 65 x 65 / 50 x 50 / 35 x 35 / 20 x 20mm
NCT-16	Each set includes 110 x 110 / 95 x 95 / 80 x 80 / 65 x 65 / 50 x 50 / 35 x 35 / 20 x 20mm



Model	Description
NCT-17	Each set includes 120 / 110 / 105 / 100 / 90 / 80 / 70mm
NCT-18	Each set includes 120 / 110 / 105 / 100 / 90 / 80 / 70mm



Model	Description
NCT-19	Each set includes 120/100/90/75/60/45/30/20mm
NCT-20	Each set includes 120/100/90/75/60/45/30/20mm
NCT-21	Each set includes 115/100/90/75/60/50/40/25mm



Model	Description
NCT-22	Each set includes 110 x 65 / 95 x 55 / 80 x 45 / 65 x 35 / 50 x 28 / 30 x 20 / 20 x 10mm
NCT-23	Each set includes 110 x 65 / 95 x 55 / 80 x 45 / 65 x 35 / 50 x 28 / 30 x 20 / 20 x 10mm



Model	Description
NCT-24	Each set includes 120 x 90 / 105 x 80 / 90 x 70 / 80 x 60 / 65 x 45 / 50 x 35 / 35 x 25 / 20 x 15mm
NCT-25	Each set includes 120 x 90 / 105 x 80 / 90 x 70 / 80 x 60 / 65 x 45 / 50 x 35 / 35 x 25 / 20 x 15mm



Model	Description
NCT-26	Each set includes 130 / 120 / 110 / 100 / 90 / 80 / 70 / 60 / 50 / 40 / 30 / 20mm
NCT-27	Each set includes 50 / 60 / 45 x 45 / 70 x 40 / 50 x 35mm
NCT-28	Each set includes 60 x 45 / 70 x 35 / 70 x 40 / 40 x 40 / 40mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Dough Cutter



Dough Cutter
DCU-15S 150 x 90mm
Non-magnetic stainless steel



Dough Cutter
DCU-15R 150 x 90mm
Non-magnetic stainless steel



Dough Cutter
DCU-18 180 x 120mm
Stainless steel 304



Dough Cutter
DW-6 180 x 130mm
Non-magnetic



Pizza Docker
PIZD-18 180 x 130mm
Non-magnetic



Roller Docker
SN4218 196 x 134 x 50mm



Lattice Cutter-Small
SN4214 193 x 90 x 44mm



Lattice Cutter-Small
SN4215 193 x 90 x 44mm



Lattice Cutter
SN4216 193 x 138 x 44mm



Lattice Cutter
SN4217 193 x 138 x 44mm



Expandable Dough Cutter-Two-Sides
SN4219 5 Wheels Length: 260mm



Expandable Dough Cutter-Two-sides
SN4220 7 Wheels Length: 260mm



Expandable Dough Cutter
SN4223 5 Wheels Length: 235mm

**Measurement in mm.



Model : PCU-57
Dimensions : Ø57 x 200 x 50 mm
Material: Stainless steel 304



Model : PCU-65
Dimensions : Ø65 x 210 x 70 mm
Material: Non-magnetic stainless steel



Model : PCU-42
Dimensions : Ø42 x 195 x 40 mm
Material: Non-magnetic stainless steel



PCU-BL75 Pizza Cutter 75 x 185



PCU-85 Pizza Cutter
Dimensions: 245mm
Metal Part Length 85mm



PCU-BL55 Black handle,170 x 55



SN4233 Pizza Cutter Ø100 x 232



SN4241 Pizza Cutter Ø102 x 243



SN4243 Crimped Dough Cutter Ø52 x 175



SN4244 Pizza Cutter Ø52 x 175



SN4245 Pizza Cutter Ø52 x 175



Single Pastry Wheel with Plastic Handle
PDC-60 60 x 180mm



Double Pastry Wheel with Plastic Handle
PDC-40D = Ø40 x 165



Cake Turner

CTU-BL



Chocolate Cutter

CTD-BL
225 x 65mm



Chocolate Turner

CTU-TR
42 x 235mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

Cotton



SN7991	15" Oven Mitt	Length 381 (Limit<205 ℃)

Cotton



SN7992	17" Oven Mitt	Length 432 (Limit<205 ℃)

Cotton + Silicon



SN7996	Silicone Oven Mitt	Length 320 (Limit<300 ℃)



Oven Mitt
cotton

OVM-S	L: 240mm
OVM-M	L: 350mm
OVM-L	L: 415mm



Oven Mitt
80% cotton 20% polyster


OVMS-S	L: 340mm
OVMS-M	L: 380mm
OVMS-L	L: 430mm

Disposable Pastry Bag



PE Plastic 10 Pcs/Set

SN79516	14"	180x360
SN79526	16"	405x210
SN79536	18"	460x248



PE Plastic 100 Pcs/Set

SN79519	14"	180x360
SN79529	16"	405x210
SN79539	18"	460x248

Pastry Bag Series



Polyester

PBPO-14	14"	352x204
PBPO-16	16"	404x235
PBPO-18	18"	455x265
PBPO-20	20"	510x295

Thin Pastry Bag



Dacron 10 Pcs/Set

SN79616	16"	405x225
SN79626	18"	460x255
SN79636	20"	495x280

Thick Pastry Bag



Dacron 10 Pcs/Set

SN79646	14"	355x205
SN79656	16"	405x225
SN79666	18"	460x255
SN79676	20"	495x280

Pastry Bag (Korea)



Polyester

SN7976	14"	355x200
SN7977	16"	405x225
SN7978	18"	455x250
SN7979	20"	510x280

Silicone Pastry Bag-white

Model	Dimensions
PBSI-WH14	L. 14"
PBSI-WH16	L. 16"
PBSI-WH18	L. 18"
PBSI-WH20	L. 20"
PBSI-WH22	L. 22"
PBSI-WH24	L. 24"
PBSI-WH26	L. 26"
PBSI-WH28	L. 28"



Silicone Pastry Bag-yellow

Model	Dimensions
PBSI-YL14	L. 14"
PBSI-YL16	L. 16"
PBSI-YL18	L. 18"
PBSI-YL20	L. 20"
PBSI-YL22	L. 22"
PBSI-YL24	L. 24"
PBSI-YL26	L. 26"
PBSI-YL28	L. 28"

**Measurement in mm.

Pastry Tip Series



(Pastry Tips & Box)

SN7011 Pastry Tips 80 Pcs/Set
0.4mm 304 S/S



TS-782 304 S/S



TS-783



PT60

TS-782 Pastry Tips(Korea) 26 Pcs/set

TS-783 Pastry Tips(Korea) 52 Pcs/set

PT60 Pastry Tip
60pcs/set,16x30



PT20

PT20 Pastry Tip
20pcs/set, H:4




PT20-1

PT20-1 Pastry Tip
20 pcs/set,20x40



PT20-2

PT20-2 Pastry Tip
17 pcs/set,15x30



PT24 Pastry Tip
24 pcs/set,20 x 39



PT35 Pastry Tip
35 pcs/set,19 x 30



PT48 Pastry Tip
48 pcs/set,21 x 39



PT56 Pastry Tip
56 pcs/set,15 x 30



SN7016
Pastry Tips 6 Pcs/Set



SN77914
Coupler (S)(2 Pcs/Set) 23x35



SN7792
Coupler (L) 3 Pcs/Set



SN7014
Pastry Tips 12 Pcs/Set
0.4mm 304 S/S



Model	Diameter
PTS-M4	4mm
PTS-M6	6mm
PTS-M7	7mm
PTS-M9	9mm
PTS-M10	10mm
PTS-M12	12mm
PTS-M13	13mm
PTS-M15	15mm
PTS-M16	16mm
PTS-M18	18mm



Model	Diameter
PTS-TM4	4mm
PTS-TM6	6mm
PTS-TM7	7mm
PTS-TM8	8mm
PTS-TM9	9mm
PTS-TM10	10mm
PTS-TM12	12mm
PTS-TM13	13mm
PTS-TM15	15mm
PTS-TM16	16mm
PTS-TM18	18mm



Model	Diameter
PTS-TMC6	6mm
PTS-TMC9	9mm
PTS-TMC10	10mm
PTS-TMC11	11mm
PTS-TMC12	12mm



Model	Diameter
PTS-TMS7	7mm
PTS-TMS9	9mm
PTS-TMS10	10mm
PTS-TMS13	13mm
PTS-TMS15	15mm



Model	Dimensions
PTS-FM2	16 x 2 mm
PTS-FM3	20 x 3 mm



Model	Diameter
PTS-TMCL5	5mm
PTS-TMCL6	6 mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

**Measurement in mm.

PC Pastry Tip

- Easy to clean
- Heat resistent
- Durable use
- sell by set



Model: PTIP-32H
Description: 24 pcs /set 57 x Dia32



Model: PTIP-32
Description: 24pcs/set 30 x Dia32



Model PTIP-33TR
Description: 12pcs/set 55 x Dia33



Model: PTIP-26BL
Description: 20pcs/set/34 x 26



Model: PTIP-26TR
Description: 20pcs/set/34 x 26




Model: PTIP-19BL-24
Description: 24pcs/set/30 x Dia19

PC Pastry Tip-transparent



Model: PTIP-19TR-24
Description: 24pcs/set/30 x Dia19



Model: PTIP-20BL
Description: 60pcs/set/30 x Dia20



Model: PTIP-19BL-17
Description: 17pcs/set/315 x 80



Model: PTIP-19TR-17
Description : 17pcs/set/30 x Dia 19



Model: PTIP-19BL
Description: 24pcs/set/30 x D19



Model: PTIP-19TR
Description: 24pcs/set/30 x D19

BAR SUPPLIES



Ashtray	306
Bar caddies	299
Bar keep & squeeze dispensers	299
Bar spoon	303
Bottle holder	303
Bottle opener	301-302
Cambar	297
Cocktail shaker	303
Cocktail strainer	303
Coffee knock box	307
Coffee tamper	307
Condiment dispensers	298
Cream whipper	306
Decanter	296
French press pot	306
Goblet	296
Ice bucket	303
Ice scoop	303
Ice tong	303
Jigger	302
Milk jug and milk frother	306
Organizers	298
Pitcher	297
Pourer	300-301
Service tray	304-306
Tea filter	306
Tray stand	306
Tumbler	295
Wine bucket	307-308
Wine bucket stand	308

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Dishwasher safe | Personalization Available Non-Food Contact Areas Only | One carton of product is within the weight and cube requirements to be shipped by parcel carrier | Stackable

Tumbler

Polycarbonate Huntington Tumbler



HT5CW HT8CW HT10CW HT120CW HT12CW HT14CW HT16CW HT22CW






Color :
Azure Blue [196]
Clear [135]



Model	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
Max. Diameter(cm)	6.0	6.8	7.1	7.6	8.6	8.3	8.4	8.9
Max. Height(cm)	9.0	11.3	12.2	12.8	9.5	12.4	14.0	17.0
Capacity to rim(mL)	148	237	296	355	355	414	473	652

1200CW & 1600CW* are available in red[156]*

Color : Clear(135)



Model	500CW	800CW	850CW	950CW	1200CW	1600CW
Max. Diameter(cm)	5.7	6.7	8.6	7.0	7.5	7.9
Max. Height(cm)	9.2	10.2	9.7	11.1	13.2	14.6
Capacity to rim, (mL)	160	237	269(Heavy wall)	284	384	503

Laguna tumbler

Color :
Clear [159],
Spanish green [427]



Mode	LT6	LT8	LT10	LT12	LT14	LT16	LT22
Max. Diameter(cm)	6.3	6.9	7.4	7.9	8.3	8.4	9.3
Max. Height(cm)	10.7	10.9	12.1	12.7	13.1	14	15.4
Capacity to rim, (mL)	177.4	236.6	295.7	354.9	414	473.2	650.6

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Barware & Goblet

Color : Clear(135)








Model	BWM10CW Martini	BWW10CW Wine	BWP14CW Pilsner	BWB16CW Beer Mug	GB850CW Goble	GB1200CW Goblet
Max. Diameter(cm)	12.2	7.5	8.3	12.1	7.0	7.0
Max. Height(cm)	17.5	17.1	24.3	15.9	15.9	19.4
Capacity to rim, (mL)	310.5	310.5	458.4	473.0	266.0	378.0
Case pack	12	24	24	12	24	12

Decanter

Model	Capacity(Litre)	Height(cm)
Complete with lids : WW1000L, WW250L		
WW1500CW	1.5	25.4
WW1000CW	1	24.8
WW500CW	0.5	20.0
WW250CW	0.25	15.9

Color : Clear(135)



WW1000L
* Flat Lid



WW1000LS
* Pour spout

Lids

WW250L	Lid for 0.25 L
WW1000L	Lid for 1.5L, 1L and 0.5L
WW1000LS	Lid w/pour spout for 0.5L, 1L and 1.5L

Lid Color : White 148

WW250CW



WW1000L

WW250CW



WW500CW

WW1000CW

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Pitcher

Color : Clear(152)












Model	P320CW	P480CW	P600CW	PE600CW
Diameter with handle(cm)	14.5	16.0	17.0	17.0
Height with spout(cm)	17.0	20.0	20.5	20
Capacity (Litre)	0.95	1.4	1.8	1.8



Polycarbonate Stackable Pitcher & Lid

- Three position lid can strain ice, • free pour or close to protect contents
- Pitcher and lids designed to stack to save space when stored
- Textured design hides scratches when pitchers are stacked
- 1 Liter graduation is marked clearly on the side of the pitcher
- Lid and Pitcher are sold separately







Model	P60CW	P64CW	PC64CW
Diameter with handle(cm)	17.0	18.5	18.5
Height with spout(cm)	20.0	23.5	24.8 with lid
Capacity (Litre)	1.8	1.9	1.9

Cambar

ECONOMY SYSTEM
- For Bottle, Can, or Mixer Service.
- Includes Ice Bin & Speed Rail.
- Standard or Designer Decor.





COMPLETE SYSTEM
- Completely Factory Equipped for Post or Pre-Mix Soda Service.
- Standard or Designer Decor.

BASIC SYSTEM
- Partially Equipped for Post or Pre-Mix Soda Service.
- Operator Completes Installation.
- Standard or Designer Decor.

Model	Dimension(mm)
BAR540	1,370 x 660 x 1,170

MADE IN USA

Organizers

Model : 12RS12



Model : 9RS9





Model : 8RS8



Model : 6RS6

Model	Description	Dimensions(cm)
Bins		W x D x H
5412CBP		13 x 30.5 x 11
Versa line combined pack dimensions(Complete unit)		
12RS12	Rack w/12 bins	64.8 x 54.3 x 36.2
9RS9	Rack w/9 bins	51.1 x 54.3 x 36.2
8RS8	Rack w/8 bins	64.8 x 48.8 x 24.1
6 RS6	Rack w/6 bins	51.1 x 48.8 x 24.1

Color : Coffee Beige (157), Dark Brown (131)
Black (110) , Slate Blue (401), Spekled Gray (480)



110
Black



480
Speckled Gray



131
Dark Brown

Condiment Dispensers

PRODUCT OF USA

- An organized kitchen and dining area makes for
- happy workers and customers

The lid on the top of the container makes it easy to keep everything in place despite moving to a new location to work on food



Model: 1504



Model: 104

Black ABS Plastic with Polycarbonate Lid

Model	Dimensions	Description
102	19 3/4 x 61/2 x 3 1/4"	6 compartment holder 1 pt
103	19 3/4 x 61/2x 3 1/4"	4 compartment holder 1/2 pt
104	19 3/4 x 61/2 x 3 1/4"	3 compartment holder 1 qt

Polyethylene with Polycarbonate Lid

Model	Description
1504	18 x 5 x 3" 4 compartment holder, 1 qt

Condiment Dispensers



Model	Description
TRU-TC-03BK	Condiment Holder with three 1 pt Insert, Black .
TRU-TC-04BK	Condiment holder with four 1-1/2 pt Insert, Black
TRU-TC-06BK	Condiment Holder with six 1 pt Insert, Black

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRODUCT OF USA

TRUE

MADE IN MALAYSIA

Bar Caddy

This bar caddy is dishwasher safe and great for beverage napkins, straws, toothpick, stirrers, etc.




Model: 101

Features

9-1/2" x 5-3/4" x 4"

Black

ABS plastic



TRU-BR005BK
Bar Caddy-Plastic Black



TRU-NHP01-1B
Napkin Holder-Plastic, Black

Bar Keep

PRODUCT OF USA

Model	Description
N32A	Quart, Assorted Colors, 2 of Each Color
N32LPA	Quart, AssortedColors, 2 of Each Color



Model : N32A



Model : N32LPA



Brow Green Red Orange White Yellow



Model	Description	Color cap/spout
8016A	Pint complete	Assorted
8032BR	Quart complete	Brown
8032GN	Quart complete	Green
8032R	Quart complete	Red
8032X	Quart complete	Orange
8032W	Quart complete	White
8032Y	Quart complete	Yellow
8064A	Half gallon complete	Assorted
8128A	Gallon complete	Assorted



TRUE

MADE IN MALAYSIA

Screen Quick Flow Pourer - plastic



Model
TRU-SP09R
TRU-SP07C
TRU-SP06A

Quick Flow Pourer - Plastic



Model
TRU-TF-001-R
TRU-TF-001-B
TRU-TF-001-C

Whiskey Quick from Pourer with Collar - plastic



Model
TRU-TW0023B
TRU-TW0026C
TRU-TW0037R

Whiskey Quick from Pourer (no collar) - plastic



Model
TRU-TW0039B
TRU-TW0022C
TRU-TW0021R

Measured Pourer with Collar

TRU-MP2012RC	1/2 oz Orange Dip/Red
TRU-MP2058RC	5/8 oz Black Dip /Red
TRU-MP2034RC	3/4 oz Green Dip /Red
TRU-MP2078RC	7/8 oz Blue Dip /Red
TRU-MP2100RC	1 oz Red Dip /Red
TRU-MP2118RC	1-1/8 oz Purple Dip /Red
TRU-MP2114RC	1-1/4 oz Clear Dip /Red
TRU-MP2112RC	1-1/2 oz Yellow Dip /Red
TRU-MP2200RC	2 oz White Dip /Red

Measured Pourer with Collar

TRU-MP012RC	1/2 oz Orange Dip/Red
TRU-MP058RC	5/8 oz Black Dip /Red
TRU-MP034RC	3/4 oz Green Dip /Red
TRU-MP078RC	7/8 oz Blue Dip /Red
TRU-MP100RC	1 oz Red Dip /Red
TRU-MP118RC	1-1/8 oz Purple Dip /Red
TRU-MP114RC	1-1/4 oz Clear Dip /Red
TRU-MP112RC	1-1/2 oz Yellow Dip /Red
TRU-MP200RC	2 oz White Dip /Red



Measured Pourer without Collar

TRU-MP2012R	1/2 oz Orange Dip/Red
TRU-MP2058R	5/8 oz Black Dip /Red
TRU-MP2034R	3/4 oz Green Dip /Red
TRU-MP2078R	7/8 oz Blue Dip /Red
TRU-MP2100R	1 oz Red Dip /Red
TRU-MP2118R	1-1/8 oz Purple Dip /Red
TRU-MP2114R	1-1/4 oz Clear Dip /Red
TRU-MP2115R	1-1/2 oz Yellow Dip /Red
TRU-MP2200R	2 oz White Dip /Red

Measure Pourer without Collar

TRU-MP012R	1/2 oz Orange Dip/Red
TRU-MP058R	5/8 oz Black Dip /Red
TRU-MP034R	3/4 oz Green Dip /Red
TRU-MP078R	7/8 oz Blue Dip /Red
TRU-MP100R	1 oz Red Dip /Red
TRU-MP118R	1-1/8 oz Purple Dip /Red
TRU-MP114R	1-1/4 oz Clear Dip /Red
TRU-MP115R	1-1/2 oz Yellow Dip /Red
TRU-MP200R	2 oz White Dip /Red





TRU-MP230
Quick Flow Pourer with Flip Top
Stainless steel



TRU-MP285-50
Smart Flow Pourer
Stainless steel



TRU-MP220
Quick Flow Pourer
stainless steel

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN INDIA

Metal Pourers

Brass Nickel / Chrome plated



K85TGRT	Tapered Pourer W/Rectangular Tag
K85TGO	Tapered Pourer W/Oval Tag
K85TGR	Tapered Pourer W/Round Tag
K20	Jet Bar
K45	Super Jet Pourer
K85	Tapered Pourer
K99	Tapered Pourer Plastic Pipe
K85FT	Tapered Pourer W/Filp Top
K220FT	Pourer Flip Top

Plastic Pourers



PPB	Blue Colour
PPKG	Kelly Green Colour
PPY	Yellow Colour
PPO	Orange Colour
PPSR	Sparkle Red Colour
PPBK	Black Colour
PPMG	Mint Green Colour
PPW	White Colour
PPT	Transparent Colour
PPSG	Sparkle Green Colour
PPFR	Florescent Red Colour

Wine Bottle Stopper

Brass Chrome Plated / Stainless Steel



WBS225



WP1

PRODUCT OF USA

Used by professional bartenders, this pourer makes concocting drinks a breeze. Using liquor pourers reduces spillage and allows for approximate pours.

Chrome plated metal, stainless steel, Free control

Tapered speed poured

Model: 330





Plastic with Black collar, Proper pour


Model	Description	Spout color
2246A	1 oz red dip tube	Red
2250A	2 oz white dip tube	Red
3246A	1 oz red dip tube	Smoke
3250A	2 oz white dip tube	Smoke
4246A	1 oz red dip tube	Clear
4250A	2 oz white dip tube	Clear

MADE IN CHINA



Model	Dimensions
BOP-18	L.180mm

MADE IN INDIA



Bottle Opener

Stainless steel

Model	Dimensions inch	cm
OPN21	4	10
OPN22	7	18

Opener (Can /Bottle)

MADE IN INDIA



Model	Description	Dimensions inch	Dimensions cm	Material & Finish
OPN01	Opener Free Hand	4	11	Steel Chrome Plated
OPN02	Opener Free Hand	4	11	Steel Powder Coated
OPN03	Wire Opener	3 3/4	9	Steel Nickel Plated
OPN04	Wire Opener	3 3/4	9	W/ PVC Coated Handle
OPN05	Wall Mounted Opener	4	11	Steel Powder Coated
OPN06	Wall Mounted Opener	4	11	Steel Chrome Plated
OPN07	Bottle Opener	5 1/4	13.5	Steel Mirror
OPN08	Giant Opener-Two End	8	20.5	Steel Chrome Plated
OPN09	Giant Opener-Single End	6 3/4	17	Steel Chrome Plated
OPN10	Can Tapper	4	10	Steel Nickel Plated
OPN11	Can Tapper	3 1/2	9	Steel Nickel Plated
OPN12	Ring Opener	Small	18	Brass Chrome Plated
OPN13	Ring Opener	Medium	19.5	Brass Chrome Plated
OPN14	Ring Opener	Large	21	Brass Chrome Plated
OPN15	Ring Opener	Extra Large	23	Brass Chrome Plated

Jigger

PRODUCT OF USA

- This jigger is constructed from stainless steel and has rolled edges, ensuring product durability behind the bar
- This particular model consists of two separate sizes, each clearly marked by stamps on the outside of the model
- Leave the measuring the jigger so that you can get the drinks served just right

Stainless steel with capacity stamping



Model	Description
1202	1/2 oz & 1 oz
1203	3/4 oz & 1-1/4 oz
1204	3/4 oz & 1-1/2 oz
1205	1 oz & 1-1/2 oz
1206	1 oz & 2 oz
1210	1 oz & 1-1/4 oz

Double-end Jigger




Model	Dimensions
JIG-D3	L110 x Ø45 + 40mm
JIG-D2	L102 x Ø42 + 40mm
JIG-D1	L87 x Ø36 + 35mm



TRU-M008BK
Muddler-Plastic Black



TRU-TG-003BK
Glass Rimmer, Black



TRU-TBM-1212BK
Interlocking 12"x12" mat.



TRU-TBM-1218BK
Service Mat 12"x18" Black



TRU-TBM-243BK Bar Mat 24"x3-1/4" Black
TRU-TBM-273BK Bar Mat 27"x3-1/4" Black

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Cocktail Shaker



CSH-NL

Model	Dimensions
CSHL350	350CC, 180 x Ø28mm
CSHL550	550CC, 200 x Ø84mm
CSHL750	750CC, 220 x Ø82mm

Cocktail Strainer



Model	Dimensions
CST-1	145x115 mm

Color Training Bottle



Model	Dimensions
BOT-T1	310x70mm
BOT-T2	310x70mm

Wall mount bottle holder



Model	Dimensions
WMBH21	21"- 540x105x150 mm
WMBH31	31"- 795x105x150 mm
WMBH41	41"- 1050x105x150 mm

Ice Tong



Model	Dimension
ITO-65	L6.5"

Bar Spoon




Model	Dimensions
BSP-9	L. 9"
BSP-10	L. 10"
BSP-11	L. 11"
BSP-12	L. 12"
BSF-9	L. 9"
BSF-12	L. 12"

KMW King Metal Works

MADE IN INDIA

Stainless Steel



Item Code	Description	Dimensions cm	Dimensions Inch
BRS13R	Long Bar Spoon(Round bowl)	12 1/4	32
BRS130	Long Bar Spoon(Oval bowl)	12 1/4	32
BRS10K	Bar Spoon W/red knob	10	26
BRS11K	Bar Spoon W/red knob	11	28
BRS12K	Bar Spoon W/red knob	12	30
BRS10	Bar Spoon W/O red knob	10	26
BRS11	Bar Spoon W/O red knob	11	28
BRS12	Bar Spoon W/O red knob	12	30
BRS14K	Bar Spoon W/O red knob	14	35
BRS10F	Bar Spoon Fork	10	25
BRS10D	Dime Bar Spoon	10	25
BRS12F	Bar Spoon Fork	12	30
BRS11S	Bar Spoon W/stud	11	29
BRS12L	Bar Spoon Long	12	30
BRS11FH	Bar Spoon with flat Head	11	30

- Widely used in bars, restaurants, home, hotel guestroom, etc.
- Made of non-magnetic stainless steel
- Easy to clean
- Double wall

Ice Bucket



Ice cube bucket

Model	Dimensions
ICB1	Ø161x 187 mm
ICB2	Ø164 x 245mm



2-ply ice cube bucket

Model	Dimensions
ICB2-1L	Ø120 x 130 mm
ICB2-2L	Ø150 x160 mm
ICB2-3L	Ø170 x 190 mm



Portable ice bucket

Model	Dimensions
ICBP-1	Ø120 x 50 mm
ICBP-2	Ø155 x 170 mm
ICBP-3	Ø190 x 190 mm

Tulip Sundae W/O Gadroom Base
Stainless Steel



Model	Capacity oz	ml
TS6	6	178

Sherbits-Stainless Steel

Model	Capacity oz	ml
SH3	3 1/2	105
SH5	5	148
SH9	9	266



Model : ICS8



Model : ICS8

Stainless Steel

Model	Dimensions inch	cm
ICS8	8	20
ICS7	7	18

PRODUCT OF USA

POLISHED CAST ALUMINUM
Individually boxed.

- Color-coded handles indicate capacity.
- Hand wash only.



Model	Decripption
1812	Size 12, 3 oz Capacity, Yellow Cap
1816	Size 16, 2½ oz Capacity, Green Cap
1820	Size 20, 2 oz Capacity, Brown Cap
1824	Size 24, 1½ oz Capacity, Red Cap





ICED-L

ICED-S

Ice Cream Disher - Stainless steel 304

Model	Dimensions	Model	Dimensions
ICED-L1	198x50 Ø39mm	ICED-S1	178x50 Ø39mm
ICED-L2	198x40 Ø44mm	ICED-S2	178x40 Ø44mm
ICED-L3	198x30 Ø48mm	ICED-S3	178x30 Ø48mm
ICED-L4	198x24 Ø50mm	ICED-S4	178x24 Ø50mm
ICED-L5	198x20 Ø53mm	ICED-S5	178x20 Ø53mm
ICED-L6	198x16 Ø56mm	ICED-S6	178x16 Ø56mm

Ice Cream Disher - Aluminium

Model	Length
ICED-NS	175mm
ICED-NB	175mm



ICED-NS



ICED-NB

MADE IN INDIA

Service Tray

Non-magnetic stainless steel



Model	Dimensions
ST76	250 x 350mm
ST77	290 x 410mm



Model	Dimensions
OP25	250mm
OP30	300mm
OP35	350mm
OP40	400mm
OP45	450mm
OP50	500mm
OP55	550mm
OP60	600mm
OP65	650mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Fast Food Tray

MADE IN USA



Model	Dimensions (cm)
1014FF	26.5 x 34.5
1216FF	30 x 41
1418FF	36 x 46

Available color



**** Heat Resistance -10 to +80 °C***



Personalization Available
Meterial Polypropylene



High Profile Shape

Non-Skid Tray



Fiberglass tray with Non-slip rubber surface

**** Heat Resistance -10 to +100 °C***

5 FIVE YEARS WARRANTY



138 Traven tan

Tray color

Black satin(110)



Model	Dimensions(cm)
Round-High Profile Shape	
1100CT	Ø28
1400CTPER100	Ø35.5
1600CT	Ø40.5
1800CT	Ø45
Oval-Low Profile Shape	
2500CT	49 x 59
2700CT	56 x 68.5
2900CT	73.5 x 60
Rectangular-High Profile Shape	
1014CT	27 x 35
1216CT	30.5 x 41.5
1418CT	36 x 46
1520CT	38 x 51.5
1622CT	40.5 x 56
1826CT	45 x 65
Rectangular-Low Profile Shape	
3253CT	32.5 x 53

CAMBRO MANUFACTURING COMPANY
MADE IN USA

* Heat Resistance -10 to +80 °C

TABLECRAFT
PRODUCT OF USA

Non-Stick Tray

Material: Polypropylene
Non-slip Rubber Surface





Model	Dimensions (cm)
Round-High Profile shape	
PT1100	Ø28
PT1400	Ø35.5
PT1600	Ø40.5
Rectangular-High profile shape	
PT1014	27 x 34.5
PT1216	30 x 41.5
PT1418	36 x 46


High Profile Shape


Black (101)


Brown (167)

Tray color

Tray Stand

Model: 22



Model: 24



Model: TRAY-S



Single bar, Chrome plated

Model	Dimensions
22	457 x 429 x 965
24	482.6 x 419 x 787
TRAY-S	520 x 96 x Ø22mm

Ashtray



Model	Dimensions
ASH8	Ø80 x 27mm
ASH10	Ø100 x 27mm
ASH12	Ø120 x 27mm



Model	Dimensions
ASH-L10	100mm





Stacking deepwell, Black phenolic or Red Melamine

Model	Dimensions
ST363B-1	98.4 x 44.4 mm Black, Economy
ST365R-1	98.4 x 44.4 mm Red, Economy

Milk jug


Model: MJS


Model: MJSW

Model	Capacity
MJS15	0.15 Litre/5 Oz
MJS24	0.24 Litre/8 Oz
MJS35	0.35 Litre/12 Oz
MJS48	0.48 Litre/16 Oz
MJS60	0.60 Litre/20 Oz
MJS75	0.75 Litre/25 Oz
MJS100	1.0 Litre/34 Oz
MJS150	1.5 Litre/51 Oz
MJS200	2.0 Litre/68 Oz
MJSW16	0.47 Litre/16 Oz
MJSW20	0.59 Litre/20 Oz
MJSW24	0.70 Litre/24 Oz
MJSW32	0.94 Litre/ 32 Oz

Cream Whipper

L.Tellier (Made in France)
Stainless steel professional cream whipper 0.5 Litre




Model: N4083X

Specifications

Height	310mm
Width	125mm
Net weight	0.61 kg

Tea Filter


TOF-T

French press pot


PRP600
600ml

Thermometer


THM-1

Milk Frother


MFS


MFR

Model	Capacity
MFS400	400cc
MFS800	800cc
MFR400	400cc
MFR800	800cc


161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Coffee Tamper




Coffee Tamper Stand



Model: CTS-1



Model: CTS-2



Model: CTS-3

Coffee Knock Box



Model: KB-WL



Model: KB-WD



Model: KB-WDR

Wooden Coffee Knock Box with Stainless Steel Insert (Stainless steel 18/8)

Model	Dimensions	Colour
KB-WL150	210 x 195 x 150mm	Light brown
KB-WL115	210 x 190 x 115mm	Light brown
KB-WD150	210 x 195 x 150mm	Dark brown
KB-WD115	210 x 195 x 115mm	Dark brown
KB-WDR	285 x 188 x 120mm	Brown



Model: KB-SSS



Model: KB-SSR



Model: KB-SR



Model: KB-SNB

Coffee Knock Box (Stainless steel 18/8)

Model	Dimensions
KB-SSS	258 x 160 x 103mm
KB-SSR	265 x 164 x 150mm
KB-SR140	Ø140 x H158mm
KB-SR112	Ø112 x H112mm

Coffee Knock Box without Bottom Base (Stainless steel 18/8)

Model	Dimensions
KB-SNB100	176 x 164 x 100mm
KB-SNB150	176 x 164 x 150mm

Wine Bucket



Model	Dimensions
WIB-AG1	Ø150 x 175 x 1.2mm
WIB-BG2	Ø190 x 220 x 1.2mm



Model	Dimensions
WIC-1	Ø100 x 180mm
WIC-2	Ø115 x 166mm



Model	Dimensions
WIB-D23	Ø230 X 228 X 0.8mm



Model	Dimensions
WIB-D19	Ø190 X 220 X 0.8mm

Wine Bucket



Model	Dimensions
WIB-A1	Ø150 x 175 x 0.8mm
WIB-B2	Ø190 x 220 x 0.8mm



Model	Dimensions
WIB-HSG1	Ø150 x 175 x 1.2mm
WIB-HG2	Ø190 x 220 x 1.2mm



Model	Dimensions
WIB-HS1	Ø150 x 175 x 0.8mm
WIB-H2	Ø190 x 220 x 0.8mm



WIB-C20
Ø220 x 220 x 0.8mm



Model	Dimensions
WIB-GR18	Ø180 x H190mm
WIB-GR23	Ø230 x H220mm



WIB-G20
Ø200 x 250 x 1.2mm



WIB-XL27
Ø270 x 260 x 1.2mm



WIB-D22-G
Ø220 x 250mm



WIB-V23
Ø230 x H500mm



Model	Dimensions
WIB-CV1	Ø280 x 300 x 1.5mm



Model	Dimensions
WIB-CV2	Ø280 x 300 x 1.5mm



Model	Dimensions
WIB-CV3	Ø280 x 300 x 1.5mm




WIB-D22-S
Ø220 x 250 x 0.7mm



Model	Dimensions
WIB-AS12-6	Ø125 x H610mm
WIB-HS19-6	Ø190 x H610mm
WIB-HSS12-7	Ø125 x H750mm



Model	Dimensions
WIB-BS20-6	Ø200 x H610mm
WIB-S25-W	Ø250 x H610mm



Model	Dimensions
WIB-SR19-5	Ø190 x H580mm
WIB-SR19-7	Ø190 x H730mm



Model	Dimensions
WIB-SS19	Ø195 x H610mm
WIB-S25-F	Ø250 x H660mm



Model	Dimensions
WIB-SF6	Ø200 x H650mm
WIB-SF5	Ø200 x H610mm



Model	Dimensions
WIB-SR20-6	Ø200 x H610 mm



Model	Dimensions
WIB-SS25	Ø250 x H750mm
WIB-S30	Ø200 x H610mm



Model	Dimensions
WIB-SR30	Ø300 x H780 mm



Model	Dimensions
WIB-CVS	Ø250 x H565 mm



Model	Dimensions
WIB-CS20-6	Ø200 x H690mm
WIB-CS20-7	Ø200 x H740mm



Model	Dimensions
WIB-VS	300 x 800 mm



Model	Dimensions
WIB-2V	Ø230 x H800mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



TABLEWARE & BUFFETWARE

Basket	313
Bottle	319
Bowl	313
Cake stand	315
Card holder	321
Coffee pot	318
Creamers	317
Dome cover & plate cover	316-317
Dome displsy tray	315
Egg cup	317
Gravy boat	317
Ladle	311
Lobster cracker & lobster picker	312
Milk pot	317-318
Milk tin	310
Pasta grabber	312
Pastry stand	313
Pepper mill	310
Ramekins	321
Service jar	320
Shakers	319
Squeeze dispenser	320-321
Sugar bowl	318
Table stand	321
Tea pot	317
Tray	314
Tong	311-312

Pepper Mill

- **Wood Colour**



PPM-W4 PPM-W5 PPM-W6 PPM-W8 PPM-W10 PPM-W12 PPM-W14 PPM-W16

Model	Dimensions
PPM-W4	Φ48 x L100mm (4")
PPM-W5	Φ49 x L145mm (5")
PPM-W6	Φ49 x L170mm (6")
PPM-W8	Φ50 x L220mm (8")
PPM-W10	Φ53 x L270mm (10")
PPM-W12	Φ55 x L315mm (12")
PPM-W14	Φ60 x L425mm (14")
PPM-W16	Φ67 x L425mm (16")

- **Wood Colour - Black**



PPM-B4 PPM-B5 PPM-B6 PPM-B8 PPM-B10 PPM-B12 PPM-B14 PPM-B16

Model	Dimensions
PPM-B4	Φ48 x L100mm (4")
PPM-B5	Φ49 x L145mm (5")
PPM-B6	Φ49 x L170mm (6")
PPM-B8	Φ53 x L220mm (8")
PPM-B10	Φ53 x L270mm (10")
PPM-B12	Φ55 x L315mm (12")
PPM-B14	Φ60 x L425mm (14")
PPM-B16	Φ67 x L425mm (16")

- **Wood Colour - Green**



PPM-G6 PPM-G8 PPM-G10 PPM-G12 PPM-G14 PPM-G16

Model	Dimensions
PPM-G6	Φ53 x L165mm (6")
PPM-G8	Φ58 x L210 mm (8")
PPM-G10	Φ59 x L265 mm (10")
PPM-G12	Φ66 x L310 mm (12")
PPM-G14	Φ69 x L365 mm (14")
PPM-G16	Φ70 x L415 mm (16")

PRODUCT OF USA

Traditional Italian craftsmanship.
Tempered steel grinding mechanisms for better grinding consistency and longer life.

- There is no better way to spice up a meal than with freshly-ground pepper
- This pepper mill measures 8 inches long and features a mahogany wood finish for added appeal
- It is perfect for use in buffets, restaurants and any other professional dining area
- Its smooth, flawless exterior won't crack or scratch over time and it is easy to clean and sanitize



Wood, Mahogany finish

Model	Dimensions
PM1908	8"
PM1912	12"
PM1918	18"

Mill Tin



MLT


Model	Dimensions
MLT1	152mm 150 x 25mm
MLT2	152mm 155 x 25mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

MADE IN USA

Polycarbonate Ladles



- Portion control bowls serve the perfect a mount of dressing or food ingredient
- Angled for easy handing
- Designed with a side rest so ladless don't slip into crocks or serving bowls
- Made of virtually unbreakable camwear polycarbonate for years of dependable service

Colors
Black(110)
Beigc(133)
Clear(135)
White(188)
Reddish Brown(195)



Model	Description	Length (mm)	Capacity (ml)
LD85	Plain	216	25
LD85A*	Assortment	216	25
LD105	Plain	268	30
LD105A*	Assortment	268	30
LD130	Plain	330	30
LD130A*	Assortment	330	30

Polycarbonate serving spoons

- Made of virtually unbreakable polycarbonate, Camwear spoons won't tarnish, bend or dent.
- A wide handle and molded in thumb rest ensures a solid, ergonomic grip.
- Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

Color : Black[110], Red[404], Beige[133], Clear[135], White[148],



Model	SPO8CW	SPO10CW	SPO11CW	SPO13CW
Description	205mm	255mm	280mm	330mm
	Salad spoon	Buffet spoon	Deli spoon	Deli spoon
Dimensions	206 x 38mm	260 x 43mm	283 x 73mm	333 x 73mm

Polycarbonate perforated serving spoon



Model	SPOP10CW	SPOP11CW	SPOP13CW
Description	255mm	280mm	330mm
	Perforated	Perforated	Perforated
	Buffet spoon	Deli spoon	Deli spoon
Dimensions	260m x 43mm	283 x 73mm	333 x 73mm

PRODUCT OF USA

Tong & Cracker

ONE PIECE, SPRING STEEL CONSTRUCTION.
HELPS PREVENT CROSS-CONTAMINATION

Model	Dimensions
3774	9 1/2"
3712	12"
3716	16"



Color
Black, Blue, Green, Red, Tan, White, Yellow



Food Tong

Model	Dimensions	Color
SN4017	215mm	Orange
SN4018	215mm	White
SN4019	215mm	Transparence
SN4021	235mm	Stainless steel
SN4022	238mm	S/S Orange
SN4024	238mm	S/S Red
SN4027	238mm	S/S White

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Tong

Lugano Tongs

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 100ºc
- Ideal for serving cold and hot food, even from steam tables
- Clear tongs are made from virtually unbreakable polycarbonate, which is safe to 99ºc



Polycarbonate flat grip tonss

Model	Height
TG6	152mm
TG9	229mm

Angle tongs



TGA8



TGA11

Model	Height(mm)
TGA8	210
TGA11	274



Polycarbonate scallop grip tongs

Model	Height
6TGS	152mm
9TGS	229mm
12TGS	305mm

Color: Black(110), Belge(133), Clear(135), Red(404), White(148)

KMW King Metal Works

SINCE 1970

MADE IN INDIA



Tongs Utility

Model	Thickness	Dimensions
UT07M	7mm	180mm
UT09EH	12mm	240mm
UT12EH	12mm	300mm



Pasta Grabbers

- Spaghetti Servers/Pasta Grabbers Stainless Steel

Model	Thickness	Dimensions
SPG30	2.5mm	300mm
SPG33	2.5mm	330mm

TABLECRAFT

PRODUCT OF USA

Pasta Grabbers



4404



4401



2068

Model	Dimensions	Description
4404	292mm	Pasta Grabber, Oval Bowl
4401	216mm	Pasta Tongs
2068	241mm	Pasta Grabber



TON-A



BTO-9



TON-B



BTO-11

Bread Tong

Stainless steel 304

Model	Length
TON-A	190mm
TON-B	240mm
BTO-9	230mm
BTO-11	290mm



BST-8

BST-10



BTO-10

Buffet Scissor Tong

Model	Length
BST-8	203mm
BST-10	254mm

Buffer Tong

BTO-10	254mm



PTO-1S



PTO-2S

Lobster Cracker



LOBS-C

Lobster Picker



LOBS-P

Pasta Tong

Model	Length
PTO-1S	240mm
PTO-2S	240mm



PAS-S

Pasta Server

Model	Length
PAS-S	Ø75xL400mm

Model	Dimensions
LOBS-C	L165mm
LOBS-P	L200mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRODUCT OF USA



Model: RT3

Three-Tiered Round Serving Set/Ying & Yang Bowl

Model: RT3
Height: 431.8mm
Trays Dimensions
355.6mm
279.4mm
203.2mm



Model: PST

Pastry Stand

Model	Dimensions
PST-8	8" - Ø220 x 400mm
PST-9	9" - Ø250 x 500mm
PST-10	10" - Ø280 x 600mm

MADE IN USA



PSB6 PSB8 PSB10 PSB12



PSB15 PSB18 PSB23

Round Pebbled Bowls

Color: Pebbled (176)

Model	Diameter	Capacity
PSB6	Ø152mm	0.556 Litre
PSB8	Ø203mm	1.7 Litre
PSB10	Ø254mm	3.0 Litre
PSB12	Ø305mm	5.5 Litre
PSB15	Ø381mm	10.6 Litre
PSB18	Ø457mm	19.1 Litre
PSB23	Ø584mm	37.8 Litre



RB138 Oval double wall

RB134 Round double wall bowl

RB1313 Square double wall bowl



PBD SALB

Double Wall Bowl

Model	Dimensions
RB138	330.2 x 215.9 x 101.6mm
RB134	330.2 x 101.6mm
RB1313	336.5 x 101.6mm

Sanding 2-ply Bowl

PBD1	Ø65 x H37
PBD2	Ø94 x H50
PBD3	Ø110 x H56

Salad Bowl


SALB-14	14" - Ø350 x H240mm
SALB-15	15" - Ø370 x H270mm
SALB-16	16" - Ø400 x H285mm
SALB-17	17" - Ø420 x H300mm

Serbing Basket



BK37508 BK37510 BK31815 BK37409

PRODUCT OF USA



BK37410 BK37109 BK37209

BK37309 AC57 AC95

Model	Description
BK37409	215.9 x 139.7 x 50.8 mm Oval
BK37410	254.0 x 171.4 x 50.8 mm Oval
BK31815	381.0 x 152.4 x 50.8 mm Oblong
BK37109	203.2 x 114.3 x 38.1 mm Rectangular
BK37209	228.6 x 152.4 x 50.8 mm Rectangular
BK37309	317.5 x 165.1 x 38.1 mm Rectangular
BK37508	203.2 x 50.8 mm Round
BK37510	241.3 x 2,336.8 mm Round
AC95	228.6 127.0 mm Appetizer cone
AC57	5 x 7" Appetizer Cone

PRODUCT OF USA

Stainless Steel Bowl & Tray

18-8 STAINLESS STEEL



R244



RB235



RB336



RB2813



RB1515




R2212



RB128



RB169



R1616 , R2020 , R1818



R247

Model	Dimensions	Description
RB128	285.7 x 184.1 x 50.8mm	Rectangular bowl
RB1515	393.7 x 63.5mm	Square bowl
R247	596.9 x 184.1mm	Rectangular tray
R1616	406.4mm	Square tray
R1818	457.2mm	Square tray
R2020	508.0mm	Square tray
R169	393.7 x 234.9mm	Rectangular tray
R2212	558.8 x 304.8 x 38.1mm	Rectangular tray

Model	Dimensions	Description
R244	609.6 x 101.6mm	Rectangular Wave Tray
RB164	412.7 x 101.6 x 63.5mm	Oblong Serving Bowl
RB235	584.2 x 133.3 x 76.2mm	Oblong Serving Bowl
RB336	825.5 x 139.7 x 82.5mm	Oblong Serving Bowl

Acrylic



Model : A137



Model : A167



Model : A207



Model : A157



Model : A217



Model : A278



Model : AP5



Model : A1515



Model : A1613



Model : A1915



Model : A139



AW4



AW5

Model	Dimensions(mm)	Description
AP5	381.0 x 152.4 x 101.6 mm	Five step riser
A1515	387.3 x 63.5 mm	Square tray
A1915	489.0 x 393.7 mm	Rectangular tray
A1613	419.0 x 330.2 mm	Rectangular tray
A139	330.2 x 228.6 mm	Rectangular tray
A137	317.5 x 177.8 mm	Rectangular tray
A167	406.4 x 171.45 mm	Rectangular tray
A207	495.3 x 171.45 mm	Rectangular tray
A157	381.0 x 171.45 mm	Oblong tray
A217	533.4 x 177.8 mm	Oblong tray
A278	698.5 x 190.5 mm	Oblong tray
AW4	311.1 x 393.7 x 158.7mm	Four step waterfall
AW5	311.1 x 393.7 x 158.7mm	Five step waterfall

* Not recommended for microwave heating

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

KMW
King Metal Works
SINCE 1970
MADE IN INDIA

Cake Stands

Cake Stand - Stainless steel



Model: CKS3



Model : CKS1



Model: CKS5



Model : CKS6



Model : CKS9



Model : CKST



Model : CKST-G

Model	Type	Dimensions
CKS1	Standard	Ø170mm
CKS3	Short Height	Ø325 x 35mm
CKS4	Short Height Revolving	Ø325 x 50mm
CKS5	Heavy 1 pc	Ø310 x 30mm
CKS6	Revolving W/Flat Top	Ø325 x 35mm
CKS9	Short Height	Ø210 x 45mm
CKST-30	Standard	Ø300 x 190mm
CKST-35	Standard	Ø350 x 190mm
CKST-40	Standard	Ø400 x 190mm
CKST-45	Standard	Ø450 x 190mm
CKST-50	Standard	Ø500 x 190mm
CKST-G30	Golden plated	Ø300 x 190mm
CKST-G35	Golden plated	Ø350 x 190mm
CKST-G40	Golden plated	Ø400 x 190mm
CKST-G45	Golden plated	Ø450 x 190mm
CKST-G50	Golden plated	Ø500 x 190mm



Model : SN4437



Wedding Cake Stand
Al.Alloy Anodized
3 Tier Central Pillars 8"-12"

Plate Tray

Stainless steel



MFP-H16



MFP-16

Mirror Finish Plate without Cover

Model	Dimensions
MFP-H16	Ø415mm
MFP-16	16" Ø405mm

TABLECRAFT
PRODUCT OF USA



Model : PC1 * Covers only



Model : PC2N

Dome Display Tray

Note: Model PC2N available as a set.Covers and trays sold separately

Roll top lids with stainless steel handles for easy use



* Covers only

Stylene covers
Model: 422
Metal handle cover
Dimensions: 304.8 x 177.8mm

Model	Description	Dimensions
PC1	Rectangular cover, Polycarbonate	546.1 x 336.5 x 190.5mm
PC2N	Round plate, mirror w/chrome, Polycarbonate cover	508 x 304.8mm
RPD2415	Rectangular tray, 18-8 S/S	590.5 x 381 x 25.4mm

MADE IN USA

Plate Cover

- Food stays hot and appetizing without re-heating
- Ideal for use in heated carts
- Safe up to 99˚C
- Virtually unbreakable polycarbonate will not dent or scratch
- Lightweight for quiet service
- Saves on labor with no polishing required



Colour: Clear (152), Amber (153), Beige(155), Silver (486)

Model	Diameter	Height
806CW	Ø214mm	68mm
900CW	Ø232mm	70mm
901CW	Ø237mm	72mm
905CW	Ø241mm	72mm
909CW	Ø248mm	70mm
9011CW	Ø254mm	73mm
9013CW	Ø254mm	70mm
1000CW	Ø259mm	68mm
1005CW	Ø268mm	72mm
1007CW	Ø270mm	70mm
1013CW	Ø275mm	68mm
1101CW	Ø279mm	68mm
1202CW	Ø308mm	70mm

- Serve hot food hot with the versa camcover, an elegant and efficient alternative to traditional metal covers
- Withstands temperatures up to 149˚C
- Covers remain cool to the touch for easy handling
- Lighter and quieter than metal covers
- Elegant appearance without polishing
- Keeps food warm longer than metal covers
- Microwave safe

Color: Iyory(380), Granity Grey(19), Antique Parchment(101)

Microwave safe





Model	Diameter	Height
86VS	Ø210mm	67mm
91PCVS	Ø229mm	73mm
913VS	Ø249mm	68mm
911VS	Ø246mm	70mm
100VS	Ø254mm	68mm
103VS	Ø259mm	68mm
105VS	Ø262mm	68mm
106VS	Ø264mm	72mm
107VS	Ø265mm	68mm
107PCVS	Ø265mm	72mm
1013CRVS	Ø275mm	80mm
1014VS	Ø276mm	68mm
116VS	Ø289mm	81mm
120VS	Ø305mm	73mm
124VS	Ø311mm	73mm



Perfect for heated carts



CCVS -Special cover for coupe plates



CRVS -Special cover for narrow rim plates



GPVS -Special cover for syracuse great plates



PCVS -Special cover for pyroceram plates

Dome Cover



DMC-T



DC-PC4-O



DC-PC3



DC-PC4



C-PC



C-PC-O

Roll Top Dome Cover with Mable (Auto-Close)

Model	Dimensions
DMC-T12	Tray 12" - Ø330 x H260mm
DMC-T16	Tray 16" - Ø430 x H310mm

Polycarbonate Dome Cover without Base

Model	Dimensions
DC-PC4-O	Ø400 x H195mm
DC-PC3	Ø300 x 150 x 2.5mm
DC-PC4	Ø400 x 200 x 3.0mm
C-PC	543 x 338 x 176mm
C-PC-O	543 x 338 x 185mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Plate cover



PLC



COV



COV-R



DC-PC

Non-magnetic stainless steel

Model	Dimensions
PLC8	Ø215 x 55mm
PLC9	Ø240 x 57mm
PLC10	Ø265 x 59mm
PLC11	Ø290 x 61mm
PLC12	Ø315 x 63mm

Polycarbonate Cover

Model	Dimensions
COV8	Ø203mm
COV10	Ø254mm
COV12	Ø305mm
COV14	Ø356mm
COV16	Ø406mm
COV-R12	420 x 320mm
COV-R14	475 x 370mm
COV-R15	530 x 400mm
COV-R16	575 x 435mm

Polycarbonate Dome Cover(color: clear)

Model	Dimensions
DC-PC6	Ø152mm
DC-PC8	Ø203mm
DC-PC10	Ø254mm
DC-PC12	Ø305mm
DC-PC14	Ø356mm
DC-PC16	Ø406mm

Egg Cup

- Attractive appearance
- Durable
- Material: stainess steel 304



EGG-CS



EGG-CG
(Gold-Plated)



EGG-C



EGG-H

Model	Dimensions
EGG-CS	Φ40 x 46mm
EGG-CG	Φ40 x 46mm
EGG-C45	Ø45 x 37mm
EGG-C48	Ø48 x 44mm
EGG-H	Ø85mm

KMW King Metal Works

MADE IN INDIA

SINCE 1970



Gravy (Sauce) Boat Stainless steel

Model	Capacity(oz/ml)
GB03	3 oz / 89 ml
GB05	5 oz / 148 ml
GB08	8 oz / 237 ml

Milk Pot

Non-magnetic stainless steel



MLKS



MLK



MLK-A



MLK-R

Model	Capacity	Dimensions(mm)
MLKS-300	0.30 Litre	100 x 70
MLKS-350	0.35 Litre	110 x 90
MLKS-600	0.6 Litre	135 x 110
MLK-200	0.2 Litre	120 x 70
MLK-400	0.4 Litre	130 x 90
MLK-600	0.6 Litre	145 x 110
MLK-A1	5 oz	75 x 60
MLK-A2	8 oz	90 x 70
MLK-A3	12 oz	110 x 80
MLK-A4	24 oz	130 x 100
MLK-A5	32 oz	145 x 120
MLK-A6	50 oz	180 x 145
MLK-R	350 ml	145 x 110

Creamers



With gadroon base

Model	Capacity
CR05	5oz / 148ml
CR10	10oz / 296ml
CR16	16oz / 474ml
CR32	32oz / 946ml

Without Base

CR10NB	10oz / 296ml

Milk Cup



MLKH

Model	Dimensions	Capacity
MLKH1	53 x 33mm	1 oz
MLKH2	60 x 39mm	2 oz
MLKH3	70 x 53mm	3 oz
MLKH4	85 x 55mm	5 oz
MLKH5	100 x 75mm	10 oz

Coffee Pot



COFH COFS

Model	Dimensions	Capacity
COFH1	90 x 140mm	20 oz
COFH2	90 x 140mm	32 oz
COFP3	200 x 170mm	50 oz
COFS1	130 x 75mm	10 oz
COFS2	155 x 90mm	20 oz
COFS3	200 x 110mm	32 oz
COFS4	210 x 135mm	48 oz

Tea Pot



TEA-A TEA-B

Model	Dimensions	Capacity
TEA-A1	138 x 80mm	10 oz
TEA-A2	190 x 130mm	32 oz
TEA-A3	230 x 140mm	48 oz
TEA-A4	260 x 170mm	70 oz
TEA-B1	140 x 95mm	12 oz
TEA-B2	145 x 110mm	20 oz
TEA-B3	180 x 130mm	32 oz
TEA-B4	220 x 150mm	50 oz



TEA-B TEA-C

Model	Dimensions	Capacity
TEA-B5	140 x 90mm	12 oz
TEA-B6	150 x 110mm	20 oz
TEA-B7	195 x 125mm	32 oz
TEA-B8	235 x 155mm	50 oz
TEA-C1	145 x 80mm	8 oz
TEA-C2	175 x 85mm	14 oz
TEA-C3	180 x 95mm	20 oz
TEA-C4	240 x 115mm	40 oz

CAMBRO MANUFACTURING COMPANY

MADE IN USA



Wire Rack Condiment Caddy

Polycarbonate Condiment jar
Condiment jar set

Model	CJ80CW
Dimensions	102 x 83mm
Capacity	240ml

KMW King Metal Works

MADE IN INDIA

SINCE 1970



Model: JT6



Model: RD4



Model: RD3

Relish Dish (Revolving)

Stainless Steel

Model	Dimensions	Design
RD3	Ø100 x 60mm	3 Bowls
RD4	Ø100 x 60mm	4 Bowls

Note: Available in gift box

Model:	JT6
For 6 Bottles	
Dimensions:	170mm

Sugar Pot without Lid



SUP

Model	Dimensions	Capacity
SUP1	70 x 60mm	5 oz
SUP2	70 x 60mm	8 oz
SUP3	90 x 80mm	14 oz
SUP4	90 x 80mm	20 oz

Sugar Bowl



SGB1



SGB-TH



SGB-B



SGB-T

Model	Dimensions	Capacity
SGB1	90 x 65mm	10 oz
SGB-TH	125 x 90mm	350 ml
SGB-B	75 x 90mm	350 ml
SGB-T	80 x 100mm	350 ml

Storage



STO

Model	Dimensions
STO1	Ø100 x 156mm
STO2	Ø100 x 228mm
STO3	Ø100 x 308mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

PRODUCT OF USA

Services & Shakers

Whether you need a salt & pepper shaker for every table in your restaurant or you're looking for the perfect set for catered events, TableCraft has an extensive offering to dress your table.



Model: 152S&P
Fits rack 606R, 606RBK



Model: 6618



Model: 657
Fits rack 607R

Model	Description
152S&P	1 oz Shakers, Flat Top
152S&P-2	1 oz Shakers, Flat Top
156S&P	3 oz Shakers
156S&P-2	3 oz Shakers
657	2 oz Shakers
30S&P	½ oz Shakers, Chrome Plated Top
6618	4 oz Shakers



Model: 156S&P
Fits rack 609R, 609RBK



Model: 174GT



Model: 30S&P

Model	Description
174PGT	Pepper Grinder Top, Black, Plastic

Glass Shakers & Pourers

Common in many Italian restaurants, swirl shakers are often included in the table display to provide guests with immediate access to cheese, dried peppers, and other popular condiments.
12 oz Fluted glass, Stainless steel tops



Model: 1260



Model: 800



Model: 261



Model: 260

Model	Description
800	12 oz Shaker, Perforated Top

6 oz Swirl glass, Chrome plated or stainless steel top

Model	Description
260	6 oz Shaker, Perforated, Chrome Plated Top
260-1	6 oz Shaker, Perforated, Chrome Plated Top
1260	6 oz Shaker, Perforated, 18/8 S/S Top

6 oz Teardrop glass, Chrome plated tops

Model	Description
801X	6 oz Shaker, Perforated Top, S/S Top

8 oz Modern glass, Chrome plated tops

Model	Description
261	8 oz Shaker, Perforated Top

Chornodmimee pnlta dteisdp reancsker set, Fluted glass, stainless steel top,

Model	Description
659N	2 oz Condiment Dispenser Set, Rack



Model: 801X



Model : 659N

Pepper - Salt - Oil Bottle



BOT-A1 BOT-A2 BOT-A3 BOT-A4 BOT-A5 BOT-A6



BOT-B1 BOT-B2 BOT-B3 BOT-B4 BOT-B5 BOT-B6

Model	Dimensions
BOT-A1	178 mm
BOT-A2	Ø48 x 145
BOT-A3	Ø48 x 145
BOT-A4	Ø48 x 145
BOT-A5	Ø48 x 145
BOT-A6	152 mm
BOT-B1	178 mm
BOT-B2	Ø48 x 145
BOT-B3	Ø48 x 145
BOT-B4	Ø48 x 145
BOT-B5	Ø48 x 145
BOT-B6	152 mm

Pepper - Salt - Oil Bottle



SPB1



SPB2



SPB3



SPB4

Model	Dimensions
SPB1	76.2mm
SPB2	76.2mm
SPB3	76.2mm
SPB4	76.2mm

Grinding Set



GRI-S

Model GRI-S
Dimensions
100 x 90mm
Length of Stick
135 x 30mm



Oil & Vinegar Pourer

- Serve your favorite olive oils and vinegar options in stylish oil & vinegar cruets. offers a variety of options to enhance your dining experience.
- Dispenser racks allow for seamless transportation and keep your bottles organized
- RECYCLED GREEN GLASS, ECO-FRIENDLY

Model	Description
6619	12 oz Oil & Vinegar Dispensers,S/S Pourers
599P	S/S Pourer, Plastic Vent Tube

Server Jar

- Designed with modern-shaped glass bodies, these dispensers have a sophisticated look that will match any type of restaurant décor
- Each model is equipped with a chrome-plated lid that dispenses syrup in a clean and flowing fashion
- This dispenser is dishwasher safe, making each easy to clean in between operation



Model: 406CP



Model: 406



Model: 1271



Model: 1270



Model: 414

Model	Description	Material
406CP	6 oz Dispenser	Teardrop glass, Chrome plated ABS Top
406	6 oz Dispenser	Teardrop glass, Chrome plated metal tops
414	14 oz Dispenser	Teardrop glass, Chrome plated metal tops
1270	8 oz Dispenser	Modern glass, Chrome plated tops
1271	12 oz Dispenser	Modern glass, Chrome plated tops

Squeeze Dispensers



11663C 11663M 11663K

- The original WideMouthTM squeeze bottle dispenser
- Larger opening for easy fill and easy clean
- Choose standard tip or wide tip tops
- Ideal for back-of-the-house prep and front-of-the-house service
- Leakproof "soft" polyethylene PerfectFlexTM for faster prep

Model	Description
10853C	8 oz Natural, Standard Cone Tip,NaturalTop
10853K	8 oz Ketchup, Standard Cone Tip, Red Top
10853M	8 oz Mustard, Standard Cone Tip, Yellow Top
11253K	12 oz Ketchup, Standard Cone Tip, Red Top
1253M	12 oz Mustard, Standard Cone Tip, Yellow Top
11253C	12 oz Natural, Standard Cone Tip, Natural Top
11663K	16 oz Ketchup, Standard Cone Tip, Red Top
11663M	16 oz Mustard, Standard Cone Tip, Yellow Top
11663C	16 oz Natural, Standard Cone Tip, Natural Top
31763C	16 oz Natural, Wide Cone Tip, Natural Top



24 oz, 63mm opening, ketchup, mustard or natural

Model	Description min order
12463K	24 oz Ketchup, Standard Cone Tip, Red Top
12463M	24 oz Mustard, Standard Cone Tip, Yellow Top
12463C	24 oz Natural, Standard Cone Tip, Natural Top
32563C	24 oz Natural, Wide Cone Tip, Natural Top

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Squeeze Dispensers

PRODUCT OF USA

- Sauces and condiments allow you to spice up the flavors on your favorite dish however they can easily cause big messes on your tabletops and in your kitchen.
- Tablecraft's 16 oz Invertatop Valvetop Squeeze Dispenser(16SV) is the perfect solution to your condiment troubles.
- This unique sauce bottle makes dispensing your favorite condiments easy for you and your guests.
- The tip is inverted to assure sanitation, and this bottle has dual openings so filling and cleaning is no longer a battle.
- Condiments with a high viscosity are perfect for this squeeze dispenser, and the leak proof soft polyethylene material creates perfect flexibility in the bottle for fast preparation.



Model	16SV
Weight	2 lbs
Base material	Plastic
Capacity	16oz
Material type	Polyethylene

Ramekins



White Color

Model	RAM1FW	RAM15FW	RAM2FW	RAM3FW
Capacity	1 oz Fluted	1 1/2 oz Fluted	2 oz Fluted	3 oz Fluted

Black Color

Model	RAM1FBK	RAM15FBK	RAM2FBK	RAM3FBK
Capacity	1 oz Fluted	1 1/2 oz Fluted	2 oz Fluted	3 oz Fluted

Card & Number Holder



Model : RCH21 Model : RCH41 Model : RCW41

Acrylic , Stainless steel or Nickel plated

Model	Description
RCH21	50.8 x 25.4 mm card holder, stainless steel
RCW1	101.6 x 25.4 mm wavy card holder, stainless steel
RCH41	101.6 x 25.4 mm card holder, stainless steel

KMW King Metal Works — MADE IN INDIA

SINCE 1970

Number card holder



Menu and Card Holders
Stainless Steel

Model	Height
MCSH04	100mm
MCSH08	200mm
MCSH12	300mm
MCSH18	460mm

Table Stand



TABS-A TABS-B

Model	Dimensions
TABS-A4	4" - Ø80x100mm
TABS-A6	6" - Ø80x150mm
TABS-A8	8" - Ø80x200mm
TABS-A10	10" - Ø80x250mm
TABS-A12	12" - Ø80x300mm
TABS-B6	6" - Ø80x150mm
TABS-B8	8" - Ø80x200mm
TABS-B10	10" - Ø80x250mm
TABS-B12	12" - Ø80x300mm

Counter Bell



BELL-C

"Reserved" Sign



S-RESER

Model	Dimensions
S-RESER	12x35mm
BELL-C	Ø100x60mm

PRODUCT OF USA

Swirl Decanters





CONNOISSERVE™ PLASTIC SWIRL WITH THUMB PRESS
Individually boxed.

Model	Description
542	20 oz, White
544	40 oz, White
547	60 oz, White
272	20 oz, Black
274	40 oz, Black
277	60 oz, Black

Vacuum Jug

- Firm and durable
- European style lid
- Convenient for pouring
- Material Stainless steel



Vacuum Jug - Mirror finish

Model	Capacity
VC10-MP	1.0 Litre
VC15-MP	1.5 Litre
VC20-MP	2.0 Litre



Vacuum Jug - Mirror finish

Model	Capacity
MVP2000M	2.0 Litre
MVP1500M	1.5 Litre
MVP1000M	1.0 Litre
MVP750M	0.75 Litre



Vacuum Thermo Jug - Matt finish

Model	Capacity
VTC10-ME	1.0 Litre
VTC15-ME	1.5 Litre
VTC20-ME	2.0 Litre



Vacuum Jug - Matt finish

Model	Capacity
VCP-75S	0.75 Litre
VCP-100S	1.0 Litre
VCP-150S	1.5 Litre
VCP-200S	2.0 Litre



Vacuum Thermo Jug - Shiny finish

Model	Capacity
AP10-MI	1.0 Litre
AP15-MI	1.5 Litre
AP20-MI	2.0 Litre

Kattle

- Two layers of inner container
- Use PP lid and silica gel seal ring
- Firm and durable
- Classic exterior design
- Convenient for pouring
- Can keep the beverage cold or hot last long
- Material Stainless steel



Vacuum Jug - Matt Polish

Model	Capacity
AP10-MA	1.0 Litre
AP20-MA	2.0 Litre
AP15-MA	1.5 Litre



Vacuum Jug - Matt Polish

Model	Capacity
VCB15-MP	1.5 Litre
VCB20-MP	2.0 Litre
VCB10-MP	1.0 Litre

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

CAMBRO MANUFACTURING COMPANY

MADE IN USA

Booster Seat



Model : 200BCT

- Contoured seat, high sides, wide square base and non-skid surface for toddler comfort and safety
- Choose from dual or single seat models, with or without strap
- Durable polyethylene will not crack, dent, bubble, chip, rust or break

Model	Description
200BC	Booster seat dual double no strap
200BCS*	Booster seat dual double with straps





110 Black



519 Kentucky Green



157 Coffee Beige



131 Dark Brown



158 Hot red



186 Navy Blue

Booster Seat

- Natural, Assembled

Natural or Walnut finish		
Model	16765	16766
Dimensions	11 ¾ x 12 x 10 ¾"	11 ¾ x 12 x 10 ¾"

TABLECRAFT

PRODUCT OF USA

High chairs, Natural or Walnut finish		
Model	65A	66A
Dimensions	20 x 19 26 ¾"	20 x 19 26 ¾"



Model: 66A



Model: 65A



Model: 16765



Model: 16766

Chafing Dish - 9 Litre

- Hollow style steel legs
- Detachable lid
- Easy cleaning
- Stackable design
- Detachable lid for quick & easy cleaning
- Stackable design, easy to store
- Fuel heating adoptable
- Induction cooker adoptable
- Electrical warmer adoptable
- High quality food grade, non-megnatic stainless steel
- Mirror surface



Model: CD-A9L

Dimensions	630 x 480 x 450mm
Water pan thickness	0.6mm
Food pan thickness	0.7mm
Lid thickness	1.0mm
Frame thickness	2.2mm
Fuel holder thickness	0.6mm



Fully open at 180°



Half open at 90°



2 x1/2 food pan adoptable



Model: CDB-A9L

Dimensions	630 x 480 x 450mm
Water pan thickness	0.6mm
Soup pot thickness	0.7mm
Lid thickness	1.0mm
Frame thickness	2.2mm
Fuel holder thickness	0.6mm



Fully open at 180°



Half open at 90°



Model: CD-B9L

Dimensions	640 x 495 x 440mm
Water pan thickness	0.6mm
Food pan thickness	0.6mm
Lid thickness	0.8mm
Frame thickness	2.0mm
Fuel holder thickness	0.5mm



Fully open at 180°



Half open at 90°



2 x1/2 food pan adoptable



Model: CD-C9L-G

Dimensions	640 x 495 x 450mm
Water pan thickness	0.6mm
Food pan thickness	0.6mm
Lid thickness	0.8mm
Frame thickness	2.5mm
Fuel holder thickness	0.5mm



Fully open at 180°



Half open at 90°



2 x1/2 food pan adoptable

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



Model: CD-E9L

Dimensions	600 x 350 x 320mm
Water pan thickness	0.5mm
Food pan thickness	0.5mm
Lid thickness	0.5mm
Frame thickness	2.0mm
Fuel holder thickness	0.5mm
Capacity	9 Litre



Model: CD-A6L
1 x Dia 35mm round food pan adoptable

Dimensions	520 x 485 x 470mm
Diameter	Ø350mm
Water pan thickness	0.6mm
Food pan thickness	0.7mm
Lid thickness	1.0mm
Frame thickness	2.2mm
Fuel holder thickness	0.6mm
Capacity	6 Litre



Fully open at 180°



Half open at 90°



Model: CD-B6L
1 x Dia 35mm round food pan adoptable

Dimensions	475 x 520 x 465mm
Diameter	Ø350mm
Water pan thickness	0.7mm
Food pan thickness	0.7mm
Lid thickness	0.8mm
Frame thickness	2.0mm
Fuel holder thickness	0.5mm
Capacity	6 Litre



Fully open at 180°



Half open at 90°



Model: CD-C6L-G
1 x Dia 35mm round food pan adoptable

Dimensions	475 x 520 x 470mm
Diameter	Ø350mm
Water pan thickness	0.7mm
Food pan thickness	0.7mm
Lid thickness	0.8mm
Frame thickness	2.0mm
Fuel holder thickness	0.5mm
Capacity	6 Litre



Fully open at 180°



Half open at 90°







Chafing Dish Heater

- Heated evenly
- Durable
- Equip with Adapter plate
- Voltage: 220V/50Hz

HP-400W	400W	CDHR-700W	700W	HW-350W-1	350W Ø190mm
CDH-700W	700W	CDHR-1000W	1000W		

Coffee Urn



Model: CU-10L



Model: CU-D10L



Model: CU-D10LB

Coffee Urn , Mirror Polished 10.5 L

- All stainless steel design, eye catching and durable
- Traditional alcohol and eletric heating plate acceptable for heating, more convenient and more hygiene
- American TOMLINSON tap, effectively avoid leakage
- Tomlinson faucet
- Sturdy legs and durable construction

Single Coffee Dispenser, 10 L

- Beautiful and practical
- Material: stainless steel

Dimensions	270 x 210 x 600mm

Milk Urn



Model: MU-10L



Model: MU-D8LB



Model: MU-D8L

Milk Urn, Mirror Polished 10.5 L

- American TOMLINSON tap, effectively avoid leakage
- Class, exquisite, simple and smooth appearance
- Can be used for banquet and buffet
- Hollow central pole suitable for ice

Single Milk Dispenser, 8 L

- Beautiful and practical
- Material: stainless steel

Dimensions	270 x 350 x 560mm

Cereal Dispenser



Model: CED-7L-PC

Cereal Dispenser (PC Barrel) 7.0 L

- Nice structure, simple and elegant, solid and durable
- Made of high quality silicone, effectively avoid leakage
- Ergonomic design, easy to access, add and clean



Model: CED-9L-PC

Cereal Dispenser Capacity 9 L

- Bright surface
- High grade of transparency
- Durable use

Dimensions	345 x 250 x 660mm
Cover thickness	0.9mm
Stand thickness	1.5mm
Material	Stainless steel 304
Body material	PC (Polycarbonate)
Surface	Mirror finish

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Juice Disperser



Model: JD-5LS

Single Juice Dispenser 5 LTS

- Using TOMLISON faucet imported from US eradicating dripping effocently
- Excellent function of attack resistance and light permeability with polycarbonate barrel body

Specifications

Width	425mm
Depth	496mm
Capacity	5 Litre



Model: JD-5LD

Double Juice Dispenser Moon Bay 5 LTS x 2 pc

- Unique appearace design, patent product
- Brand new dinning experience
- TOMLINSON tap imported from America

Specifications

Width	385mm
Depth	431mm
Height	522mm
Capacity	2 x 5 Litre

Juice Dispenser Cap

- Bright surface
- Ice keeping in the center stainless steel tube
- Mechanic self cooling system
- High grade of transparency
- Durable use
- Body: PP (Polycarbonate)
- Lid thickness: 0.8mm
- Frame thickness: 1.0mm



Model: JD-8LS-PC

Dimensions	270 x 360 x 590mm
Capacity	8 Litre



Model: JD-8LD-PC

Dimensions	580 x 360 x 590mm
Capacity	2 x 8 Litre

Juice Dispenser

- Beautiful and practical
- Material: stainless steel PC+ Polycarbonate



Model: JD-8LS



Model: JD-8LSB

Dimensions	270 x 350 x 560mm
Capacity	8 Litre



Model: JD-8LD



Model: JD-8LDB

Dimensions	570 x 350 x 600mm
Capacity	2 x 8 Litre

Pre-Rinse® WATER INDUSTRY MADE IN CHINA


3 YEARS WARRANTY



Faucet:
- 146mm Overall height
- 35mm Above table
- 1.6mm Solder inlet

Model: 9840

Dipperwell Faucet & Bowl



Bowl:
- Keeps ice crean scoops & paddles clean & sanitized
- Stainless steel internal cup outer container & tail washer
- Length: 102mm length of 38mm brass tubing
- Sits flush with table top
- Drains quickly & easily

AVA Series

- Material: 18/8 stainless steel
- Thickness: 10mm



Name	Model	Length
Table Knife	AVA1/1	232mm
Table Fork	AVA1/2	208mm
Table Spoon	AVA1/3	201mm
Dessert Knife	AVA1/4	205mm
Dessert Fork	AVA1/5	182mm
Dessert Spoon	AVA1/6	182mm
Fish Knife	AVA1/7	233mm
Fish Fork	AVA1/8	211mm
Soup Spoon	AVA1/9	202mm
Round Soup Spoon	AVA1/9-R	185mm
Butter Knife	AVA1/10	165mm
Tea Spoon	AVA1/11	155mm
Coffee spoon	AVA1/12	113mm
Ice Tea Spoon	AVA1/14	214mm
Cake Fork	AVA1/15	157mm
Ice Cream Spoon	AVA1/16	137mm
Steak Knife	AVA1/17	238mm
Serving Spoon	AVA1/18	208mm
Serving Fork	AVA1/19	213mm
S-Ladle	AVA1/22	185mm
Cake Server	AVA1/26	234mm
Salad Fork	AVA1/27	198mm
Salad Spoon	AVA1/28	199mm
Salad Fork	AVA1/27-1	123mm

KATO Series

- Material: 18/8 stainless steel
- Thickness: 7.7mm



Name	Model	Length
Table Knife	KAT1/1	246mm
Table Fork	KAT1/2	200mm
Table Spoon	KAT1/3	200mm
Soup Spoon	KAT1/9	182mm
Dessert Knife	KAT1/4	219mm
Dessert Fork	KAT1/5	180mm
Dessert Spoon	KAT1/6	175mm
Cake Fork	KAT1/15	146mm
Tea Spoon	KAT1/11	141mm
Coffee Spoon	KAT1/12	127mm
Fruit Fork	KAT1/13	143mm
Butter Knife	KAT1/10	161mm
Fish Fork	KAT1/8	190mm
Fish Knife	KAT1/7	191mm
Ice Spoon	KAT1/34	199mm
Steak Knife	KAT1/17	246mm
Serving Fork	KAT1/19	209mm
Serving Spoon	KAT1/18	206mm

ROSE Series

- Material: 18/8 stainless steel
- Thickness: 7.5mm



Name	Model
Table Knife	ROS1/1
Table Fork	ROS1/2
Table Spoon	ROS1/3
Dessert Knife	ROS1/4
Dessert Fork	ROS1/5
Dessert Spoon	ROS1/6
Fish Knife	ROS1/7
Fish Fork	ROS1/8
Soup Spoon	ROS1/9
Butter Knife	ROS1/10
Tea Spoon	ROS1/11
Coffee Spoon	ROS1/12
Fruit Fork	ROS1/13
Cake Fork	ROS1/15
Steak Knife	ROS1/17
Serving Spoon	ROS1/18
Serving Fork	ROS1/19
Ice Spoon	ROS1/34

WINDSOR Series

- Material: 18/8 stainless steel
- Thickness: 7.0mm



Name	Model	Length
Table Knife	WIN1/1	233mm
Table Fork	WIN1/2	200mm
Table Spoon	WIN1/3	260mm
Cake Fork	WIN1/15	144mm
Tea Spoon	WIN1/11	141mm
Fruit Fork	WIN1/13	148mm
Serving Spoon	WIN1/18	203mm
Soup Spoon	WIN1/9	189mm
Sugar Spoon	WIN1/33	135mm
Salad Spoon	WIN1/28	196mm
Salad Fork	WIN1/27	195mm
Fish Fork	WIN1/8	205mm
Fish Knife	WIN1/7	215mm
Coffee Spoon	WIN1/12	120mm
Dessert Knife	WIN1/4	210mm
Dessert Fork	WIN1/5	178mm
Dessert Spoon	WIN1/6	180mm
Butter Knife	WIN1/10	153mm
Steak Knife	WIN1/17	233mm
Ice Cream Spoon	WIN1/16	138mm

APOLLO Series

- Material: 18/8 stainless steel
- Thickness: 7.0mm



Name	Model	Length
Table Knife	APO1/1	233mm
Table Fork	APO1/2	205mm
Table Spoon	APO1/3	210mm
Dessert Knife	APO1/4	201mm
Dessert Fork	APO1/5	187mm
Dessert Spoon	APO1/6	187mm
Fish Knife	APO1/7	220mm
Fish Fork	APO1/8	208mm
Soup Spoon	APO1/9	192mm
Butter Knife	APO1/10	156mm
Tea Spoon	APO1/11	144mm
Coffee Spoon	APO1/12	112mm
Fruit Fork	APO1/13	149mm
Ice Tea Spoon	APO1/14	202mm
Cake Fork	APO1/15	148mm
Ice Cream Spoon	APO1/16	138mm
Steak Knife	APO1/17	228mm
Serving Spoon	APO1/18	208mm
Salad Fork	APO1/27	198mm
Salad Spoon	APO1/28	200mm
Sugar Spoon	APO1/33	139mm

FETA Series

- Material: 18/8 stainless steel
- Thickness: 7.0mm



Name	Model	Length
Table Knife	FET1/1	237mm
Table Fork	FET1/2	201mm
Table Spoon	FET1/3	209mm
Dessert Knife	FET1/4	210mm
Dessert Fork	FET1/5	192mm
Dessert Spoon	FET1/6	192mm
Fish Knife	FET1/7	220mm
Fish Fork	FET1/8	209mm
Soup Spoon	FET1/9	192mm
Butter Knife	FET1/10	154mm
Tea Spoon	FET1/11	144mm
Coffee Spoon	FET1/12	111mm
Fruit Fork	FET1/13	150mm
Ice Tea Spoon	FET1/14	202mm
Cake Fork	FET1/15	145mm
Ice Cream Spoon	FET1/16	136mm
Steak Knife	FET1/17	232mm
Serving Spoon	FET1/18	208mm
Salad Fork	FET1/27	198mm
Salad Spoon	FET1/28	199mm
Long Serving Fork	FET1/31	214mm
Long Serving Spoon	FET1/32	210mm
Sugar Spoon	FET1/33	139mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

SAK Series

- Material: 18/8 stainless steel
- Thickness: 7.0mm



Name	Model	Length
Table Knife	SAK1/1	237mm
Table Fork	SAK1/2	206mm
Table Spoon	SAK1/3	206mm
Cake Fork	SAK1/15	142mm
Tea Spoon	SAK1/11	138mm
Fruit Fork	SAK1/13	150mm
Serving Spoon	SAK1/18	210mm
Soup Spoon	SAK1/9	176mm
Sugar Spoon	SAK1/33	136mm
Salad Spoon	SAK1/28	204mm
Salad Fork	SAK1/27	201mm
Fish Fork	SAK1/8	210mm
Fish Knife	SAK1/7	225mm
Coffee Spoon	SAK1/12	120mm
Dessert Knife	SAK1/4	208mm
Dessert Fork	SAK1/5	183mm
Dessert Spoon	SAK1/6	180mm
Butter Knife	SAK1/10	153mm
Ice Tea Spoon	SAK1/14	192mm
Steak Knife	SAK1/17	241mm
Ice Cream Spoon	SAK1/16	136mm

ALESSIA Series

- Material: 18/8 stainless steel
- Thickness: 7.0mm



Name	Model	Length
Table Knife	ALE1/1	226mm
Tea Spoon	ALE1/11	155mm
Tea Spoon	ALE1/11-1	138mm
S-Tea Spoon	ALE1/11-2	140mm
Coffee Spoon	ALE1/12	124mm
Ice Tea Spoon	ALE1/14	185mm
Cake Fork	ALE1/15	158mm
S-Cake Fork	ALE1/15-1	140mm
Steak Snife	ALE1/17	231mm
Serving Spoon	ALE1/18	232mm
Serving Fork	ALE1/19	290mm
Table Fork	ALE1/2	200mm
Table Spoon	ALE1/3	203mm
Dessert Knife	ALE1/4	207mm
Dessert Fork	ALE1/5	184mm
Dessert Spoon	ALE1/6	183mm
Soup Spoon	ALE1/9	198mm
M-Soup Spoon	ALE1/9-1	176mm

COLTON Series

- Material: 18/8 stainless steel
- Thickness: 7mm



Name	Model	Length
Table knife	COL1/1	230mm
Table fork	COL1/2	211mm
Table spoon	COL1/3	203mm
Dessert knife	COL1/4	197mm
Dessert fork	COL1/5	184mm
Dessert spoon	COL1/6	180mm
Fish knife	COL1/7	188mm
Fish fork	COL1/8	182mm
Soup spoon	COL1/9	201mm
Butter knife	COL1/10	160mm
Tea spoon	COL1/11	143mm
Coffee spoon	COL1/12	118mm
Fruit fork	COL1/13	117mm
Ice tea spoon	COL1/14	225mm
Cake fork	COL1/15	146mm
Steak knife	COL1/17	238mm
Serving spoon (oval head)	COL1/18-O	247mm
Serving spoon (round head)	COL1/18-R	243mm

ISAAC Series

- Material: 18/8 stainless steel
- Thickness: 6mm



Name	Model	Length
Table Knife	ISC1/1	241mm
Table Fork	ISC1/2	200mm
Table Spoon	ISC1/3	202mm
Dessert Knife	ISC1/4	215mm
Dessert Fork	ISC1/5	184mm
Dessert Spoon	ISC1/6	183mm
Fish Knife	ISC1/7	220mm
Fish Fork	ISC1/8	195mm
Soup Spoon	ISC1/9	190mm
Butter Knife	ISC1/10	160mm
Tae Spoon	ISC1/11	141mm
Coffee spoon	ISC1/12	118mm
Fruit Fork	ISC1/13	146mm
Ice tea Spoon	ISC1/14	198mm
Cake Fork	ISC1/15	140mm
Ice Cream Spoon	ISC1/16	135mm
Steak Knife	ISC1/17	243mm
Large Serving Spoon	ISC1/18-L	225mm
Serving Fork	ISC1/19	225mm
Salad Fork	ISC1/27	203mm
Salad Spoon	ISC1/28	202mm
Suger Spoon	ISC1/33	135mm
Serving knife	ISC1/46	323mm

BOSTON Series

- Material: 18/8 stainless steel
- Thickness: 5mm



Name	Model	Length
Table knife	BOS1/1	242mm
Table fork	BOS1/2	207mm
Table spoon	BOS1/3	210mm
Dessert knife	BOS1/4	225mm
Dessert fork	BOS1/5	203mm
Dessert spoon	BOS1/6	197mm
Fish knife	BOS1/7	230mm
Fish fork	BOS1/8	200mm
Soup spoon	BOS1/9	200mm
Tea spoon	BOS1/11	138mm
Coffee spoon	BOS1/12	117mm
Fruit fork	BOS1/13	147mm
Ice tea spoon	BOS1/14	204mm
Cake fork	BOS1/15	144mm
Steak knife	BOS1/17	240mm
Serving Spoon	BOS1/18	213mm
Serving fork	BOS1/19	213mm

BEVAN Series

- Material: 18/8 stainless steel
- Thickness: 5mm



Name	Model	Length
Table knife	BEV1/1	234mm
Table fork	BEV1/2	208mm
Table spoon	BEV1/3	208mm
Dessert knife	BEV1/4	219mm
Dessert fork	BEV1/5	182mm
Dessert spoon	BEV1/6	180mm
Fish knife	BEV1/7	222mm
Fish fork	BEV1/8	201mm
Soup spoon	BEV1/9	196mm
Tea spoon	BEV1/11	148mm
Coffee spoon	BEV1/12	120mm
Fruit fork	BEV1/13	147mm
Ice tea spoon	BEV1/14	202mm
Cake fork	BEV1/15	152mm
Steak knife	BEV1/17	237mm
Serving spoon	BEV1/18	244mm
Serving fork	BEV1/19	239mm

DARWIN Series

- Material: 18/8 stainless steel
- Thickness: 5mm



Name	Model	Length
Table knife	DAR1/1	240mm
Table fork	DAR1/2	210mm
Table spoon	DAR1/3	210mm
Dessert knife	DAR1/4	206mm
Dessert fork	DAR1/5	188mm
Desert spoon	DAR1/6	184mm
Soup spoon	DAR1/9	202mm
Butter knife	DAR1/10	161mm
Tea spoon	DAR1/11	154mm
Coffee spoon	DAR1/12	127mm
Fruit fork	DAR1/13	138mm
Ice tea spoon	DAR1/14	199mm
Cake fork	DAR1/15	156mm
Steak knife	DAR1/17	245mm
Serving spoon	DAR1/18	228mm
Serving fork	DAR1/19	233mm

DONNIE Series

- Meterial: 18/8 stainless steel
- Thickness: 5mm



Name	Model	Length
Table Knife	DON1/1	234mm
Table Fork	DON1/2	204mm
Table Spoon	DON1/3	201mm
Dessert Knife	DON1/4	210mm
Dessert Fork	DON1/5	180mm
Dessert Spoon	DON1/6	181mm
Fish Knife	DON1/7	225mm
Fish Fork	DON1/8	210mm
Soup Spoon	DON1/9	190mm
Soup Spoon 7"	DON1/9-M	171mm
Butter Knife	DON1/10	159mm
Tea Spoon	DON1/11	145mm
Coffee Spoon	DON1/12	114mm
Fruit Fork	DON1/13	157mm
Ice Tea Spoon	DON1/14	190mm
Cake Fork	DON1/15	156mm
Ice Cream Spoon	DON1/16	145mm
Steak Knife	DON1/17	236mm
Serving Spoon	DON1/18	212mm
Serving Spoon#1	DON1/18-1	203mm
Serving Fork	DON1/19	218mm
Salad Fork	DON1/27	203mm
Salad Spoon	DON1/28	203mm
Sugar Spoon	DON1/33	143mm

LUKE Series

- Material: 18/8 stainless steel
- Thickness: 5mm



Name	Model	Length
Table Knife	LUK1/1	241mm
Table Fork	LUK1/2	208mm
Table Spoon	LUK1/3	210mm
Dessert Knife	LUK1/4	212mm
Dessert Fork	LUK1/5	177mm
Dessert Spoon	LUK1/6	183mm
Fish Knife	LUK1/7	179mm
Fish Fork	LUK1/8	175mm
Soup Spoon	LUK1/9	175mm
Butter Knife	LUK1/10	133mm
Tea Spoon	LUK1/11	134mm
Coffee spoon	LUK1/12	106mm
Fruit Fork	LUK1/13	133mm
Ice Tea Spoon	LUK1/14	184mm
Cake Fork	LUK1/15	133mm
Ice Cream Spoon	LUK1/16	125mm
Steak Knife	LUK1/17	243mm
Serving Spoon 8"	LUK1/18	191mm
Serving Fork	LUK1/19	280mm
Salad Fork	LUK1/27	190mm
Salad Spoon	LUK1/28	192mm
Long Serving Spoon	LUK1/32	270mm
Suger Spoon	LUK1/33	130mm

STAR Series

- Meterial: 18/8 stainless steel
- Thickness: 5mm



Name	Model
Table Knife	STA1/1
Table Fork	STA1/2
Table Spoon	STA1/3
Dessert Knife	STA1/4
Dessert Fork	STA1/5
Dessert Spoon	STA1/6
Fish Knife	STA1/7
Fish Fork	STA1/8
Soup Spoon	STA1/9
Butter Knife	STA1/10
Tea Spoon	STA1/11
Coffee Spoon	STA1/12
Fruit Fork	STA1/13
Ice Tea Spoon	STA1/14
Cake Fork	STA1/15
Steak Knife	STA1/17
Serving Spoon	STA1/18
Serving Fork	STA1/19
Salad Fork	STA1/27
Salad Spoon	STA1/28

TULIP Series

- Material: 18/8 stainless steel
- Thickness: 4.5mm



Name	Model
Table Knife	TUL1/1
Table Fork	TUL1/2
Table Fork#2	TUL1/2-2
Table Spoon	TUL1/3
Table Spoon#2	TUL1/3-2
Dessert Knife	TUL1/4
Dessert Fork	TUL1/5
Dessert Spoon	TUL1/6
Fish Knife	TUL1/7
Fish Fork	TUL1/8
Soup Spoon	TUL1/9
Soup Spoon#1	TUL1/9-1
Soup Spoon#2	TUL1/9-2
Butter Knife	TUL1/10
Tea Spoon (oval head)	TUL1/11-O
Tea Spoon (round head)	TUL1/11-R
Coffee Spoon	TUL1/12
Fruit Fork	TUL1/13
Ice Tea Spoon	TUL1/14
Cake Fork	TUL1/15
Ice Cream Spoon	TUL1/16
Steak Knife	TUL1/17
Serving Spoon	TUL1/18
Soup Ladle 10"	TUL1/29-10
Perforated Soup Ladle 10"	TUL1/29-10P
Soup Ladle 8"	TUL1/29-8
Perforated Soup Ladle 8"	TUL1/29-8P
Meat Fork	TUL1/30
Fruit Knife	TUL1/39

CARSEN Series

- Material: 18/8 stainless steel
- Thickness: 4mm



Name	Model	Length
Table knife	CAR1/1	235mm
Table fork	CAR1/2	197mm
Table spoon	CAR1/3	201mm
Dessert knife	CAR1/4	217mm
Dessert fork	CAR1/5	188mm
Dessert spoon	CAR1/6	192mm
Fish knife	CAR1/7	202mm
Fish fork	CAR1/8	195mm
Soup spoon	CAR1/9	182mm
Butter knife	CAR1/10	149mm
Tea spoon	CAR1/11	142mm
Coffee spoon	CAR1/12	119mm
Fruit fork	CAR1/13	146mm
Ice tea spoon	CAR1/14	205mm
Cake fork	CAR1/15	140mm
Ice cream spoon	CAR1/16	134mm
Steak knife	CAR1/17	238mm
Serving spoon	CAR1/18-1	196mm
Serving Spoon#2	CAR1/18-2	195mm
Serving fork	CAR1/19	203mm
Salad fork	CAR1/27	188mm
Salad spoon	CAR1/28	187mm
Soup Ladle 13"	CAR1/29-L	324mm
Soup Ladle 7"	CAR1/29-S	190mm
Sugar spoon	CAR1/33	136mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

NOAH Series

- Material: 18/8 stainless steel
- Thickness: 4mm



Name	Model	Length
Table Knife	NOA1/1	238mm
Table Fork	NOA1/2	222mm
Table Spoon	NOA1/3	220mm
Soup Spoon	NOA1/9	207mm
Fruit Fork	NOA1/13	156mm
Dessert Knife	NOA1/4	218mm
Dessert Fork	NOA1/5	192mm
Dessert Spoon	NOA1/6	190mm
Steak Knife	NOA1/17	236mm
Coffee Spoon	NOA1/12	140mm
Butter Knife	NOA1/10	160mm
Cake Fork	NOA1/15	153mm
Tea Spoon	NOA1/11	150mm
Ice Tea Spoon	NOA1/14	190mm
Serving Fork	NOA1/19	223mm
Serving Spoon	NOA1/18-1	223mm
Fish Fork	NOA1/8	217mm
Fish Knife	NOA1/7	228mm
Ice Cream Spoon	NOA1/16	143mm
Salad Fork	NOA1/27	215mm
Salad Spoon	NOA1/28	212mm
Serving Spoon#2	NOA1/18-2	219mm
Sugar Spoon	NOA1/33	143mm

MIA Series

- Material: 18/8 stainless steel
- Thickness: 4mm



Name	Model	Length
Table Knife	MIA1/1	260mm
Table Fork	MIA1/2	214mm
Table Spoon	MIA1/3	216mm
Dessert Knife	MIA1/4	228mm
Dessert Fork	MIA1/5	194mm
Dessert Spoon	MIA1/6	192mm
Fish Knife	MIA1/7	232mm
Fish Fork	MIA1/8	215mm
Soup Spoon	MIA1/9	178mm
Butter Knife	MIA1/10	180mm
Tea Spoon	MIA1/11	143mm
Coffee spoon	MIA1/12	112mm
Fruit Fork	MIA1/13	145mm
Ice Tea Spoon	MIA1/14	179mm
Cake Fork	MIA1/15	150mm
Ice Cream Spoon	MIA1/16	138mm
Steak Knife	MIA1/17	255mm
Serving Spoon	MIA1/18	205mm
Large Serving Spoon	MIA1/18-L	212mm
Serving Fork	MIA1/19	214mm
Salad Fork	MIA1/27	200mm
Salad Spoon	MIA1/28	200mm
Suger Spoon	MIA1/33	137mm

MURRAY Series

- Material: 18/8 stainless steel
- Thickness: 4mm



Name	Model
Table Knife	MUR1/1
Table Fork	MUR1/2
Table Spoon	MUR1/3
Dessert Knife	MUR1/4
Dessert Fork	MUR1/5
Dessert Spoon	MUR1/6
Fish Knife	MUR1/7
Fish Fork	MUR1/8
Soup Spoon	MUR1/9
Butter Knife	MUR1/10
Tea Spoon	MUR1/11
Coffee Spoon	MUR1/12
Fruit Fork	MUR1/13
Ice Tea Spoon	MUR1/14
Cake Fork	MUR1/15
Ice Cream Spoon	MUR1/16
Steak Knife	MUR1/17
Service Spoon	MUR1/18
Serving Spoon#2	MUR1/18-2
Serving Fork	MUR1/19
Salad Fork	MUR1/27
Salad Spoon	MUR1/28

RITA Series

- Material:18/8 stainless steel
- Thickness: 3.5mm



Name	Model
Serving Fork	RIT1/19
Serving Spoon	RIT1/18
Serving Ladle	RIT1/41

ROBIN Series

- Material: 18/0 stainless steel
- Thickness: 12mm



Name	Model
Table Knife	ROB1/1
Table Fork	ROB1/2
Table Spoon	ROB1/3
Soup Spoon	ROB1/9
Dessert Fork	ROB1/5
Dessert Spoon	ROB1/6
Soup Spoon 7"	ROB1/9-1
Steak Knife	ROB1/17
Butter Knife	ROB1/10
Tea Spoon	ROB1/11
Fruit Fork	ROB1/13
Coffee Spoon	ROB1/12
Serving Fork	ROB1/19
Slotted Spoon	ROB1/38
Serving Spoon	ROB1/18

CADY Series

- Material: 18/0 stainless steel
- Thickness: 10mm



Name	Model	Length
Table Knife	CAD1/1	235mm
Table Fork	CAD1/2	197mm
Table Spoon	CAD1/3	201mm
Dessert Knife	CAD1/4	204mm
Dessert Fork	CAD1/5	172mm
Dessert Spoon	CAD1/6	177mm
Fish Knife	CAD1/7	212mm
Fish Fork	CAD1/8	207mm
Soup Spoon	CAD1/9	187mm
Soup Spoon	CAD1/9-1	165mm
Butter Knife	CAD1/10	158mm
Tea Spoon	CAD1/11	141mm
Coffee Spoon	CAD1/12	108mm
Fruit Fork	CAD1/13	107mm
Ice Tea Spoon	CAD1/14	214mm
Cake Fork	CAD1/15	146mm
Ice Cream Spoon	CAD1/16	133mm
Steak Knife	CAD1/17	235mm
Service Spoon	CAD1/18	203mm
Service Fork	CAD1/19	235mm
Cake Server	CAD1/26	228mm
Salad Fork	CAD1/27	238mm
Salad Spoon	CAD1/28	238mm
Soup Ladle 12"	CAD1/29-L	310mm
Soup Ladle 7"	CAD1/29-S	171mm
Meat Fork	CAD1/30	139mm

ELMER Series

- Material: 18/0 stainless steel
- Thickness: 6mm



Name	Model	Length
Table Knife	ELM1/1	242mm
Table Knife 8"	ELM1/1-1	212mm
Table Fork	ELM1/2	200mm
Table fork 7"	ELM1/2-1	186mm
Table Spoon	ELM1/3	208mm
Fish Knife	ELM1/7	207mm
Fish Fork	ELM1/8	197mm
Soup Spoon	ELM1/9	196mm
Soup Spoon 7"	ELM1/9-1	175mm
Butter knife	ELM1/10	156mm
Tea Spoon	ELM1/11	141mm
Coffee Spoon	ELM1/12	129mm
Fruit Fork	ELM1/13	130mm
Ice Tea Spoon	ELM1/14	198mm
Cake Fork	ELM1/15	150mm
Ice Cream Spoon	ELM1/16	143mm
Steak Knife	ELM1/17	242mm
Ice Cream Spoon	ELM1/16	143mm
Serving Spoon	ELM1/18	210mm
Serving Fork	ELM1/19	212mm
Salad Fork	ELM1/27	195mm
Salad Spoon	ELM1/28	200mm
Sugar Spoon	ELM1/33	141mm

MAXIMUS Series

- Material: 18/0 stainless steel
- Thickness: 5mm



Name	Model
Table Knife	MAX1/1
Table Fork	MAX1/2
Table Spoon	MAX1/3
Dessert Knife	MAX1/4
Dessert Fork	MAX1/5
Dessert Spoon	MAX1/6
Fish Knife	MAX1/7
Fish Fork	MAX1/8
Soup Spoon	MAX1/9
M-Soup Spoon	MAX1/9-M
Tea Spoon	MAX1/11
Tea Spoon	MAX1/11-1
S-Tea Spoon	MAX1/11-S
Coffee Spoon	MAX1/12
Fruit Fork	MAX1/13
Ice Tea Spoon	MAX1/14
Cake Fork	MAX1/15
Steak Knife	MAX1/17
Serving Spoon	MAX1/18
Serving Fork	MAX1/19
Butter Knife	MAX1/20
Salad Fork	MAX1/27
Salad Spoon	MAX1/28
Soup Ladle#1	MAX1/29-1
Perforated Soup Ladle#1	MAX1/29-1P
Soup Ladle#2	MAX1/29-2
Perforated Soup Ladle#2	MAX1/29-2P
Soup Ladle 8"	MAX1/29-S

PERRY Series

- Material: 18/0 stainless steel
- Thickness: 5mm



Name	Model
Table Knife	PER1/1
Table Fork	PER1/2
Table Spoon	PER1/3
Dessert Knife	PER1/4
Dessert Fork	PER1/5
Dessert Spoon	PER1/6
Fish Knife	PER1/7
Fish Fork	PER1/8
Soup Spoon	PER1/9
Soup Spoon 7"	PER1/9-2
Butter Knife	PER1/10
Tea Spoon	PER1/11
Coffee Spoon	PER1/12
Fruit Fork	PER1/13
S-Fruit Fork	PER1/13-S
Cake Fork	PER1/15
Ice Cream Spoon	PER1/16
Steak Knife	PER1/17
Serving Spoon	PER1/18
Serving Fork	PER1/19
Salad Fork	PER1/27
Salad Spoon	PER1/28
Sugar Spoon	PER1/33
Ice Spoon	PER1/34

PRINCE Series

- Material: 18/0 stainless steel
- Thickness: 5mm



Name	Model
Table Knife	PRI1/1
Table Fork	PRI1/2
Table Spoon	PRI1/3
Dessert Knife	PRI1/4
Dessert Fork	PRI1/5
Dessert Spoon	PRI1/6
Fish Knife	PRI1/7
Soup Spoon	PRI1/9
Soup Spoon#2	PRI1/9-2
Butter Knife	PRI1/10
Tea Spoon(oval head)	PRI1/11-O
Tea Spoon(round head)	PRI1/11-R
Coffee Spoon	PRI1/12
Fruit Fork	PRI1/13
Ice Tea Spoon	PRI1/14
Cake Fork	PRI1/15
Ice Cream Spoon	PRI1/16
Steak Knife	PRI1/17
Serving Spoon	PRI1/18
Serving Spoon 10"	PRI1/18-1
Serving Fork	PRI1/19
Cake Server	PRI1/26
Salad Fork	PRI1/27
Salad Spoon	PRI1/28
Soup Ladle 8"	PRI1/29
Meat Fork	PRI1/30

PORTER Series

- Material: 18/0 stainless steel
- Thickness: 5mm



Name	Model
Table Knife	POR1/1
Table Fork	POR1/2
Table Spoon	POR1/3
Dessert Knife	POR1/4
Dessert Fork	POR1/5
Dessert Spoon	POR1/6
Fish Knife	POR1/7
Soup Spoon	POR1/9
Soup Spoon 7"	POR1/9-1
Butter Knife	POR1/10
Tea Spoon(oval head)	POR1/11-O
Tea Spoon(round head)	POR1/11-R
Coffee Spoon	POR1/12
Fruit Fork	POR1/13
Ice Tea Spoon(oval head)	POR1/14-O
Ice Tea Spoon(round head)	POR1/14-R
Cake Fork	POR1/15
Steak Knife	POR1/17
Serving Spoon	POR1/18
Serving Spoon 8"	POR1/18-1
Serving Fork	POR1/19
Cake Server	POR1/26
Salad Fork	POR1/27
Salad Spoon	POR1/28
Soup Ladle 8"	POR1/29
Meat Fork	POR1/30

FORREST Series

- Material: 18/0 stainless steel
- Thickness: 4.5mm



Name	Model	Length
Table Knife	FOR1/1	235mm
Table Fork	FOR1/2	207mm
Table Spoon	FOR1/3	208mm
Dessert Fork	FOR1/5	180mm
Dessert Spoon	FOR1/6	180mm
Fish Knife	FOR1/7	220mm
Tea Spoon	FOR1/11	149mm
Coffee Spoon	FOR1/12	127mm
Fruit Fork	FOR1/13	131mm
Cake Fork	FOR1/15	150mm
Ice Cream Spoon	FOR1/16	144mm
Salad Fork	FOR1/27	207mm
Soup Ladle 10"	FOR1/29-10	242mm
Perforated Soup-Ladle 10"	FOR1/29-10P	242mm
Soup Ladle 11"	FOR1/29-11	290mm
Perforated Soup-Ladle 11"	FOR1/29-11P	290mm
Sugar Spoon	FOR1/33	140mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

HOWARD Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	HOW1/1	228mm
Table Fork	HOW1/2	199mm
Table Spoon	HOW1/3	198mm
Dessert Knife	HOW1/4	203mm
Dessert Fork	HOW1/5	180mm
Dessert Spoon	HOW1/6	178mm
Soup Spoon	HOW1/9	186mm
Soup Spoon	HOW1/9-2	167mm
Tea Spoon	HOW1/11	145mm
Tea Spoon	HOW1/11-1	133mm
Coffee Spoon	HOW1/12-1	117mm
Coffee Spoon	HOW1/12	120mm
Fruit Fork	HOW1/13	118mm
Ice Tea Spoon (oval head)	HOW1/14-O	188mm
Ice Tea Spoon (round head)	HOW1/14-R	186mm
Cake Fork	HOW1/15	141mm
Steak Knife	HOW1/17	233mm

NOVA Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	NOV1/1	233mm
Table Fork	NOV1/2	205mm
Table Fork#2	NOV1/2-2	184mm
Table Spoon	NOV1/3	204mm
Table Spoon#2	NOV1/3-2	177mm
Dessert Fork	NOV1/5	160mm
Dessert Spoon	NOV1/6	148mm
Soup Spoon	NOV1/9	188mm
Soup Spoon#2	NOV1/9-2	168mm
Soup Spoon#3	NOV1/9-3	149mm
Tea Spoon	NOV1/11	125mm
Tea Spoon	NOV1/11-1	121mm
Ice Tea Spoon	NOV1/14-1	166mm
Coffee Spoon	NOV1/12	105mm
Fruit Fork	NOV1/13	118mm
Ice Tea Spoon	NOV1/14-2	176mm
Cake Fork	NOV1/15	131mm
Steak Knife	NOV1/17	235mm
Cake Server	NOV1/26	223mm
Soup Ladle 10"	NOV1/29-10	243mm
Perforated Soup-Ladle 10"	NOV1/29-10P	243mm
Soup Ladle 11"	NOV1/29-11	280mm
Perforated Soup-Ladle 11"	NOV1/29-11P	280mm
Soup Ladle 8"	NOV1/29-8	212mm

IRWIN Series

- Material: 18/0 stainless steel
- Thickness: 2.2mm



Name	Model	Length
Table Knife	IRW1/1	215 x 18mm
Coffee Spoon	IRW1/12	105 x 22mm
Table Fork#1	IRW1/2-1	188 x 25mm
Table Fork#2	IRW1/2-2	173 x 25mm
Table Fork#3	IRW1/2-3	150 x 20mm
Table Fork#4	IRW1/2-4	133 x 17mm
Table Spoon#1	IRW1/3-1	187 x 40mm
Table Spoon#2	IRW1/3-2	176 x 36mm
Table Spoon#3	IRW1/3-3	151 x 31mm
Table Spoon#4	IRW1/3-4	132 x 24mm
Soup Spoon-1	IRW1/9-1	180 x 40mm
Soup Spoon-2	IRW1/9-2	170 x 36mm
Soup Spoon-3	IRW1/9-3	143 x 31mm
Soup Spoon-4	IRW1/9-4	126 x 25mm
Ice Spoon	IRW1/34	190 x 26mm

FABIO Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	FAB1/1	228mm
Table Fork	FAB1/2	207mm
Table Fork#3	FAB1/2-3	170mm
Table Spoon	FAB1/3	202mm
Table Spoon#3	FAB1/3-3	169mm
Dessert Knife	FAB1/4	204mm
Dessert Fork	FAB1/5	183mm
Dessert Spoon	FAB1/6	178mm
Fish Knife	FAB1/7	198mm
Fish Fork	FAB1/8	202mm
Soup Spoon-1	FAB1/9-1	183mm
Soup Spoon-2	FAB1/9-2	165mm
Soup Spoon-3	FAB1/9-3	156mm
Soup Spoon-4	FAB1/9-4	124mm
Soup Spoon-5	FAB1/9-5	110mm
Butter Knife	FAB1/10	145mm
Tea Spoon	FAB1/11	136mm
Coffee Spoon	FAB1/12	124mm
Fruit Fork	FAB1/13	130mm
Ice Tea Spoon	FAB1/14	130mm
Ice Tea Spoon (oval head)	FAB1/14-O	193mm
Ice Tea Spoon (round head)	FAB1/14-R	185mm
Cake Fork	FAB1/15	140mm
Steak Knife	FAB1/17	222mm
Serving Spoon	FAB1/18	207mm
Serving Spoon 10"	FAB1/18-10	247mm
Serving Fork	FAB1/19	220mm
Salad Fork	FAB1/27	197mm
Salad Spoon	FAB1/28	194mm
Soup Ladle 11"	FAB1/29-L	281mm
Soup Ladle 7"	FAB1/29-S	172mm
Meat Fork	FAB1/30	140mm
Appetizer Fork	FAB1/35	130mm
Appetizer Spoon	FAB1/36	130mm
Appetizer Spoon	FAB1/36-1	115mm
Sugar Tong	FAB1/37	105mm
Cake Knife	FAB1/40	226mm

GANNON Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	GAN1/1	233mm
Table Fork	GAN1/2	202mm
Table Fork 6"	GAN1/2-1	160mm
Table Spoon	GAN1/3	200mm
Table Spoon 6"	GAN1/3-1	152mm
Dessert Fork	GAN1/5	192mm
Dessert Spoon	GAN1/6	185mm
Soup Spoon	GAN1/9	182mm
Soup Spoon#3	GAN1/9-1	145mm
M-Soup Spoon	GAN1/9-M	180mm
Tea Spoon	GAN1/11	135mm
Tea Spoon#2	GAN1/11-2	125mm
Coffee Spoon	GAN1/12	110mm
Coffee Spoon (round head)	GAN1/12-R	110mm
Fruit Fork	GAN1/13	120mm
Cake Fork	GAN1/15	136mm
Ice Cream Spoon	GAN1/16	133mm
Steak Knife	GAN1/17	230mm
Serving Spoon	GAN1/18	207mm
Salad Fork	GAN1/27	196mm
Salad Spoon	GAN1/28	192mm
Ice Spoon#1	GAN1/34-1	180mm
Ice Spoon#2	GAN1/34-2	171mm

KINGSTON Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	KIN1/1	223mm
Table Fork	KIN1/2	201mm
Table Spoon	KIN1/3	205mm
Tea Spoon	KIN1/11	145mm

KENNY Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	KEN1/1	223mm
Table Fork	KEN1/2	201mm
Table Spoon	KEN1/3	205mm
Tea Spoon	KEN1/11	145mm

MASSIMO Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	MAS1/1	223mm
Table Fork	MAS1/2	201mm
Table Spoon	MAS1/3	205mm
Tea Spoon	MAS1/11	145mm

LENNIE Series

- Material: 18/0 stainless steel
- Thickness: 3mm



Name	Model	Length
Table Knife	LEN1/1	223mm
Table Fork	LEN1/2	201mm
Table Spoon	LEN1/3	205mm
Tea Spoon	LEN1/11	145mm

JESSIE Series

- Material: 18/0 stainless steel



Name	Model	Length
Table Knife	JES1/1	223mm
Table Fork	JES1/2	180mm
Table Spoon	JES1/3	180mm
Tea Spoon	JES1/11	150mm

HUBERT Series

- Material: 18/0 Stainless steel
- Thickness: 2.2mm



Name	Model	Length
Table Knife	HUB1/1	215 x 18mm
Coffee Spoon	HUB1/12	105 x 22mm
Table Fork#1	HUB1/2-1	188 x 25mm
Table Fork#2	HUB1/2-2	173 x 25mm
Table Fork#3	HUB1/2-3	150 x 20mm
Table Fork#4	HUB1/2-4	133 x 17mm
Table Spoon#1	HUB1/3-1	187 x 40mm
Table Spoon#2	HUB1/3-2	176 x 36mm
Table Spoon#3	HUB1/3-3	151 x 31mm
Ice Spoon	HUB1/34	190 x 26mm
Table Spoon#4	HUB1/3-4	132 x 24mm
Soup Spoon-1	HUB1/9-1	180 x 40mm
Soup Spoon-2	HUB1/9-2	170 x 36mm
Soup Spoon-3	HUB1/9-3	143 x 31mm
Soup Spoon-4	HUB1/9-4	126 x 25mm

IBAHIM Series

- Material: 18/0 stainless steel
- Thickness 2.2mm



Name	Model	Length
Table Knife	IBA1/1	215 x 18mm
Table Fork#1	IBA1/2-1	188 x 25mm
Table Fork#2	IBA1/2-2	173 x 25mm
Table Fork#3	IBA1/2-3	150 x 20mm
Table Fork#4	IBA1/2-4	133 x 17mm
Table Spoon	IBA1/3-1	187 x 40mm
Table Spoon#2	IBA1/3-2	176 x 36mm
Table Spoon#3	IBA1/3-3	151 x 31mm
Table Spoon#4	IBA1/3-4	132 x 24mm
Soup Spoon-1	IBA1/9-1	180 x 40mm
Soup Spoon-2	IBA1/9-2	170 x 36mm
Soup Spoon-3	IBA1/9-3	143 x 31mm
Soup Spoon-4	IBA1/9-4	126 x 25mm
Coffee Spoon	IBA1/12	105 x 22mm
Ice Spoon	IBA1/34	190 x 26mm

JORDAN Series

- Material: 18/0 stainless steel



Name	Model	Length
Table Knife	JOR1/1	223mm
Table Fork	JOR1/2	180mm
Table Spoon	JOR1/3	180mm
Tea Spoon	JOR1/11	150mm

JAYSON Series

- Material: 18/0 stainless steel



Name	Model	Length
Table Knife	JAY1/1	223mm
Table Fork	JAY1/2	180mm
Table Spoon	JAY1/3	180mm
Tea Spoon	JAY1/11	150mm

JUSTICE Series

- Material: 18/0 stainless steel



Name	Model	Length
Table Knife	JUS1/1	223mm
Table Fork	JUS1/2	180mm
Table Spoon	JUS1/3	180mm
Tea Spoon	JUS1/11	150mm



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

24 Pieces with Gift Box Set

- Material: non-magnatic stainless steel
- Box: aluminum alloy + PVC


Model: LUK-S24


Model: ISC-S24


Model: CAR-S24


Model: FOR-S24


Model: ALL-S24


Model: ABB-S24


Model: AMY-S24


Model: ASP-S24


Model: FAB-S24


Model: GAN-S24


Model: HOW-S24


Model: ELM-S24


Model: CAD-S24


Model: ABR-S24

4 Pieces with Gift Box Set

- Material: non-megnatic stainless steel
- Box: corrugated paper and wooden


Model: ISC-S4


Model: CAR-S4


Model: FOR-S4/1
Model: FOR-S4/2


Model: ELM-S4

130 Pieces with Gift Box Set

- Material: non-megnatic stainless steel
- Box: corrugated paper


Model: ISC-S130


Model: FAB-S130


Model: BRI-S4/2


Model: BRI-S4/3


Model: BRI-S4/4

72 Pieces with Gift Box Set

- Material: non-magnatic stainless steel
- Box: aluminum alloy + PVC + wooden


Model: ISC-S72


Model: CAR-S24



Model: FAB-S72


Model: GAN-S72


Model: CAD-S72


Model: TUL-S72

High quality textilene placemat
Beautiful decoration to table
Hot trimming to prevent loose edges
More durable than ordinary cutting
Dimension: 300 x 450mm



A



B



C



D




E



F



G



H



161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop
Foodservice and
Hospitality Products
nts MART

High quality textilene placemat
Beautiful decoration to table
Hot trimming to prevent loose edges
More durable than ordinary cutting
Dimension: 300 x 450mm



I



J



K




L



M



N



O



P



GUESTROOM & LOBBY



Guestroom Supplies

Hair dryer	342-343
Hot box	344
Kettle	343
Leather set	345-350
Mini bar	340
Safe box	339
Service table	344
Telephone	341
Torch	339

Bathroom Supplies

Bath mat	362
Clothes line	353
Dust bin	359
Glass shelf	368
Paper holder	358
Paper towel dispenser	360-361
Robe hook	353
Shaving mirror	357
Soap dispenser	360
Soap holder with dish	355
Toilet brush holder	359
Towel bar	351
Towel rack	352
Towel ring	352
Tumbler	356
Tumbler holder with cup	355

Lobby Supplies

Entrance mat	368
Lobby rubbish bin	369
Luggage cart	366-367
Painting	363-365
Railing stand	367
Umbrella rack	367

Safe Box



Model: SF-B42BL



Model: SF-B42WH



Model: SF-T42BL-CS

- Digital keypad with LED display
- Auto electronic lock
- 3 alternative modes: private code, master code, key
- Pre-drilled holes with fixing bolts
- Emergency battery slot equipped
- Rust resistant
- Durable
- Equipped with LED light
- Standard accessories: 1pc key+4pcs batteries+1pc instruction
- Door thickness: 5mm

Dimensions	420 x 370 x 200mm
Thickness	1.5mm
Body color	Black/White
Panel color	Black/Silver
Net weight	10.63 kg



Touch screen

Dimensions	420 x 370 x 200mm
Thickness	1.5mm
Body color	Black
Panel color	Black
Net weight	10.7 kg

Torch



Model: TOR-1

Dimensions	
Torch head	Dia 45 mm
Torch end	Dia 26 mm
Length	175 mm

Specification	
Input	100 - 240 VAC, 50-60 Hz
LED	0.06 W, 13 Leds
Recharge time	10 hours
Runtime	5~6 hours
Battery	3xNi-Mh , 3xAA
Material	Aluminium + Plastic

Minibar

Compressor Minibar

- Compressor cooling system
- Soft interior LED light with on/off switch
- Equipped with 2pcs iron with PVC coating racks(white)
- Thermostat
- Door type: foam door
- Cooling system compressor
- Refrigerant R600a



Model: MBCF 35-BC
Model: MBCF 50-BL



Specifications

Dimensions	432 x 403 x 550mm
Packing dimensions	535 x 503 x 625mm
Refrigerant	R600a
Capacity	BC-35 : 35L / BC-50 : 50 L
Power	53W +/-20%
Voltage	220V/110V
Frequency	50Hz/60Hz
Net weight/Gross weight	BC-35 : 14.13kg/15.3kg BC-50 : 13.9kg/15.1kg
Temperature range	BC-35 : 0~10°C(+/-3°C) (Ambient Temp: 10°C) BC-50 : 0~10°C(+/-3°C) (Ambient Temp: 25°C)
Capacity	BC-35 : 35 Litre / BC-50 : 50 Litre
Color choice	Black

Semiconductor Minibar

- Cooling system: semiconductor
- Soft interior LED light with on&off switch
- Reversible door-left or right swing
- Equipped with 1pc transparent plastic rack
- Door type: foam
- Semiconductor cooling system
- Black color
- Low noise 15db



Specifications

Model	Unit Dimensions	Packing Dimensions	Lowest temperature	Power	Capacity	Net weight/ Gross weight
MBF28-A	380 x 380 x 475mm	430 x 470 x 525mm	6 °C (Ambient Temp: 25°C)	60W	28 Litre	9.2kg/10.2kg
MBF28-B	380 x 380 x 475mm	430 x 470 x 525mm	6 °C (Ambient Temp: 25°C)	60W	28 Litre	9.2kg/10.2kg
MBF36-A	380 x 445 x 475mm	430 x 525 x 525mm	9.5°C(+/-3°C) (Ambient Temp: 25°C)	65W	36 Litre	9.3kg/10.5kg
MBF36-B	380 x 455 x 475mm	430 x 525 x 525mm	9 °C (Ambient Temp: 25°C)	65W	36 Litre	9.8kg/11.0kg
MBF40-A	405 x 445 x 545mm	460 x 495 x 585mm	4 °C (Ambient Temp: 25°C)	65W	40 Litre	11.3kg/14.2kg
MBF40-B	405 x 445 x 545mm	460 x 495 x 585mm	8 °C (Ambient Temp: 25°C)	65W	40 Litre	11.4kg/12.6kg

A: Fan
B: Heat Pipe (Aluminium)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



Model: HT-15BE

- Professional designed light indicator for message
- Convex designed leave-word message light, notable luminosity
- 16 ring tone options
- Hands-free, redialing, R-key function
- 16 groups HOLD piano-tone music
- Auto follow-on dialing
- Circuit breaker thunder protection and anti-EMI insthlled
- Available for maximum 15 groups one-key-dialing
- Water proof and damp proof (unique patent, beware counterfeit)

Dimensions	230 x 150 x 75mm
Color option	Beige / Black



Model: HT-16BL

- Available for maximum 10 groups one-key-dialing
- Professional designed indicator light for message
- Auto hang up
- Waterproof and damp proof
- Laser carves characters, prevent digit color from fading

Dimensions	240 x 160 x 80mm
Color option	Beige / Black



Model: HT-17BE

- Available for maximum 9 groups one-key-dialing
- Professional designed light indicator for message
- Four level cycles of volume-adjustment for speaker and handset
- Adjustable ring volume
- Music in mute status
- Auto hang up
- Speaker, Hold, Flash(standard time 600ms) functions
- Redial number disappears after 4 minutes for privacy
- Circuit breaker installed with Anti-EMI design

Dimensions	240 x 170 x 75mm
Color option	Beige / Black



Model: HTT-15BE

Dimensions	215 x 65 x 55mm
Color option	Beige / Black



Model: HTT-T10BL

- Desk or wall-mount available
- Circuit breaker installed with
- Waterproof
- Moisture resistant

Dimensions	210 x 65 x 60mm
Color option	Beige / Black

- Folding drawer hair dryer
- Fire retardant housing
- Overheating & overloading protection
- Microswitch on the handle
  (Press to blow, release to stop)



MODEL: HD 1000-IV



MODEL: HD 1000-BL

Dimensions	177 x 216mm
Dimensions (folded)	177 x 96mm
Voltage	AC220V
Power	1 kW

- Folding drawer hair dryer
- Fire retardant
- High-quality stainless steel housing
- Free of finger marks
- Overheating & overloading protection
- Microswitch on the handle
  (Press to blow, release to stop)
- Quiet turbo fan
- Straight Cord
- Hot/Cool wind switch
- High/Low fan speed
- High quality Japanese motor



MODEL: HD1000-BLS

Dimensions	165 x 193mm
Dimensions(folded)	165 x 60mm
Voltage	AC220V
Power	1 kW



MODEL: HD1500-BLS

Dimensions	185 x 245mm
Dimensions(folded)	185 x 75mm
Voltage	AC220V
Power	1.5 kW

Dimensions	183 x 224mm
Dimensions(folded)	183 x 76mm
Voltage	AC220V
Power	1.6 kW



MODEL: HD1600-IV



MODEL: HD1600-BL

Dimensions	220 x 215mm
Dimension (folded)	220 x 87mm
Voltage	AC220V
Power	1.875 kW



MODEL: HD1875-IV



MODEL: HD1875-BL

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Wall mounted
- High/Low fan speed
- Apply to hotel bathroom
- Equipped with indicator light
- Overheating and overloading protection.



MODEL: HDWV1200-IV

Dimensions	163 x 92 x 212mm
Voltage	AC220V
Power	1.2 kW



MODEL: HDWS1200-IV

w/shaver socket (AC110V & AC220V)	
Dimensions	180 x 90 x 215mm
Voltage	AC220V
Power	1.2 kW



MODEL: HDWSF1200-IV

w/shaver socket (AC110V & AC220V)	
Dimensions	156 x 92 x 210mm
Voltage	AC220V
Power	1.2 kW

Double Wall Kettle

- Double shell structure for scald insulation protection
- Cordless electric kettle: separated base move kettle 360 °rotation design
- Two ceramic controller, double safety protection for dry boiling
- Steam Switch for automatic power off when water boiled
- Concealed heating element, safety and easy cleaning
- Surface thermal resistant
- Inside lid: Stainless steel 304
- Inside body: Stainless steel 304
- Handle: Polypropylene
- Outside lid: Polypropylene
- Easy cleaning
- Durable use



Model: KT1200DW

Voltage	220-240V, 50/60Hz
Power	1.2kW
Capacity	1.2 Litre



Model: KT1200D

Voltage	220-240V, 50/60Hz
Power	1.2kW
Capacity	1.2 Litre



Model: KT1500D

Voltage	220-240V, 50/60Hz
Power	1.5kW
Capacity	1.5 Litre



Model: RSTT-11

Service Table

- Foldable, space saving
- Oval, Tri-fold, 4" swivel wheels #2 with brake#,
- Walnut colour, Vinyl-coated PVC, MDF table top

Dimensions	900 x 1100 x 750 mm



Model: ST-900

- Foldable design
- Rust resistant
- Durable
- Suitable for hot box add in

Dimensions	900 x 810 x 4 inches
Color	Stainless steel with satin finished frame
Material	High quality food grade, non-magnetic stainless steel + Wood
Board	Wooden



Model: HB-D1

Double Wall Construction Hot Box

- Good heat preservation
- Clean inside with dry cloth
- Double wall construction solid fuel hot box
- S/S 201# frame, aluminium shelves
- Only clean by dry cloth

Dimensions	800 x 410 x 540mm



Model: HB-200
Model: HB-300

- Auto stop at the setting temperature
- Easy for cleaning
- Anti scratch
- Durable

Dimensions	360 x 445 x 515mm
Temperature switch	2 levels
Temperature Range	37-70 Degree
Inside	Equip with 3 pcs of stainless steel perforated boards
Material	HB-300 : Stainless steel 304 HB-200 : Stainless steel 201

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Leather set - Aria

- Special design pattern PU leather set
- Especially tidy in look and convenient
- High quality leather, easy for daily care and cleaning
- Water resistant leather
- Wooden frame inside to keep the shape indeformable for more than 10+ years
- Color: Grey



1 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS01-RTB	240 x 130 x 80mm

2 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS01-STB	140 x 140 x 150mm

3 Tray

Multiple use for guestroom things placement/display

Model	Dimensions
LS01-T	400 x 300 x 30mm

4 Cup Pad (2 cups)

Two holes for glass or cups placement

Model	Dimensions
LS01-CP2	115 x 205 x Φ70mm

5 Big Memo Pad

Fit to A4 size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS01-BMP	220 x 310mm

6 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS01-SMP	130 x 180mm

7 Service Guide Folder

Folder with clips inside

Model	Dimensions
LS01-SGF	235 x 310 x 40mm

8 Round Dust Bin

Double layer Stainless steel top ring, Iron with coating inside
Plastic bottom ring, PU cover outer shell

Model	Dimensions
LS01-RDB	230 x 255mm

9 Two-compartment Caddy

Applicable to tea packs, coffee packs

Model	Dimensions
LS01-TCC	160 x 80 x 60mm

10 Catalogue Stand

Applicable to brochures, file folders placement

Model	Dimensions
LS01-CS	255 x 150 x 160mm

11 Remote Control Stand

Applicable to remote control placing

Model	Dimensions
LS01-RCS	80 x 170mm

12 Shoe Tray

Guestroom use shoes tray
One piece design with handle holes

Model	Dimensions
LS01-ST	400 x 300 x 80mm

Good to Know !

- No detergent clean
- Keep away from sunlight
- Dip in clean water with soft cloth and clean the dirt for cleaning
- Dry and soft cloth for daily cleaning
- Customized logo is available, please provide your clear Logo picture with size and details requirement



Leather set - Bella

- Innovation of leather mixture
- Elegant design and durability
- Perfect room decoration set
- Great decoration for hotel room
- Wood frame inside to keep the shape indeformable for more than 10+ years
- High quality PU
- Color: Grey

1 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS02-RTB	240 x 135 x 85mm

2 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS02-STB	140 x 140 x 140mm

3 Tray

Multiple use for guestroom placing and display

Model	Dimensions
LS02-T	405 x 305 x 30mm

4 Cup Pad(2 cups)

Two holes for glass or cups placing

Model	Dimensions
LS02-CP2	115 x 200mm

5 Big Memo Pad

Fit to A4 size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS02-BMP	250 x 300mm

6 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS02-SMP	140 x 190mm

7 Service Guide Folder(no clip)

Folder with paper holders

Model	Dimensions
LS02-SGF	235 x 315 x 40mm

8 Square Dust Bin

Single layer Wooden frame
Wrapping with black PU & Fabric PU

Model	Dimensions
LS02-SDB	240 x 240 x 340mm

9 Two-compartment Caddy

Applicable to tea packs, coffee packs

Model	Dimensions
LS02-TCC	80 x 160 x 60mm

10 Catalogue Stand

Applicable to brochures, file folders placing

Model	Dimensions
LS02-CS	255 x 150 x 160mm

11 Remote Control Holder

Applicable to remote control placing

Model	Dimensions
LS02-RCH	110 x 240 x 35mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Leather set - Vanco

- High grade PU leather
- Modern and Stylish
- Durable and decorative
- Wooden frame inside to keep the shape indeformable for more than10+ years
- Color: Black
- Woven pattern



1 Two-compartment Caddy

Apply to tea packs, coffee packs

Model	Dimensions
LS03-TCC	165 x 85 x 60mm

2 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS03-SMP	130 x 85mm

3 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS03-STB	145 x 145 x 155mm

4 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS03-RTB	245 x 135 x 85mm

5 Service Guide Folder

Folder with clips inside

Model	Dimensions
LS03-SGF	250 x 320 x 45mm

6 Tray

Multiple use for guestroom things placing andbdisplays

Model	Dimensions
LS03-T	400 x 300 x 35mm

7 Tray with Handle

Metal handles with leather wrapping
Could be used as a shoe tray or as a normal tray

Model	Dimensions
LS03-TH	405 x 315 x 40mm

8 Cup Pad(2 cups)

Two holes for glass or cups placing

Model	Dimensions
LS03-CP2	115 x 205 x Φ70mm

Leather set - Vincent

- Elegant design
- Easy handling and adaptive
- Highly durality
- Wooden frame inside to keep the shape indeformable for more than 10+ years
- Color: Dark Brown



1 Two-compartment Caddy

Applicable for to tea packs, coffee packs

Model	Dimensions
LS04-TCC	165 x 85 x 60mm

2 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS04-SMP	130 x 185mm

3 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS04-STB	145 x 145 x 155mm

4 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS04-RTB	245 x 135 x 85mm

5 Service Guide Folder

Folder with clips inside

Model	Dimensions
LS04-SGF	250 x 320 x 45mm

6 Tray

Multiple use for guestroom placing/displays

Model	Dimensions
LS04-T	405 x 305 x 30mm

7 Tray with Handle

Metal handles with leather wrapping
Could be used as a shoes tray or as a normal tray

Model	Dimensions
LS04-TH	315 x 405 x 40mm

8 Cup Pad(2 cups)

Two holes for glass or cup placing

Code	Dimensions
LS04-CP2	114 x 200 x Φ70mm



Leather set - Luca

- Sleek design with exceptional surface touch
- Comfortable style high-grade PU leather
- Practical and exceptional business look with soft feel
- Tidy space of its storage consolidation
- Wooden frame inside to keep the shape indeformable for more than 10+ years
- Durable and high performance
- Luxurious checks pattern
- Color: Brown

1 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS05-RTB	245 x 140 x 85mm

2 Square Tissue Box

Model	Dimensions
LS05-STB	140 x 150 x 155mm

3 Remote Control Stand

Two-compartment design

Model	Dimensions
LS05-RCS	150 x 45 x 150mm

4 Tray with Handle

Metal handles with leather wrapping
Could be used as a shoes tray or as a normal tray

Model	Dimensions
LS05-TH	305 x 405 x 40 mm

5 Consumable Product Box(2-drawer)

2 layers with 2 draws

Model	Dimensions
LS05-CBPB2	255 x 200 x 185mm

Leather set - Zoey

- White oak wood
- Mixture of oak wood and leather design
- Mixture of hard and soft
- Wooden frame inside to keep the shape indeformable for more than 10+ years
- Long lasting of PU leather & wood structure maintain long time life
- Elegant appearance
- Color: Oak Grey



1 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS06-RTB	240 x 130 x 75mm

2 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS06-STB	145 x 145 x 135mm

3 Big Memo Pad

Fit to A4 size paper
Pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS06-BMP	220 x 325mm

4 Small Memo Pad

Fit to small size paper
Pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS06-SMP	130 x 185mm

5 Tray

Multiple use for guestroom things placig and display

Model	Dimensions
LS06-T	400 x 300 x 50mm

6 Service Guide Folder

Folder with clips inside

Model	Dimensions
LS06-SGF	265 x 340 x 40mm

7 Bill folder

Magnetic heading inside for receipt and cash holding

Model	Dimensions
LS06-BF	115 x 190 x 15mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Leather set - Nora

- Style with premium leather
- Convenient and easily match the style of hotels
- Wooden frame inside to keep the shape indeformable for more than 10+ years
- Made from PU material for durability
- Color: Brown





1 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS08-RTB	245 x 130 x 80mm

2 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS08-STB	135 x 135 x 155mm

3 Tray

Multiple use for guestroom things placig and display

Model	Dimensions
LS08-T	400 x 300 x 30mm

4 Cup Pad(2 cups)

Two holes for glass or cups placing

Model	Dimensions
LS08-CP2	200 x 115 x Φ70mm

5 Big Memo Pad

Fit to A4 size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS08-BMP	240 x 325mm

6 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS08-SMP	130 x 190mm

7 Service Guide Folder

Folder with clips inside

Model	Dimensions
LS08-SGF	320 x 250 x 50mm

8 Round Dust Bin

Double layer Iron with coating inside
Plastic bottom ring PU cover outer shell

Model	Dimensions
LS08-RDB	Φ220 x 245mm

9 Two-compartment Caddy

Applicable to tea packs, coffee packs

Model	Dimensions
LS08-TCC	160 x 85 x 60mm

10 Catalogue Stand

Applicable to brochures, file folders placement

Model	dimensions
LS08-CS	255 x 150 x 165mm

11 Remote Control Holder

Remote control protection

Model	Dimensions
LS08-RCH	240 x 105 x 50mm

12 Clock

Digital clocks , 1pc AA battery
Wooden frame with PU wrapping

Model	Dimensions
LS08-C	135 x 65 x 165mm

13 Consumable Product Box(1-drawer)

One layer with one drawer box
Two cup holes on the top for cups or soft drinks display/placement

Model	Dimensions
LS08-CBPB1	265 x 220 x 115mm

14 Shoes Tray

For guestroom use shoes tray
One piece design with handle holes

Model	Dimensions
LS08-ST	425 x 280 x 80mm

Leather set - Carter

- Premium PU leather and acrylic
- Mixture of shining pattern and classic leather design
- Elegant and convenience
- Beautiful and durable
- Wooden frame beside to keep the shape indeformable for more than10+ years
- Color: Black



1 Service Guide Folder(without clip)

Folder with paper holders

Model	Dimensions
LS07-SGF	255 x 315 x 20mm

2 Small Memo Pad

Fit to small size paper
Magnetic heading for holder paper

Model	Dimensions
LS07-SMP	130 x 185mm

3 Bill folder

One holder inside

Model	Dimensions
LS07-BF	115 x 190 x 15mm

4 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS07-RTB	240 x 135 x 85mm

5 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS07-STB	145 x 145 x 140mm

6 Tea bag box

Applicable for to tea packs, coffee packs

Model	Dimensions
LS07-TBB	75 x 95 x 50mm

Leather set - Mira

- Wooden pattern leather & Elegant beige leather
- Stylish design
- Durable and beautiful for guestroom decoration
- Wooden frame inside to keep shape indeformable for more than10+ years



1 Two-compartment remote control stand

A stand for remote control holding and the TV channels indication

Model	Dimensions
LS09-TCRCS	170 x 200mm

2 Rectangular Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS09-RTB	245 x 135 x 80mm

3 Square Tissue Box

Bottom open for tissue filling

Model	Dimensions
LS09-STB	145 x 145 x 140mm

4 Big Memo Pad

Fit to A4 size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS09-BMP	220 x 325mm

5 Small Memo Pad

Fit to small size paper, pen holding ring at the side
Magnetic heading for holder paper

Model	Dimensions
LS09-SMP	130 x 185mm

6 Service Guide Folder (without clip)

Folder with paper holders

Model	Dimensions
LS09-SGF	255 x 320 x 20mm

7 Cup Pad (2 cups + 1 box)

One tray for 2 cups or 2 bottles of soft drinks and 1 tea box placement

Model	Dimensions
LS09-CP2B1	115 x 300 x Φ70mm

8 Tea Bag Box

Apply to tea packs, coffee packs


Model	Dimensions
LS09-TBB	85 x 85 x 55mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Beautiful design for bathroom decoration
- Rust resistant
- 48 hours salt-spray test
- Durable
- Easy cleaning
- Stainless steel 304
- Available in mirror and satin finished






Model : BH-MIM01
Model : BH-MIS01

24 inch Single Towel Bar

Specification

Model	Dimensions	Surface
BH-MIM01	600 x 80.5 x 55mm	Mirror finished
BH-MIS01	600 x 80.5 x 55mm	Satin finished






Model : BH-MAM01
Model : BH-MAS01

24 inch Single Towel Bar

Specification

Model	Dimensions	Surface
BH-MAM01	600 x 80.7 x 55mm	Mirror finished
BH-MAS01	600 x 80.7 x 55mm	Satin finished







Model : BH-MIM02
Model : BH-MIS02

24 inch Single Towel Bar

Specification

Model	Dimensions	Surface
BH-CRM01	600 x 80.5 x 55mm	Mirror finished
BH-CRS01	600 x 80.5 x 55mm	Satin finished






Model : BH-MIM02
Model : BH-MIS02

24 inch Double Towel Bar

Specification

Model	Dimensions	Surface
BH-MIM02	600 x 110.5 x 55mm	Mirror finished
BH-MIS02	600 x 110.5 x 55mm	Satin finished






Model : BH-MAM02
Model : BH-MAS02

24 inch Double Towel Tar

Specification

Model	Dimensions	Surface
BH-MAM02	600 x 109.7 x 55mm	Mirror finished
BH-MAS02	600 x 109.7 x 55mm	Satin finished





Model : BH-CRM02
Model : BH-CRS02

24 inch Double Towel Tar


Specification

Model	Dimensions	Surface
BH-CRM02	600 x 120.5 x 55mm	Mirror finished
BH-CRS02	600 x 120.5 x 55mm	Satin finished

- Beautiful design for bathroom decoration
- Rust resistant
- 48 hours salt-spray test
- Durable
- Easy cleaning
- tainless steel 304
- Available in mirror and satin finished



Model : BH-MIM12
Model : BH-MIS10




Towel Rack with Bar

Specification

Model	Dimensions	Surface
BH-MIM12	600 x 210.5 x 117mm	Mirror finished
BH-MIS10	600 x 210.5 x 117mm	Satin finished



Model : BH-MAM12
Model : BH-MAS12




Towel Rack with Bar

Specification

Model	Dimensions	Surface
BH-MAM12	600 x 214.7 x 120.5mm	Mirror finished
BH-MAS12	600 x 214.7 x 120.5mm	Satin finished



Model : BH-CRM12
Model : BH-CRS12




Towel Rack with Bar

Specification

Model	Dimensions	Surface
BH-CRM12	600 x 210.5 x 129mm	Mirror finished
BH-CRS12	600 x 210.5 x 129mm	Satin finished



Model : BH-MAM04
Model : BH-MAS04




Towel Rack (Hook Style)

Specification

Model	Dimensions	Surface
BH-MAM04	251.3 x 80.7 x 55mm	Mirror finished
BH-MAS04	251.3 x 80.7 x 55mm	Satin finished




Model : BH-CRM04
Model : BH-CRS04



Towel Rack (Hook Style)

Specification

Model	Dimensions	Surface
BH-CRM04	262 x 80.5 x 55mm	Mirror finished
BH-CRS04	262 x 80.5 x 55mm	Satin finished



Model : BH-MIM04
Model : BH-MIS04

Towel Ring

Specification


Model	Dimensions	Surface
BH-MIM04	190 x 65.5 x 212.5mm	Mirror finished
BH-MIS04	190 x 65.5 x 212.5mm	Satin finished

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Rust resistant
- 48 hours salt-spray test
- Durable
- Easy cleaning
- Stainless steel 304
- Available in mirror and satin finished






Model : BH-MIM10
Model : BH-MIS08

Single Robe Hook

Specification

Model	Dimensions	Surface
BH-MIM10	65.5 x 55 x 55mm	Mirror finished
BH-MIS08	65.5 x 55 x 55mm	Satin finished






Model : BH-MAM10
Model : BH-MAS10

Single Robe Hook

Specification

Model	Dimensions	Surface
BH-MAM10	55 x 61.7 x 56mm	Mirror finished
BH-MAS10	55 x 61.7 x 56mm	Satin finished






Model : BH-CRM10
Model : BH-CRS10

Clothes Line



Model : CLL-25R




Model : CLL-25S


- Rust resistant
- Durable
- Wallmount style
- Material: Stainless steel 304
- Surface: Mirror finished
- Equipped with: Nylon line 2.5 meters

Model	Dimensions
CLL-25R	Φ92 x 57 mm
CLL-25S	86 x 86 x 56mm

- Classic circular column design
- Rust resistant
- 48 hours salt-spray test
- Durable
- Easy cleaning
- Stainless steel 304
- Available in mirror and satin finished




Model : BH-MIM03
Model : BH-MIS03




Single Glass Shelf

Specification

Model	Dimensions	Surface
BH-MIM03	500 x 128.5 x 43mm	Mirror finished
BH-MIS03	500 x 128.5 x 43mm	Satin finished



Model : BH-MAM03
Model : BH-MAS03




Single Glass Shelf

Specification

Model	Dimensions	Surface
BH-MAM03	500 x 128.5 x 46mm	Mirror finished
BH-MAS03	500 x 128.5 x 46mm	Satin finished




Model : BH-CRM03
Model : BH-CRS03




Single Glass Shelf

Specification

Model	Dimensions	Surface
BH-CRM03	500 x 140.5 x 55mm	Mirror finished
BH-CRS03	500 x 140.5 x 55mm	Satin finished



Model : BH-CRM03B
Model : BH-CRS03B



Single Glass Shelf with Single Bar

Specification

Model	Dimensions	Surface
BH-CRM03B	500 x 140.5 x 129mm	Mirror finished
BH-CRS03B	500 x 140.5 x 129mm	Satin finished

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th


One-stop Foodservice and Hospitality Products nts MART

- Classic circular column design
- Rust resistant
- 48 hours salt-spray test
- Durable
- Easy cleaning
- Stainless steel 304
- Available in mirror and satin finished

Soap Holder with Dish

Specification

Model	Dimensions	Surface
BH-MIM07	138 x 125 x 57.5mm	Mirror finished
BH-MIS07	138 x 125 x 57.5mm	Satin finished






Model : BH-MIM07
Model : BH-MIS07

Soap Holder with Dish

Specification

Model	Dimensions	Surface
BH-MAM07	142 x 123 x 57mm	Mirror finished
BH-MAS07	142 x 123 x 57mm	Satin finished






Model : BH-MAM07
Model : BH-MAS07

Soap Holder with Dish

Specification

Model	Dimensions	Surface
BH-CRM07	153 x 135.5 x 55mm	Mirror finished
BH-CRS07	153 x 135.5 x 55mm	Satin finished






Model : BH-CRM07
Model : BH-CRS07

Tumbler Holder with Cup

Specification

Model	Dimensions	Surface
BH-MIM06	117 x 104 x 101.5mm	Mirror finished
BH-MIS06	117 x 104 x 101.5mm	Satin finished






Model : BH-MIM06
Model : BH-MIS06

Tumbler Holder with Cup

Specification

Model	Dimensions	Surface
BH-MAM06	123.8 x 105 x 86mm	Mirror finished
BH-MAS06	123.8 x 105 x 86mm	Satin finished






Model : BH-MAM06
Model : BH-MAS06

Tumbler Holder with Cup

Specification

Model	Dimensions	Surface
BH-CRM06	123 x 111 x 94mm	Mirror finished
BH-CRS06	123 x 111 x 94mm	Satin finished





Model : BH-CRM06
Model : BH-CRS06

CAMBRO
MANUFACTURING COMPANY

PRODUCT OF USA

Dishwasher safe | Personalization Available Non-Food Contact Areas Only | One carton of product is within the weight and cube requirements to be shipped by parcel carrier | Stackable

Polycarbonate Huntington Tumbler

- The elegant look and feel of glass without the high replacement costs
- Made of uirtually unbreakable polycarbonate
- Lightweight

Colors : Azure Blue(196) , Clear(135)



HT5CW HT8CW HT10CW HT120CW HT12CW HT14CW HT16CW HT22CW

Model	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
Max. Diameter (cm)	6.0	6.8	7.1	7.6	8.6	8.3	8.4	8.9
Max. Height (cm)	9.0	11.3	12.2	12.8	9.5	12.4	14.0	17.0
Capacity to rim (ml)	148	237	296	355	355	414	473	652

Colors : Clear(152)



500CW 800CW 850CW 950CW 1200CW* 1600CW*

Model	500CW	800CW	850CW	950CW	1200CW*	1600CW*
Max. Diameter (cm)	5.7	6.7	8.6	7.0	7.5	7.9
Max. Height (cm)	9.2	10.2	9.7	11.1	13.2	14.6
Capacity to rim, (ml)	160	237	269 (Heavy wall)	284	384	503

Color :
Clear [152],
Spanish green [427]




LT6 LT8 LT10 LT12 LT14 LT16 LT22

Model	LT6	LT8	LT10	LT12	LT14	LT16	LT22
Max. Diameter (cm)	6.3	6.9	7.4	7.9	8.3	8.4	9.3
Max. Height (cm)	10.7	10.9	12.1	12.7	13.1	14	15.4
Capacity to rim, (ml)	177.4	236.6	295.7	354.9	414	473.2	650.6

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Rust resistant
- Magnification: 3 times
- Material: non-magnetic stainless steel base, zinc alloy arm, brass mirror frame






Model : MIR-3M6

Shaving Mirror (2 folds)

Specification

Model	Dimensions	Surface
MIR-3M6	6 inches	Mirror finished
MIR-3M8	8 inches	Mirror finished






Model : MIR-3M8

Shaving Mirror (1 fold)

- Rust-resistant
- Double side mirror: one side standard, one side 2.5 times magnification
- Durable
- Magnification: 2.5 times
- Material: stainless steel 304






Model : MIR-2M8-1

Specification

Model	Dimensions	Material	Surface
MIR-2M8-1	8 inches	Stainless steel 304	Mirror finished

Shaving Mirror (2 folds)

- Rust-resistant
- Double side mirror: one side standard, one side 2.5 times magnification
- Free adjustment twin arm
- Durable
- Magnification: 2.5 times
- Material: stainless steel 304






Model : MIR-2M8-2

Specification

Model	Dimensions	Material	Surface
MIR-2M8-2	8 inches	Stainless steel 304	Mirror finished






Paper Holder with Lid

Specification

Model	Dimensions	Material	Surface
BH-MIM11	144 x 70 x 151mm	Stainless steel 304	Mirror finished
BH-MIS09	144 x 70 x 151mm	Stainless steel 304	Satin finished






Paper Holder with Lid

Specification

Model	Dimensions	Material	Surface
BH-MAM11	144 x 66.7 x 147mm	Stainless steel 304	Mirror finished
BH-MAS11	144 x 66.7 x 147mm	Stainless steel 304	Satin finished






Paper Holder without Lid

Specification

Model	Dimensions	Material	Surface
BH-CRM11	117 x 80.5 x 55mm	Stainless steel 304	Mirror finished
BH-CRS11	117 x 80.5 x 55mm	Stainless steel 304	Satin finished

Paper Holder

- Rust-resistant
- Applicable to small roll tissue
- Durable
- Recessed style
- Material: stainless steel 304
- Surface: mirror finished




Model : TPH-1

Recessed Paper Holder

Specification

Model	Dimensions	Recessed part size
TPH-1	127 x 60 x 158mm	127 x 60 x 127mm



Model : TPH-2

Recessed Double Paper Holder

Specification

Model	Dimensions	Recessed part size
TPH-2	300 x 60 x 160mm	265 x 60 x 125mm


161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Toilet Brush Holder

Specification


Model	Dimensions	Material	Surface
BH-MIM05	155 x 128 x 339.5mm	Stainless steel 304	Mirror finished
BH-MIS05	155 x 128 x 339.5mm	Stainless steel 304	Satin finished



Toilet Brush Holder

Specification


Model	Dimensions	Material	Surface
BH-MAM05	144.8 x 117 x 339.7mm	Stainless steel 304	Mirror finished
BH-MAS05	144.8 x 117 x 339.7mm	Stainless steel 304	Satin finished



Toilet Brush Holder

Specification

Model	Dimensions	Material	Surface
BH-CRM05	153 x 135 x 340mm	Stainless steel 304	Mirror finished
BH-CRS05	153 x 135 x 340mm	Stainless steel 304	Satin finished



Dust Bin with Lid

- Rust-resistant
- Better force resistant (1.2mm thickness)
- Durable
- Pedal style
- Material: non-magnetic stainless steel
- Surface: mirror finished




Specification

Model	Dimensions	Capacity
DB-S2-5	Φ200 x H280 mm	5 Litre
DB-S2-12	Φ250 x H395 mm	12 Litre
DB-S2-20	Φ290 x H445 mm	20 Litre

Dust Bin

- Rust-resistant
- Durable
- Pedal style
- Material: non-magnetic stainless steel




Specification

Model	Dimensions	Capacity	Surface
DB-S3-3M	Φ190 x H275 mm	3 Litre	Mirror finished
DB-S3-3S	Φ190 x H275 mm	3 Litre	Satin finished
DB-S3-6M	Φ230 x H330 mm	6 Litre	Mirror finished
DB-S3-6S	Φ230 x H330 mm	6 Litre	Satin finished
DB-S3-12M	Φ280 x H415 mm	12 Litre	Mirror finished
DB-S3-12S	Φ280 x H415 mm	12 Litre	Satin finished

Dispensers


- Pull style (Patent design)
- Human mechanics design
- Thumb positioning





Model : SD-500





Model : SD-500-2


Pull Type Soap Dispenser

Specification

Model	Dimensions	Capacity	Material	Color/Surface	Output
SD-500	122 x 100 x 241mm	500 ml	ABS	Grey White/Satin Finished	2 ml
SD-500-2	216 x 100 x 241mm	2 x 500 ml	ABS	Grey White/Satin Finished	2 ml

Soap Dispenser

- Surface: Mirror finished
- Rust-resistant
- Durable






Model	Dimensions	Capacity	Material
SD-1200	127 x 104 x 203 mm	1200ml	Stainless steel 304

Model : SD-1200

Jumbo Roll Paper Towel Dispenser


- Satin finished
- Rust-resistant
- Durable





Model : PTD-250

• Applicable to small jumbo roll





Model : PTD-400

• Applicable to big jumbo roll

Specification

Model	Dimensions	Capacity	Material	Tissue Roll
PTD-250	260 x 127 x 260 mm	250m paper towel	Stainless steel 304	250 meter tissue roll
PTD-400	310 x 130 x 316 mm	400m paper towel	Stainless steel 304	400 meter tissue roll


161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART


Recessed Paper Towel Dispenser

- Rust-resistant
- Applicable to small roll tissue
- Durable
- Recessed style
- Material: stainless steel 304
- Satin finished









Specification

Model	Dimensions
PFTD-750	300 x 156 x 750 mm


Specification

Model	Dimensions
PFTD-1300	300 x 156 x 1300 mm

Paper Towel Dispenser

- Satin finished
- 400pcs Z-fold tissue
- Rust-resistant
- Applicable to Zig-Zag folded hand paper towel
- Durable





Model : PFTD-400

Specification

Model	Dimensions	Capacity	Material
PFTD-400	280 x 102 x 348mm	400pcs	Stainless steel 304

PRIMO

MADE IN CHINA







Bath Mat

- Textured surface helps prevention slippage
- Suction cups hold mat securely in place
- Treated with Ultra-Fresh for built in protection against odor and stain causing bacteria
- Slip resistant protection for the bath
- Made from natural rubber
- Minimize bacteria growth rate
- Only available in white or beige colour



ultra-fresh freshness protection

Specification

Model	Dimensions	Net Weight	Color
7035-04WH	350 x 610mm	680 g	White
7035-04BE	350 x 610mm	680 g	Beige

Specification

Model	Dimensions	Net Weight	Color
7041-04WH	400 x 700mm	800 g	White
7041-04BE	400 x 700mm	800 g	Beige

Specification

Model	Dimensions	Net Weight	Color
7043-04WH	405 x 710mm	970 g	White
7043-04BE	405 x 710mm	970 g	Beige



Model : 7035-04



Model : 7041-04



Model : 7043-04

Good to Know

- To use, place the mat on a smooth wet surface
- In the target position required, and press firmly to adhere the suction caps
- Check whather the mat is secured before use
- After use, rinse the mat with clean water and allow the water to drip
- Wash the mat regularly in warm soapy water and rinse. Do not dry it under direct sunlight

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Painting

- Used for housing and hospitality decoration
- Beautiful designs
- Painting with frame, for decorations



Model: PWF-CP07

Dimensions	390 x 390mm



Model: PWF-CP06

Dimensions	410 x 410mm



Model: PWF-CP04

Dimensions	390 x 390mm



Model: PWF-CP10

Dimensions	487 x 487mm



Model: PWF-CP03

Dimensions	532 x 430mm



Model: PWF-CP05

Dimensions	570 x 470mm



Model: PWF-CP13

Dimensions	790 x 655mm



Model: PWF-CP14

Dimensions	720 x 610mm



Model: PWF-CP09

Dimensions	435 x 425mm

Printed Oil Painting (High Quality)

- High-Quality cotton canvas
- 11-color original ink, resin and eco-solvent ink
- Passed SGS international environmental protection certification
- Output accuracy up to 2880DPI, color durability 70 years
- Frame material: PU
- Canvas material: Cotton



Model: PWF-HP316P

Dimensions	30 x 160mm



Model: PWF-HP612P

Dimensions	40 x 40mm



Model: PWF-HP612P

Dimensions	40 x 40mm



Model: PWF-HP45P

Dimensions	40 x 50mm



Model: PWF-HP46P

Dimensions	40 x 60mm



Model: PWF-HP88P

Dimensions	80 x 80mm



Model: PWF-HP810P

Dimensions	80 x 100mm



Model: PWF-HP812P

Dimensions	80 x 120mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Painting

- Used for housing and hospitality decoration
- Beautiful designs
- Painting with frame, for decorations



Model: PWF-CP11

Dimensions	510 x 640mm



Model: PWF-CP12

Dimensions	588 x 588mm



Model: PWF-CP02

Dimensions	565 x 450mm



Model: PWF-CP08

Dimensions	573 x D610mm



Model: PWF-CPA01W

Dimensions	700 x D610mm



Model: PWF-CPA01P

Dimensions	303 x D382mm

Luggage cart



Model: LUGC19-SSR

- Rust-resistant
- Durable
- Stable on the ground
- Safety
- Air inflation wheel

Dimensions	1100 x 670 x 1930mm
Material	Stainless steel 304
Surface	Mirror finish
Tube dimension	Ø51mm
Tube material thickness	1.0mm
Wheel dimension	8 inch
Number of wheels	4



Model: LUGC19-GB

- Elegant
- Applicable for various kinds of hotels
- 304# mirror stainless steel gold plated With 8" pneumatic wheels, steel base

Dimensions	615 x 1100 x 1982mm
Material	Stainless steel in brass plated



Model: LUGC19-SR

- Option design, harmony of scale looks beautiful
- Materials and sizes optional if quantity is over 30 pcs
- K/D package, space-saving
- Shining stainless steel with 8" tpr wheel

Dimensions	615 x 1100 x 1980mm
Material	Stainless steel 304



Model: LUGC19-GR

- Elegant
- Applicable for various kinds of hotels
- With Red Blanket and Black
- Anti-bumping edge
- With 8" TPR wheels
- Stainless steel titanium plated

Dimensions	640 x 1240 x 1900mm
Material	Stainless steel 304 (Chrome brass plated)



Model: LUGC18-SSR

- Rust-resistant
- Finger print resistant
- Stable on the ground
- Safety
- With Red Blanket and Black Anti-bumping edge

Dimensions	1050 x 560 x 1800mm
Material	Stainless steel 304
Surface	Mirror finish
Tube dimension	Ø38 mm
Tube material thickness	1.0mm
Wheel	PU wheel
Wheel dimension	6 inch
Number of wheels	4



Model: LUGC17-SR

- Optimized design, harmony of scale looks beautiful
- K/D package, space-saving
- Shining stainless steel colour in mirror
- K/D package, save volume with 8" TPR wheels

Dimensions	640 x 1240 x 1750mm
Material	Stainless steel 304

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Luggage cart

- Elegant
- Applicable for various kinds of hotels

Dimensions	600 x 740 x 1200mm
Material	Stainless steel 201
Color	Gold
Surface	Mirror surface



Model: LC-SB12

Barrier post

- Rust-resistant
- Finger print resistant
- Durable
- Stable on the ground

Railing stand

Equipped with iron base and belt

Model	RS-2
Dimensions	Φ320 x H900mm
Color	Stainless steel (satin finished)
Material	Stainless steel

Railing stand

With 4 rails head equipped with iron base and belt

Model	RS-4
Dimensions	Φ320 x H900mm
Color	Stainless steel (satin finished)
Material	Stainless steel



Model: RS-2



Model: RS-4


Umbrella rack black

- Modern design
- Suitable for high-end hotels
- High corrosion resistance

Dimensions	140 x 622 x 900mm
Color	Black




Model: UR-B




Entrance Matting - Indoor

- 100% recycled materials
- Raised square pattern superbly removes dirt and moisture
- Raised "water-dam" border traps dirt and water, keeping them off carpets and floors
- Exclusive floor hold corners to minimize movement on floors
- UV and fade resistant
- Beveled edges to minimize tripping possibilities
- Front material: Polyester
- Backing & edging material: Vinyl








Model	Color
AC-01	Royal blue
AC-02	Light gray
AC-03	Brown
AC-04	Dark green
AC-05	Light green
AC-06	Dark gray
AC-07	Red




Entrance Matting - Premium System

- Flexible vinyl tile with high quality carpet insert
- Open grid yet heel proof construction designed to scrape dirt and absorb moisture
- Suitable for both indoor use and external covered areas.
- Tiles simply clip together to cover any desired size or shape
- Extremely strong matting offers excellent performance for heavy foot and trolley traffic
- Easily cleaned-simply roll up and vacuum
- Beveled edging system available
  Material: Vinyl/Polypropylene







Model	Dimensions	Height	Color
DT-01	300 x 450mm	14mm	Gray
DT-02	300 x 450mm	14mm	Black
DT-03	300 x 450mm	14mm	Khaki

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products
nts MART

Dust Bin

- Rust-resistant
- Ash tray top



Model: DB-LS-1

Dimensions	300 x 300 x 685mm
Thickness	1.5mm
Color	Rose Gold
Material	Stainless steel+Stone

- Rubbish dropping window with cover
- Durable



Model: DB-LS-5

Dimensions	260 x 320 x 645mm
Color	Black
Material	Stainless steel



Model: DB-LS-6

Dimensions	310 x 310 x 810mm
Color	Black + Satin finish
Material	Stainless steel

- Rust-resistant
- Ash tray top



Model: DB-LS-2

Dimensions	255 x 335 x 685mm
Color	Rose Gold

- Eco Friendly
- Durable



Model: DB-LS-3

Dimensions	255 x 255 x 615mm
Color	Satin finish

- Stainless steel



Model: DB-LS-4

Dimensions	255 x 300 x 615mm
Color	Black



Model: DB-LR-1

Dimensions	Φ400 x H760mm
Color	Satin finish



Model: DB-LR-2

Dimensions	Φ380 x H855mm
Color	Satin finish



Model: DB-LR-3

Dimensions	Φ380 x H855mm
Color	Beige



Model: DB-LR-4

Dimensions	Φ254 x H305mm
Color	Stainless steel



CLEANING SUPPLIES

Broom	375
Cleaning Machine	371
Dust bin	380
Dust mop	374
Floor brush	374
Floor squeegee	374
Housekeeping cart	379
Linen trolley	378
Microfiber cloth	375
Mop	374
Mop bucket trolley	373
Multipurpose trolley	377
Sign board	375
Telescopic lever	376
Water and dust collector	372
Wet area mat	381
Window squeegee	376
Window wiper	376
Windproof rubbish shovel	375

Cleaning machine

- Brush plates change easily
- Large capacity water tank
- Foam suppression device equipped in water tank
- Corrosion-resistant aluminum alloy wash plate
- Dual-brush plate design
- Supreme cleaning performance
- Supports to clean the ground of plaza, supermarket, airport, factories, warehouse, cleaning
- Rechargeable battery style
- No cable



Model: GCM-2700

Dual-brush Ground Cleaning Machine

Supply voltage	220V
Power	1.94kW
Net weight	314 kg
Capacity	67 Litre
Color	Green + Black
Pressure pump	24V ≥2 Litre / min
Sucking degree	140 mbar
Water sucker	960mm
Current	43.5A
Speed	0～4.5km/h
Water sucker motor	220VDC/600W 22A
Cleaning width	750mm / 30inch
Cleaning rate	2700 m2/h
Clean water tank capacity	67 Litre
Driving motor	24VDC 450W 7.5A
Dirty water tank capacity	63 Litre
Floor motor	24VDC 600W 22A
Brush rotation speed	180rpm
Gross Weight	356 kg



Model: MBM-175

Multi-functional Brushing Machine

- Excellent cleaning performance
- Support carpet, floor, marble cleaning with different speed and brush plate
- Applicable to hotel, office building, restaurant, exhibitionhall, etc.
- User friendly and safety design
- Accessories : Main body, handle , water tank, padholder, hard brush, softbrush
- Easy operation

Base plate diameter	18 inch
Supply voltage	220V
Power	1.1kW
Net weight	43 kg
Water tank capacity	10 Litre
Color	green
Power cable length	12m
Speed	175rpm/min



Model: BL-900

3 Speed Blower

- Rotation speed: high/ medium/ low
- Air flow rate:160 / 130 / 110m^3/min
- Cable length: 700cm
- Durable use
- 3 speed regulation

Supply voltage	220V-240V
Power	0.9 kW
Capacity	15 Litre
Color	Blue

PRIMO

MADE IN CHINA



Model:WDV-15L



Model:WDV-30L



Model:WDV-60L



Model:WDV-80L

Water and Dust Collector

- Function: absorbs both water and dirt
- Mode of cooling: air circulating system
- Stainless Steel bucket body
- Anti-scratch
- Easy cleaning
- Quiet working (with/ low noise motor)
- Support to both dirt and water absorption
- Equipped with 3 pcs of sound-proof pads

15L Water and Dust Collector

Dimensions	Ø345 x H550mm
Hose diameter	36mm
Supply voltage	220-240V
Power	1kW
Capacity	15 Litre
Cable lenght	700 cm
Color	Yellow
Air flow rate	48L/S
Vacuum suction	210mbar

30L Water and Dust Collector

Dimensions	Ø345 x H760mm
Hose diameter	36mm
Supply voltage	220-240V
Power	1kW
Capacity	30 Litre
Cable lenght	700 cm
Color	Yellow
Air flow rate	53L/S
Vacuum suction	230mbar

60L Water and Dust Collector

Dimensions	Ø440 x H900mm
Hose diameter	40mm
Supply voltage	220V
Power	2/3 kW
Capacity	60 Litre
Cable lenght	800 cm
Color	Yellow
Air flow rate	160L/S
Vacuum suction	250mbar

80L Water and Dust Collector

Dimensions	Ø440 x H1000mm
Hose diameter	40mm
Supply voltage	220-240V
Power	2/3kW
Capacity	80 Litre
Cable lenght	800 cm
Color	Yellow
Air flow rate	106L/S
Vacuum suction	250mbar

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Mop Bucket Trolley

- Single bucket
- User friendly-using and durable
- Bucket with wire handle
- Caution signs on the bucket
- Bright yellow color
- Anti-slip wringer handle
- Round corner design
- Easy clean
- Muted wheels without prints on the floor
- Functional design
- Easy to assemble
- Material: Polypropylene (PP)



Model:MT-20L

Portable Type Wringer Trolley

Dimensions	400 x 270 x 340mm
Capacity	20 Litre
Color	Yellow



Model : MT-40L

Side Press Bucket Trolley

Volume	36 Litre
Colour	Yellow



Model : MT-30L

Down Press Wringer Trolley

Dimensions	395 x 380 x 490mm
Capacity	30 Litre



Model : MT-50L

Down Press Wringer Trolley

Dimensions	740 x 440 x 500mm
Capacity	2 x 30 Litre

- Support 2 different capacity buckets in 2 different colors



Model: MT-35L-2B

Down Press Wringer Trolley (Double Bucket)

Capacity	35 Litre + 15 Litre
Color	Yellow

- Solid frame with clean water bucket and waste water bucket
- Durable



Model: MT-43L-2B

Side Press Dual Bucket Trolley

Volume	2 x 30 Litre

- Support 3 different capacity buckets in 3 different colors
- 4 litre bucket design as dirty watercontainer under



Model: MT-35L-3B

Down Press Wringer Trolley (Triple Buckets)

Capacity	35 Litre + 15 Litre + 4 Litre
Color	Yellow



- Anti-slip handle
- Rust-resistant pole
- Durable
- Simple step in changing new mop head





Model: MOP-CL12

Dimensions	Aluminium pole 1200mm
Color	Yellow
Pole material	Aluminium
Mop material	Cotton
Clamp material	Polypropylene (PP)

Model: MOP-MO
Standard Mop (150cm)

Pole length	1500mm
Pole material	Aluminium
Mop material	Cotton
Clamp material	Polypropylene (PP)
Color	Blue

Model: MOP-CL
Clamp Style Mop (150cm)

Pole length	1500mm
Pole material	Aluminium
Mop material	Cotton
Clamp material	Polypropylene (PP)
Color	Yellow




Model : MOP-LO-42S

Lobby Dust Mop

- Mop material: Aluminium
- Mop material: Fabric + cotton
- Clamp material: Iron chrome

Model	Dimensions	Lenght
MOP-LO-24S	600 x 160mm	125cm
MOP-LO-42S	1100 x 160mm	150cm



Model : SSG-P-30
SSG-30

Floor Squeegee (Straight Style)

- Pole material: Aluminum
- Scraper material: Rubber
- Holder material: Iron chrome
- Pole length: 1500mm
- Straight style
- Anti-slip handle
- Rust-resistant pole
- Durable
- Screw fixing scraper

Model	Scraper lenght
SSG-P-30	22 inch
SSG-30	30 inch



- Pole length: 125mm
- Anti-slip handle
- Pole material: Iron with painting
- Black color

Long Handle Floor Brush

Model	Brush Length
LFB-18	18inch (450mm)
LFB-24	24inch (600mm)

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



Model: LFB-10



Model: LFB-10

Broom

- Anti-slip handle
- Handle with hole for hanging in storage
- Rust-resistant pole
- Material: Bamboo + Plastic

Long Handle Broom

Dimensions	130 x 290cm
Color	Red

Short Broom

Dimensions	910 x 290cm
Color	Blue



Microfiber Cloth

- Used in color marking system
- Great liquid absorbtion
- Easily dried

Model	Dimensions	Color
MFC3535-RD	350 x 350mm, 300GSM	Red
MFC3535-YL	350 x 350mm, 300GSM	Yellow
MFC3535-BL	350 x 350mm, 300GSM	Blue
MFC3535-GR	350 x 350mm, 300GSM	Green
MFC3535-WH	350 x 350mm, 300GSM	White



Model: RS-PT

Windproof Rubbish Shovel

- User-friendly handle design
- Shovel with lid, prevent dirt come out

Dimensions	930mm
Pole length	700mm
Material	PP (Polypropylene)
Color	Black

Sign Board "CLEANING IN PROGRESS"



Model: SB-CL

Sign Board "CAUTION WET FLOOR"



Model: SB-WF

- 100% new plastic as raw material (Not Recycle Material)



Telescopic Lever

- Rust-resistant
- Length adjustable (2 level)
- Thread twist tip
- Material: aluminium

Model	Max Length
TAL-12-2	1.2m
TAL-24-2	2.4m
TAL-36-2	3.6m



Telescopic Lever

- Rust-resistant
- Length adjustable (3 level)
- Thread twist tip
- Material: aluminium

Model	Max Length
TAL-45-3	4.5m
TAL-60-3	6.0m



Window Squeegee

- Support to handheld use
- Support to use with telescopic pole
- Durable
- Simple steps to replace rubber the
- Anti-slip handle
- Holder material: stainless steel
- Scraper material: rubber
- Handle material: polypropylene

Model	Scraper Width
SSG-25	250mm
SSG-35	350mm
SSG-40	400mm
SSG-45	450mm



Window Wiper

- Anti-slip handle
- Durable
- Simple steps to replace fabric
- Wiper material: Cotton
- Handle material: plastic
- Color: pure white + black

Model	Wiper Width
CWW-35	350mm
CWW-40	400mm
CWW-45	450mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

- Muted rubber wheels
- Two side open doors with lock
- Round corner design, easy cleaning



Model: CC-1B-L

Multipurpose Trolley with Cover

Capacity	100 Litre
Material	PP (Polypropylene)
Color	Yellow + Black



Model: CC-2B

Multipurpose Trolley with Cover

Capacity	2 x 100 Litre
Material	PP (Polypropylene)
Color	Yellow + Black



Model: CC-1B

Multipurpose Trolley with Cover

Capacity	1 x 100 Litre
Material	PP (Polypropylene)
Color	Yellow + Black



Model: CC-3B

Multipurpose Trolley with Cover

Capacity	3 x 100 Litre
Material	PP (Polypropylene)
Color	Yellow + Black



Model: CC-C3L-GY

Cleaning Trolley

- Support to both guestroom cleaning and public cleaning
- Equipped with one big volume strong bag for collection
- Various cleaning tools Can be put on for different purpose
- Durable
- Knock down packing space saving
- Easy to assemble

Dimensions	1140 x 510x 980mm
Material	PP (Polypropylene)
Color	Grey + Yellow

Laundry Trolley (Dry linen)

- Equipped with 1pc brown laundry bag
- Light in weight
- Rust-resistant
- Durable use



Model : LT-BR

Dimensions	910 x 600 x 880mm
Material	Non-magnetic stainless steel
Color	Stainless steel (satin finished)



Model : RUC-AL

- Aluminuim reticulation utility cart with doors

Dimensions	320 x 600 x 1750 mm

Laundry Trolly (Wet linen)

- Oxford cloth bag, inside PVC coating, waterproof
- 0.2mm solid fabric, durable
- 4 inch PP wheel already fixed
- Knock down packing, space saving
- Simple steps in assembling



Model: LT-B



Model: LT-B-X
X-shape linen trolley

Model: LT-B-X

Dimensions	680 x 590 x 105mm
Trolley material	Iron chrome
Bag material	Nylon
Color	Yellow

Linen trolley

Model: LT-B

Dimensions	920 x 560 x 890 mm
Trolley material	Iron chrome
Bag material	Nylon
Color	Yellow

Laundry Trolley

Model : LT-BR

Dimensions	560 x 940 x 835mm



Model : LT-BR

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART



Model: HKC1300

Housekeeping Cart

- Rust-resistant
- Easy for cleaning
- Durable
- Foldable, space-saving

Model: HKC1300

Functional product with modern design

Dimensions	500 x 1440 x 1300 mm



Model: HCA-OAK

Dimensions	500 x 1461 x 1190mm



Model: HCA-S50
Model: HCA-S45

Dimensions	HCA-S50	500 x 1300 x 1190mm
	HCA-S45	450 x 1355 x 180mm
Bags	Nylon	
Wheels	Polyurethane, 5"	
Bumper wheels	Polyurethane, 3"	
Material	Non-magnetic stainless steel	

Pedal Dust bin

- Pedal design
- Easily noticed by its colors



Model: DB-P30-GY

Dimensions	412 x 394x 424mm
Capacity	30 Litre
Material	PP (Polypropylene)



Model: DB-P45-GY

Dimensions	412 x 394x 589mm
Capacity	45 Litre
Material	PP (Polypropylene)



Model: DB-P68-GY

Dimensions	480 x 461x 651mm
Capacity	68 Litre
Material	PP (Polypropylene)

Pedal dustbin

- Large capacity

Model	DB-P87
Dimensions	480 x 416 x 826mm
Capacity	87 Litre
Material	Polyethylene



Circular dustbin

- Movable wheel base
- Material: Polyethylene
- Color: Grey

Model	Dimensions	Capacity
DB-CW167	Ø610 x H930mm	167 Litre
DB-CW120	Ø560 x H820mm	120 Litre
DB-CW76	Ø500 x H580mm	76 Litre



Turing Cover Dustbin

- Fire-resistant dustbin
- Durable use
- Material: PP (Polypropylene)



Model: RBB-120BL



Model: RBB-120GR

Dimensions	460 x 550 x 940 mm
Color	Blue, Green



Model	Dimensions	Capacity
DB-TC42	416 x 315 x 630mm	42 Litre
DB-TC58	476 x 328 x 752mm	58 Litre


161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Z-Grid Plus




- Flexible roll mat, suitable idea for changing rooms and around swimming pools.
- Waved pattern design surface to reduce slipping.
- Open structure allows drainage of water.
- Studs on the underside of mat provide exceptional drainage properties.
- Comfortable to walk on, even barefoot.
- Hygienic,minized bacteria growth rate.
- Can be easily rolled up for cleaning purposes.




Studs on the underside




Navy blue



Gray




Red




Dark green

Material	Vinyl+Nitrile
Roll dimensions	3'x40'
Height	8.5mm




Model	Color
ZG-01	Navy blue
ZG-02	Gray
ZG-03	Red
ZG-04	Dark green

V Deck




- Flexible vinyl tile suitable for use in shower areas and around swimming pools
- Textured top surface for excellent slip resistance
- Holes allow drainage of water
- Studs on the underside of mat provide exceptional drainage properties
- Interlinks to cover any shape or size of area
- Comfortable to walk on, even barefoot, minized bacteria growth rate
- Can be easily rolled up for cleaning purposes
- Beveled edging system available





Black




Dark green



Gray



Royal blue



Red



White



Material	Vinyl
Dimensions	300 x 300 x 13mm

Model	Color
VD-01	Black
VD-02	Dark green
VD-03	Gray
VD-04	Royal blue
VD-05	Red
VD-06	White



FURNITURE &OUTDOOR

Bar counter	388
Chair	383
Dinning set	389
Lazy susan	387
Mobile stage	387
Rectangular table	384
Round table	385
Sofa set	389
Sunbed	390
Trolley	386
Umbrella (Outdoor)	390
Waste bin and dust bin	391-392
Wooden top table	388



Model : C102



Model : C103



Model : C104



Model : C105

Banquet Stacking Side Chair

- Leather seat cushion
- Seat reinforcement bars
- Rushion and seat
- Reinforcement bars
- Nickel coated bar
- Color coated cushion
- Optimized leather seat

Specifications

Model	Dimensions
C102	440 x 410 x 920mm
C103	450 x 410 x 930mm
C104	450 x 410 x 920mm
C105	440 x 410 x 920mm



Model : CIR-001





Chair

- Chiavari design

Specifications

Dimensions	420 x 460 x 920mm
Net Weight	8 kg
Shipping Weight	9 kg
Material	Iron (1.00mm)



Model : SCP-001

Cushion

- 35 density for sponge

Specifications

Dimensions	420 x 460 x 50mm
Net Weight	1 kg
Color	White
Material	Sponge & Polyester

Folding Table

- Laminated coated surface folding table
- With nickel coated reinforcement bars



Specifications

Model	Dimensions
PP45120	450 x 1200 x 737mm
PP45150	450 x 1500 x 737mm
PP45180	450 x 1800 x 737mm
PP60120	600 x 1200 x 737mm
PP60150	600 x 1500 x 737mm
PP60180	600 x 1800 x 737mm
PP75120	750 x 1200 x 737mm
PP75150	750 x 1500 x 737mm
PP75180	750 x 1800 x 737mm

Multiple Use Folding Table

- Frame : 1.2mm thick steel tube
- Table top: 18mm thick, plywood covered with PVC, soft PVC edge banding
- Folding legs
- Provides anti-collision rubber and snap button at the key position to prevent damage



Specifications

Model	Dimensions
RBT-455	455 x 76 0 x 760mm
RBT-760	760 x 1830 x 760mm

Multiple Use Square Folding Table

- Provides anti-collision rubber and snap button at the key position to prevent damage



Specifications

Model	Dimensions
SBT-D1220	1220 x 1220 x 760mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Folding Table (ROUND)

- A laminated coated commercial plywoods round folding table with nickel coated reinforcement bar and four wheels
- Suitable choice for highly relocation catering business
- Provides anti-collision rubber and snap button at the kep position to prevent damage





Specifications

Model	Dimensions
PP-48W	Ø1200 x 737mm
PP-60W	Ø1500 x 737mm
PP-72W	Ø1800 x 737mm
PP-87W	Ø2100 x 737mm
PP-96W	Ø2400 x 737mm

Folding Table (ROUND)

- A laminated coated commercial plywoods round folding table with nickel coated reinforcement bar



Specifications

Model	Dimensions
PP-48	Ø1200 x 737mm
PP-60	Ø1500 x 737mm
PP-72	Ø1800 x 737mm

Multiple Use Round Folding Table



Specifications

Model	Dimensions
RBT-D1200	Ø1220 x 760mm
RBT-D1520	Ø1520 x 760mm

Banquet Table

- Frame: 1.2mm thick steel tube
  Table top: 18mm thick, plywood coverred with PVC, soft PVC edge banding
- Folding leg







Separated and foldable table top and supporting leg

Legs tube dimensions: 30 x 30 x 1.2 mm



Specifications

Model	Dimensions
FRBT-2134	Ø2134 x 760mm
FRBT-1830	Ø1830 x 760mm
FRBT-2438	Ø2438 x 760mm





Lock design at the bottom of the table ensures stability



Function: Transport
Banquet Chair



Banquet Chair Trolley

- Material: Steel
- The front highly is flexible outward wheel, and the rear wheel are also flexible
- Red carpets are sticked to baffles
- Easy to use

Specifications

Model	Dimensions
BCT-1200	640 x 700 x 1200mm



Banquet Table Trolley

- Material: superior quality steel board
- Easy to operate
- Equisite

Function: Transport
rectangular table



Specifications

Model	Dimensions
BCT-1130	920 x 1930 x 1130mm

Function: Transport
round table





Banquet Table Trolley

- Material: Steel

Specifications

Model	Dimensions
BTTR-1130	920 x 1930 x 1130mm

Model : TC003

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Lazy Susan

- 12mm transparent tempered glass
- For Ø152cm Table




Specifications

Model	Dimensions
LS-D700	Ø700mm

Lazy Susan Trolley

- For Ø213cm Table
- With Five auxiliary Wheels



Specifications

Model	Dimensions
LS-D1300	Ø1300mm

Lazy Susan Trolley



Model : TC002

Specifications

Model	Dimensions
TLS-1180	640 x 1250 x 1180mm

Dining Room Auxiliary Product

Mobile Stage

- Plywood material
- Cylinder-shaped standing legs are more than the traditional "U" structure
- Trestle has locked structure and can be modulated freely
- Central Stage Legs can bear more presure;
- Complex central support enable more weight bearing





Specifications

Model	Dimensions
MBS-1828	1828 x 2240 x 410/460mm
MBS-1220	1220 x 2240 x 410mm



Multiple Use Folding Table

- 18mm composite plywood with high hardness and the shell fabric is ashen pvc
- Adopting imported T-shaped black plastic seal edge
- Metal frame: 3 x 3 x 0.12cm

Specifications

Model	Dimensions
MFBTS-455	455 x 1830 x 760mm
MFBTS-760	760 x 1830 x 760mm



MFBT-1220

Multiple Use Folding Banquet Table

- The supporting stand of the table is equipped with crashproof plastic nails
- The plastic lock enables the folded legs fastening which is convenient for transportation and storage
- Folding support bar

Specifications

Model	Dimensions
MFBT-1220	915 x 1220 x 760mm

Plastic lock fasten the folded legs for transportation and storage.



Folding support bar



Crashproof plastic nails protect the supporting stand.



Round Table

- 18mm thickness plywood table top coverred with fire-resistant board
- Cast steel table leg

Specifications

Model	Dimensions
RT-600730	Ø600 x 730mm



Square Table

- MDF table top
- Stainless steel leg

Specifications

Model	Dimensions
ST-760	760 x 760 x 760mm



Bar Counter

- 18mm shaving board covered with melamine table top, stainless steel stand
- Water proof, fire heat-resistant & easy clean

Specifications

Model	Dimensions
BC-1080	Ø600 x 1080mm

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Sofa Set

Material : PE Rattan



Model: SFS1



Model: CFS2



Model: SFS2



Model: SFS3

Dinning Set

Material: PE Rattan



Model: DNS1




Model: CFS1



Model : DNS2

Sunbed

Material: PE Rattan



Model : SB1

Dimensions: 1920 x 600 x300/780mm



Model : SB2

Dimensions : 2000 x 600 x300/780mm



Model: UO-1120-AU

Umbrella (Outdoor)

- Dia.48mm aluminum poles
- Dia.42mm steel bent arm
- 8 pcs of 12 X 18mm steel ribs
- With crank
- 180g polyester fabric
- With air vent
- Without flap
- Powder coated finish pole

Specifications

Model	Dimensions
SBT-D1220	Diameter 300mm



Umbrella (Outdoor)

Specifications

Model	Dimensions	Weight	Material
UO23-SF	Diameter : 230 cm	Cement Based 11 kgs	Steel
UO23-WF	Diameter : 230 cm	Cement Based 11 kgs	Wood
UO27-WF	Diameter : 270 cm	Cement Based 15 kgs	Wood

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Outdoor Dust Bin



- Apply to outdoor public places
- Rust-resistant
- Durable
- Door lock available

Specifications

Dimensions	500 x 500 x 910 mm
Color	Green
Material	Non-magnetic stainless steel

Model: DB-OS-1



- Wood strip outlook
- Rust-resistant
- Top with stub tray

Specifications

Dimensions	400 x 400 x 855 mm
Color	Coffee + Black
Material	Non-magnetic stainless steel + Plastic

Model: DB-OS-2



- Wood strip outlook
- Rust-resistant
- Durable
- Door lock available

Specifications

Dimensions	500 x 500 x 910 mm
Color	Wooden + Green
Material	Non-magnetic stainless steel

Model: DB-OS-3



- Rust-resistant
- Top with stub tray
- Durable
- Door lock available

Specifications

Dimensions	400 x 700 x 950 mm
Color	White + Green
Material	Non-magnetic stainless steel

Model: DB-OS-4



- Wood strip outlook
- Rust-resistant
- Durable
- Waste classification

Specifications

Dimensions	400 x 615 x 900 mm
Color	Wooden
Material	Non-magnetic stainless steel + Plastic

Model: DB-OS-5



- Wood strip outlook
- Rust-resistant
- Durable
- Waste classification
- Door lock available

Specifications

Dimensions	440 x 830 x 900 mm
Color	Wooden + Grey
Material	Non-magnetic stainless steel + Plastic

Model: DB-OR-D1



- Apply to outdoor public places
- Top with stub tray
- Rust-resistant
- Durable
- Door lock available

Specifications

Dimensions	Ø350 x 1035mm
Color	Black
Material	Non-magnetic stainless steel

Model: DB-OR-1

Outdoor Rubbish Bin



- Wood strip outlook
- Rust-resistant
- Durable

Specifications

Dimensions	Ø400 x 800mm
Color	Wooden + Black
Material	Non-magnetic stainless steel + Plastic

Model: DB-OR-2



- Wood strip outlook
- Rust-resistant
- Durable

Specifications

Dimensions	Ø380 x 900mm
Color	Wooden + Satin finished
Material	Non-magnetic stainless steel + Plastic

Model: DB-OR-3



- Rust-resistant
- Durable
- Waste classification

Specifications

Dimensions	Ø350 x 700 x 825 mm
Color	Satin finished
Material	Non-magnetic stainless steel

Model: DB-OS-D3



Model: DB-OS-D2

- Rust-resistant
- Middle bin for harmful waste
- Durable
- Waste classification
- Door lock available

Specifications

Dimensions	400 x 1350 x 900mm
Color	Satin finished
Material	Non-magnetic stainless steel + Plastic



Model: DB-OS-D1

- Rust-resistant
- Small can and holes for waste battery
- Durable
- Waste classification

Specifications

Dimensions	440 x 1000 x 850mm
Color	Satin finished
Material	Non-magnetic stainless steel + Plastic

161/735-740 Soi Charansanitwong 27 Lane 22 Charansanitwong Rd., Bangkhunsri, Bangkoknoi, Bangkok 10700 Thailand
Phone: 02 866 7474 (auto) Fax: 02 866 5865-6 E-mail : sales@ntsmart.co.th Website: www.ntsmart.co.th

One-stop Foodservice and Hospitality Products nts MART

Symbols

1 261
2 261
10 112
22 306
24 306
28 112
9E1 175
101 299
102 298
103 298
104 298
16E1 175
203 261
25E1 175
260 319
261 319
266 261
270 260
272 322
274 322
277 322
330 301
36E1 175
395 257
406 320
414 320
49E1 175
542 322
544 322
547 322
657 319
722 243
725 243
800 319
9E2 175
1202 302
1203 302
1204 302
1205 302
1206 302
1260 319
1270 320
1271 320
01272 255
1504 298
01543 254
01563 254
16E2 175
1812 304
1816 304
1820 304
1824 304
20E2 175
2068 312
25E2 175
36E2 175
3712 311
3716 311
3774 311
4401 312
4404 312
49E2 175
6618 319
6619 320
07343 254
07613 254
07633 254
08253 254
8892 109
9840 327
12132 255
12142 255
12162 255
12433 254
12443 254
13032 255
13240 255
13313 254
13463 254
13582 255
15012 255
15032 255
15303 254
16765 323
16766 323
18000 257
18023 254
18173 254
19693 254
19703 254
20713 255
24303 256
25353 256
31442 255
31443 255
31444 255
31445 255
31446 255

16E4 175
25E4 175
36E4 175
16E5 175
25E5 175
36E5 175
302010344 36
1000CW 316
1005CW 316
1007CW 316
100MCCW 243
100VS 316
1013CRVS 316
1013CW 316
1014CT 305
1014FF 305
1014VS 316
103VS 316
105VS 316
106VS 316
107PCVS 316
107VS 316
10853C 320
10853K 320
10853M 320
10CWC 221
10CWCHN 221
10CWD 222
10CWGL 221
10HC414 175
10HPC 223
10HPCH 223
10HPCHN 223
10HPD 224
10PPCH 225
10PPCWSC 221
10PPD 225
10PPSC 225
10SC 223
1100CT 305
1101CW 316
1120CBP 230
1120CBR 230
11253C 320
11253K 320
11663C 320
11663K 320
11663M 320
116VS 316
1200CW 295
1200CW 356
1202CW 316
120VS 316
1210PW 220
1216CT 305
1216FF 305
12183CW 229
12183P 229
12186CW 229
12186P 229
12189CW 229
12189P 229
1218CCW FLAT LID 229
1218CP FLAT LID 229
1218DSCW 229
1218SCCW SLIDINGLID 229
12463C 320
12463K 320
12463M 320
124VS 316
1253M 320
12CW 222
12HP 224
12RS12 298
12SFSCW 228
12TGS 312
1400CTPER100 305
1418CT 305
1418FF 305
14CW 222
14HP 224
14PP 225
1520CBP 230
1520CBP-148 230
1520CBR 230
1520CT 305
152S&P 319
152S&P-2 319
156S&P 319
156S&P-2 319
1600CT 305
1600CW 295
1600CW 356
1600DIV 220
1622CT 305
16C258 175
16C414 176
16C578 176
16CW 222
16HP 224

16PP 225
16S1058 174
16S1114 174
16S1214 174
16S318 174
16S418 174
16S434 174
16S534 174
16S638 174
16S738 174
16S800 174
16S900 174
16S958 174
16SV 321
174PGT 319
1800CT 305
182612CW 229
182612P 229
182615CW 229
182615P 229
18263P 229
18266P 229
18268CLRCW(8"DEEP) 229
18268CLRKIT 229
18269P 229
1826CCW FLAT LID 229
1826CLRCW (5"DEEP) 229
1826CT 305
1826DSCW 229
1826PC 229
FLAT LID 229
1826SCCW 222
SLIDINGLID 228
18CW 113
18SFSCW 323
1G932 323
200BC 243
200BCS 175
200MCCW 176
20C258 223
20C414 221
20CS 221
20CWC 221
20CWCH 222
20CWCHN 221
20CWD 221
20CWGK 221
20CWL 175
20CWLN 175
20GE1 223
20GE2 223
20HPC 224
20HPCH 221
20HPD 223
20LPCWC 225
20LPHPC 221
20PPCH 225
20PPCWSC 225
20PPD 174
20PPSC 174
20S1114 174
20S318 174
20S418 173
20S434 174
20S638 174
20S800 301
20S958 301
2246A 222
2250A 224
22CW 222
22HP 228
22LPCW 222
22SFSCW 256
23CLRCW 256
24013B 256
24033B 256
24153B 256
24163B 256
24173B 256
24203B 256
24223B 256
24243B 256
24253B 256
24273B 256
24293B 256
24323B 256
24333B 256
24383B 256
24423B 256
24503B 256
24513B 256
24533B 256
24533C 256
24533G 256
24533R 222
24533Y 224
24CW 222
24HP 225
24LPCW 305
24PP 222

25MCCW 243
25S1058 174
25S1114 174
25S1214 174
25S318 174
25S418 174
25S434 174
25S534 174
25S638 174
25S738 174
25S800 174
25S900 174
25S958 174
260-1 319
26CW 222
26HP 224
26PP 225
2700CT 305
270C 260
28CW 222
2900CT 305
2CBNFB 192
2SFSCW 228
2SPSB-HI 193
2SPSB-LOW 193
2STF 186
2STFB 186
2TBNFB 191
2WS 201
300DIV 220
300MPC 219
30CWC 221
30CWCH 221
30CWCHN 221
30CWD 222
30CWGL 221
30CWL 221
30CWLN 221
30GE1 175
30GE2 175
30HPC 223
30HPCH 223
30HPCHN 223
30HPD 224
30HPL 223
30HPLN 223
30PPCH 225
30PPCWSC 221
30PPSC 225
30S&P 319
30S1114 174
30S318 174
30S434 174
30S638 174
30S800 174
30S958 174
30SC 223
31763C 320
3246A 301
3250A 301
3253CT 305
32563C 320
32CW 222
32HP 224
33CLRCW 222
34CW 222
34PP 225
35CLRCW 222
35HP 224
36CW 222
36HP 224
36PP 225
36S1058 175
36S1114 175
36S1214 175
36S318 175
36S418 175
36S434 175
36S534 175
36S638 175
36S738 175
36S800 175
36S900 175
36S958 175
38CW 222
3CBN2FB 192
3ST2F 187
3ST2FB 187
3TBNFB 191
400DIV 220
406CP 320
40CWC 221
40CWCH 221
40CWCHN 221
40CWD 222
40HPC 223
40HPCH 223
40HPCHN 223
40HPD 224
40PPCH 225

40PPCWSC 221
40PPD 225
40PPSC 225
40SC 223
4246A 301
4250A 301
42CW 222
42HP 224
44CW 222
44HP 224
44PP 225
46CW 222
46HP 224
46PP 225
48-101 109
49S1114 175
49S318 175
49S414 175
49S434 173
49S638 175
49S800 175
49S958 175
4ATS-A 104
4PL 202
4SFSCW 228
4SL 202
500CW 295
500CW 356
50MCCW 243
54-501 109
599P 320
5K5SSWH 92
5KPM50EWH 92
5KSM7590GWH 92
60200-CE 123
60CWC 221
60CWCH 221
60CWD 222
60CWGL 221
60CWL 221
60CWLN 221
60HPC 223
60HPCH 223
60HPCHN 223
60HPD 224
60PPCH 225
60PPCWSC 221
60SC 223
62CW 222
62HP 224
63CLRCW 222
64CW 222
64HP 224
64PP 225
659N 319
65CLRCW 222
66CW 222
66HP 224
66PP 225
6ATS-A 104
6RS6 298
6SFSCW 228
6TGS 312
7035-04BE 362
7035-04WH 362
7041-04BE 362
7041-04WH 362
7043-04BE 362
7043-04WH 362
800CW 295
800CW 356
8016A 299
801X 319
8032BR 299
8032GN 299
8032R 299
8032W 299
8032X 299
8032Y 299
8064A 299
806CW 316
8128A 299
850CW 295
850CW 356
86VS 316
8FB434 176
8FBNH434 176
8RS8 298
8SFSCW 228
900CW 316
9011CW 316
9013CW 316
901CW 316
905CW 316
909CW 316
90CWC 221
90CWCN 221
90HPC 223
90HPD 224
90PPCWSC 221

90PPD 225
90PPSC 225
911VS 316
913VS 316
91PCVS 316
92CW 222
92HP 224
94CW 222
94HP 224
94PP 225
950CW 295
950CW 356
96SKRC 263
96SKRD 263
96SKRF 263
96SKRM 263
96SKRN 263
96SKRP 263
98001-1 166
98007-1 166
9800-P3 167
9810-06 169
9811-06 169
9813-12 168
9813-P5 168
9814-12 170
9815-12 169
9816-12 168
9816-P3 167
990-220 84
9RS9 298
9S1114 174
9S318 174
9S434 174
9S638 174
9S800 174
9S958 174
9TGS 312

A

A137 314
A139 314
A1515 314
A157 314
A1613 314
A167 314
A1915 314
A207 314
A217 314
A278 314
ABB-S24 335
ABR-S24 335
AC-01 368
AC-02 368
AC-03 368
AC-04 368
AC-05 368
AC-06 368
AC-07 368
AC57 313
AC95 313
ADCS 233
ALE1/1 329
ALE1/11 329
ALE1/11-1 329
ALE1/11-2 329
ALE1/12 329
ALE1/14 329
ALE1/15 329
ALE1/15-1 329
ALE1/17 329
ALE1/18 329
ALE1/19 329
ALE1/2 329
ALE1/3 329
ALE1/4 329
ALE1/5 329
ALE1/6 329
ALE1/9 329
ALE1/9-1 329
ALL-S24 335
AMY-S24 335
AP10-MA 322
AP10-MI 322
AP15-MA 322
AP15-MI 322
AP20-MA 322
AP20-MI 322
AP5 314
APO1/1 328
APO1/10 328
APO1/11 328
APO1/12 328
APO1/13 328
APO1/14 328
APO1/15 328
APO1/16 328
APO1/17 328
APO1/18 328
APO1/2 328

APO1/27 328
APO1/28 328
APO1/3 328
APO1/33 328
APO1/4 328
APO1/5 328
APO1/6 328
APO1/7 328
APO1/8 328
APO1/9 328
APSL-100 251
APSL-50 251
ASH-L10 306
ASP-S24 335
AVA1/1 328
AVA1/10 328
AVA1/11 328
AVA1/12 328
AVA1/14 328
AVA1/15 328
AVA1/16 328
AVA1/17 328
AVA1/18 328
AVA1/19 328
AVA1/2 328
AVA1/22 328
AVA1/26 328
AVA1/27 328
AVA1/27-1 328
AVA1/28 328
AVA1/3 328
AVA1/4 328
AVA1/5 328
AVA1/6 328
AVA1/7 328
AVA1/8 328
AVA1/9 328
AVA1/9-R 328
AW4 314
AW5 314
AWC-150 37

B

B10 93
B15 93
B20F 93
B20F(A) 93
B25 93
B30 93
B30A 93
B40 93
B40A 93
B50 93
B60 93
B80 93
BA-CR 36
BB-D3L 231
BC-1080 388
BC115SH 232
BC11T 232
BC225 232
BC230 232
BC235 232
BC330 232
BC331KD 231
BC331KDSH 231
BC331KDTC 231
BC340KD 231
BC340KDP 231
BCT-1130 386
BCT-1200 386
BD-1500 114
BELL-C 321
BEV1/1 329
BEV1/11 329
BEV1/12 329
BEV1/13 329
BEV1/14 329
BEV1/15 329
BEV1/17 329
BEV1/18 329
BEV1/19 329
BEV1/2 329
BEV1/3 329
BEV1/4 329
BEV1/5 329
BEV1/6 329
BEV1/7 329
BEV1/8 329
BEV1/9 329
BH-67 207
BH-67-36 207
BH-67-365 207
BH-CRM01 351
BH-CRM02 351
BH-CRM03 354
BH-CRM03B 354
BH-CRM04 352
BH-CRM05 359
BH-CRM06 355

BH-CRM07 355
BH-CRM10 353
BH-CRM11 358
BH-CRM12 352
BH-CRS01 351
BH-CRS02 351
BH-CRS03 354
BH-CRS03B 354
BH-CRS04 352
BH-CRS05 359
BH-CRS06 355
BH-CRS07 355
BH-CRS10 353
BH-CRS11 358
BH-CRS12 352
BH-MAM02 351
BH-MAM03 354
BH-MAM04 352
BH-MAM05 359
BH-MAM06 355
BH-MAM07 355
BH-MAM10 353
BH-MAM11 358
BH-MAM12 352
BH-MAS01 351
BH-MAS02 351
BH-MAS03 354
BH-MAS04 352
BH-MAS05 359
BH-MAS06 355
BH-MAS07 355
BH-MAS10 353
BH-MAS11 358
BH-MAS12 352
BH-MIM01 351
BH-MIM02 351
BH-MIM03 354
BH-MIM04 352
BH-MIM05 359
BH-MIM06 355
BH-MIM07 355
BH-MIM10 353
BH-MIM11 358
BH-MIM12 352
BH-MIS01 351
BH-MIS02 351
BH-MIS03 354
BH-MIS04 352
BH-MIS05 359
BH-MIS06 355
BH-MIS07 355
BH-MIS08 353
BH-MIS09 358
BH-MIS10 352
BK31815 313
BK37109 313
BK37209 313
BK37309 313
BK37409 313
BK37410 313
BK37508 313
BK37510 313
BKTT 204
BL-900 371
BOP-18 301
BOS1/1 329
BOS1/11 329
BOS1/12 329
BOS1/13 329
BOS1/14 329
BOS1/15 329
BOS1/17 329
BOS1/18 329
BOS1/19 329
BOS1/2 329
BOS1/3 329
BOS1/4 329
BOS1/5 329
BOS1/6 329
BOS1/7 329
BOS1/8 329
BOS1/9 329
BOT-A1 319
BOT-A2 319
BOT-A3 319
BOT-A4 319
BOT-A5 319
BOT-A6 319
BOT-B1 319
BOT-B2 319
BOT-B3 319
BOT-B4 319
BOT-B5 319
BOT-B6 319
BOT-T1 303
BOT-T2 303
BR258 175
BRI-S4/2 335
BRI-S4/3 335
BRI-S4/4 335
BRS10 303
BRS10D 303
BRS10F 303
BRS10K 303
BRS11 303
BRS11FH 303
BRS11K 303
BRS11S 303
BRS12 303
BRS12F 303
BRS12K 303
BRS12L 303
BRS130 303
BRS13R 303
BRS14K 303
BSC31 101
BSF-12 303
BSF-9 303
BSP-10 303
BSP-11 303
BSP-12 303
BSP-9 303
BST-10 312
BST-8 312
BTO-10 312
BTO-11 312
BTO-9 312
BTTR-1130 386
BWB16CW 296
BWM10CW 296
BWW10CW 296

C

C102 383
C103 383
C104 383
C105 383
C4VV 80
C6VV 80
C9VV 80
CAD1/1 331
CAD1/10 331
CAD1/11 331
CAD1/12 331
CAD1/13 331
CAD1/14 331
CAD1/15 331
CAD1/16 331
CAD1/17 331
CAD1/18 331
CAD1/19 331
CAD1/2 331
CAD1/26 331
CAD1/27 331
CAD1/28 331
CAD1/29-L 331
CAD1/29-S 331
CAD1/3 331
CAD1/30 331
CAD1/4 331
CAD1/5 331
CAD1/6 331
CAD1/7 331
CAD1/8 331
CAD1/9 331
CAD1/9-1 331
CAD-S24 335
CAD-S72 335
CAF-33 245
CANOVA250 68
CANOVA275 68
CANOVA300 68
CAR1/1 330
CAR1/10 330
CAR1/11 330
CAR1/12 330
CAR1/13 330
CAR1/14 330
CAR1/15 330
CAR1/16 330
CAR1/17 330
CAR1/18-1 330
CAR1/18-2 330
CAR1/19 330
CAR1/2 330
CAR1/27 330
CAR1/28 330
CAR1/29-L 330
CAR1/29-S 330
CAR1/3 330
CAR1/33 330
CAR1/4 330
CAR1/5 330
CAR1/6 330
CAR1/7 330
CAR1/8 330
CAR1/9 330
CAR-S24 335
CAR-S4 335
CAR-S72 335
CAX104 88
CAX106 88
CAX108 88
CAX112 88
CB1218BLA 258
CB1218BLB 258
CB1218BRA 258
CB1218BRB 258
CB1218GNA 258
CB1218GNB 258
CB1218RA 258
CB1218RB 258
CB1218WA 258
CB1218WB 258
CB1218YA 258
CB1218YB 258
CB1520BLA 258
CB1520BLB 258
CB1520BRA 258
CB1520BRB 258
CB1520GNA 258
CB1520GNB 258
CB1520RA 258
CB1520RB 258
CB1520WA 258
CB1520WB 258
CB1520YA 258
CB1520YB 258
CB1824BLA 258
CB1824BLB 258
CB1824BRA 258
CB1824BRB 258
CB1824GNA 258
CB1824GNB 258
CB1824RA 258
CB1824RB 258
CB1824WA 258
CB1824WB 258
CB1824YA 258
CB1824YB 258
CBM 194,195
CBMB 195,196
CBNFB 192
CBR-18 264
CBR-19 264
CBR-25 264
CBR6 258
CBR6BK 258
CBS4R 244
CC-1B 377
CC-1B-L 377
CC-2B 377
CC32 230
CC-3B 377
CC-C3L-GY 377
CC-D3L-GY 231
CCGSS-1W 38
CCGSS-2W 38
CC-H 253
CC-M3L-GY 232
CC-O 253
CD-A6L 325
CD-A9L 324
CD-B6L 325
CD-B9L 324
CDB-A9L 324
CD-C6L-G 325
CD-C9L-G 324
CD-E9L 325
CDH-700W 325
CDHR-1000W 325
CDHR-700W 325
CDR2020 232
CDR2020H 232
CED-7L-PC 326
CED-9L-PC 326
CF3-40 48
CF4-58 49
CF5-68 49
CF6-82 49
CF7-103 49
CFG-450 108
CFM-3L 108
CFP-20 240
CFP-22 240
CFP2-36 240
CFP-24 240
CFP2-40 240
CFP-26 240
CFP-28 240
CFP-30 240
CFP-32 240
CFS1 389
CFS2 389
CFW-1 249
CFW-2 249
CHEM-1 177
CHEM-2 177
CHH-1200 242
CHH-300 242
CHH-400 242
CHH-500 242
CHH-600 242
CHH-900 242
CHOC-PL 284
CHP1 237
CHP2 237
CHP3 237
CHP4 237
CHP5 237
CHP6 237
CHP7 237
CHSP10 237
CHSP12 237
CHSP14 237
CHSP16 237
CHSP18 237
CHSP20 237
CHSP22 237
CHSP24 237
CHSP26 237
CHSP28 237
CHSP30 237
CHSP8 237
CHSP-DL10 237
CHSP-DL12 237
CHSP-DL14 237
CHSP-DL16 237
CHSP-DL18 237
CHSP-DL20 237
CHSP-DL22 237
CHSP-DL24 237
CHSP-DL26 237
CHSP-DL28 237
CHSP-DL30 237
CHSP-DL8 237
CHSP-DLH10 237
CHSP-DLH12 237
CHSP-DLH14 237
CHSP-DLH16 237
CHSP-DLH18 237
CHSP-DLH20 237
CHSP-DLH22 237
CHSP-DLH24 237
CHSP-DLH26 237
CHSP-DLH28 237
CHSP-DLH30 237
CHSP-DLH8 237
CHSPH10 238
CHSPH12 238
CHSPH14 238
CHSPH16 238
CHSPH18 238
CHSPH20 238
CHSPH22 238
CHSPH24 238
CHSPH26 238
CHSPH28 238
CHSPH30 238
CHSPH8 238
CIR-001 383
CJ80CW 318
CKE3SCGM 149
CKE3SCSB 149
CKE3SCSM 149
CKE4SCGM 149
CKE4SCSB 149
CKE4SCSM 149
CKE5SCGM 149
CKE5SCSB 149
CKE5SCSM 149
CKS1 315
CKS3 315
CKS4 315
CKS5 315
CKS6 315
CKS9 315
CKST-30 315
CKST-35 315
CKST-40 315
CKST-45 315
CKST-50 315
CKST-G30 315
CKST-G35 315
CKST-G40 315
CKST-G45 315
CKST-G50 315
CKTU-1 273
CLAD-L1 245
CLAD-L2 245
CLAD-L3 245
CLAD-L4 245
CLAD-L5 245
CLAD-S1 245
CLAD-S2 245
CLAD-S3 245
CLAD-S4 245
CLAD-S5 245
CLDSTBB 188
CLDSTBSLSB 188
CLL-25R 353
CLL-25S 353
CNBM 196
COFH1 318
COFM2 318
COFP3 318
COFS1 318
COFS2 318
COFS3 318
COFS4 318
COL1/1 329
COL1/10 329
COL1/11 329
COL1/12 329
COL1/13 329
COL1/14 329
COL1/15 329
COL1/17 329
COL1/18-O 329
COL1/18-R 329
COL1/2 329
COL1/3 329
COL1/4 329
COL1/5 329
COL1/6 329
COL1/7 329
COL1/8 329
COL1/9 329
COL-P1 241
COL-P2 241
COL-PF1 241
COL-PF2 241
COP-P 259
COP-S 259
COP-W 259
COV10 317
COV12 317
COV14 317
COV16 317
COV8 317
COV-R14 317
COV-R15 317
COV-R16 317
CP1220 220
C-PC 316
C-PC-O 316
CPM-5L 92
CR05 317
CR10 317
CR10NB 317
CR16 317
CR32 317
CRE1 286
CRE2 286
CRE3 286
CRE4 286
CS1 244
CS2 244
CSD 184
CSDB 184
CSE-12 246
CSE-14 246
CSE-16 246
CSE-18 246
CSE-20 246
CSE-22 246
CSE-25 246
CSFP-24 240
CSFP-26 240
CSFP-28 240
CSFP-30 240
CSHL350 303
CSHL550 303
CSHL750 303
CSP-14 237
CSP-16 237
CSP-18 237
CSP-20 237
CSP-22 237
CSP-36 245
CSP-36P 245
CSPL-30 236
CSPL-32 236
CSPL-34 236
CSPL-36 236
CSPL-40 236
CSPL-45 236
CSPL-50 236
CSPO-16 236
CSPO-18 236
CSPO-20 236
CSPO-22 236
CSPO-24 236
CSPO-26 236
CSPO-28 236
CSPO-30 236
CSS4L 244
CSSA-16 238
CSSA-18 238
CSSA-20 238
CSSA-22 238
CSSA-24 238
CSSA-26 238
CSSA-28 238
CSSA-30 238
CSSAH-16 238
CSSAH-18 238
CSSAH-20 238
CSSAH-22 238
CSSAH-24 238
CSSAH-26 238
CSSAH-28 238
CSSAH-30 238
CSSD 184
CSSDB 184
CSSP-20 236
CSSP-25 236
CSSP-28 236
CSSP-30 236
CSSP-32 236
CSSP-36 236
CSSP-40 236
CSSP-45 236
CSSP-50 236
CSSW 184
CSSWB 184
CST-1 303
CST13 246
CST16 246
CST18 246
CST20 246
CSTR-18 246
CSTR-20 246
CSTR-24 246
CSTR-27 246
CSTR-30 246
CSTRW-10 246
CSTRW-6 246
CSTRW-7 246
CSTRW-8 246
CSTRW-9 246
CSU41366 215
CSU41426 215
CSU41486 215
CSU41546 215
CSU41606 215
CSU44367 215
CSU44427 215
CSU44487 215
CSU44607 215
CSU48366 215
CSU48367 215
CSU48427 215
CSU48486 215
CSU48487 215
CSU48546 215
CSU48547 215
CSU48606 215
CSU48607 215
CSU54547 215
CSW 184
CSWB 184
CT8-2 50
CT-A 307
CTB 182
CT-B 307
CT-C 307
CT-D 307
CTD-BL 290
CT-E 307
CT-F 307
CT-G 307
CT-H 307
CT-I 307
CT-J 307
CT-K 307
CT-L 307
CT-M 307
CTPR-44SD 140
CTPR-67SD 140
CTPR-93SD 140
CTS-1 307
CTS-2 307
CTS-3 307
CTU-BL 290
CTURW06 249
CTURW-36 249
CTURW-36P 249
CTU-TR 290
CU-10L 326
CU-D10L 326
CU-D10LB 326
CVO-R12 317
CWW-35 376
CWW-40 376
CWW-45 376

D

DAR1/1 330
DAR1/10 330
DAR1/11 330
DAR1/12 330
DAR1/13 330
DAR1/14 330
DAR1/15 330
DAR1/17 330
DAR1/18 330
DAR1/19 330
DAR1/2 330
DAR1/3 330
DAR1/4 330
DAR1/5 330
DAR1/6 330
DAR1/9 330
DB18263CW 220
DB18263P 220
DB18266CW 220
DBC1826CW 220
DBC1826P 220
DB-CW120 380
DB-CW167 380
DB-CW76 380
DB-LR-1 369
DB-LR-2 369
DB-LR-3 369
DB-LR-4 369
DB-LS-1 369
DB-LS-2 369
DB-LS-3 369
DB-LS-4 369
DB-LS-5 369
DB-LS-6 369
DB-OR-1 392
DB-OR-2 392
DB-OR-3 392
DB-OR-D1 391
DB-OS-1 391
DB-OS-2 391
DB-OS-3 391
DB-OS-4 391
DB-OS-5 391
DB-OS-D1 392
DB-OS-D2 392
DB-OS-D3 392
DB-P30-GY 380
DB-P45-GY 380
DB-P68-GY 380
DB-P87 380
DBS-01 99
DB-S2-12 359
DB-S2-20 359
DB-S2-5 359
DB-S3-12M 359
DB-S3-12S 359
DB-S3-3M 359
DB-S3-3S 359
DB-S3-6M 359
DB-S3-6S 359
DB-TC23 380
DB-TC42 380
DB-TC58 380
DC1225 233
DC575 233
DC700 233
DC825 233
DC-PC10 317
DC-PC12 317
DC-PC14 317
DC-PC16 317
DC-PC3 316
DC-PC4 316
DC-PC4-O 316
DC-PC6 317
DC-PC8 317
DCS1125 233
DCS950 233
DCU-15R 289
DCU-15S 289
DCU-18 289
DDR-30 95
DDR-30I 95
DE-1-A 103
DE-2 103
DF1 76
DF10 76
DF14 76
DF2 76
DF3 76
DF4 76
DF5 76
DF8 76
DH-11-21 52
DH-11-5F 52
DH-13 53
DH-310 54
DH-580 54
DH-805 54
DIS1 242
DIS1H 242
DISC PS10 76

DISC PS14 76
DISC PS20 76
DISC PS8 76
DLNTKTL 204
DMC-T12 316
DMC-T16 316
DNS1 389
DNS2 389
DON1/1 330
DON1/10 330
DON1/11 330
DON1/12 330
DON1/13 330
DON1/14 330
DON1/15 330
DON1/16 330
DON1/17 330
DON1/18 330
DON1/18-1 330
DON1/19 330
DON1/2 330
DON1/27 330
DON1/28 330
DON1/3 330
DON1/33 330
DON1/4 330
DON1/5 330
DON1/6 330
DON1/7 330
DON1/8 330
DON1/9 330
DON1/9-M 330
DOVS 201
DQ10 76
DQ4 76
DQ6 76
DQ8 76
DR-1 60
DR-2 60
DR520-FT 96
DR520-TT 96
DRC2020 177
DRED-3H2 263
DRED-FP1 263
DRED-FP2 263
DRED-FP3 263
DRED-M1 263
DRED-M2 263
DRED-M3 263
DRED-P1 263
DRED-P2 263
DRED-P3 263
DRG86C 263
DRG86F 263
DRG86M 263
DRS300 216
DRS360 216
DRS480 216
DRS600 216
DSGSS-3 39
DT-01 368
DT-02 368
DT-03 368
DT2 76
DT3 76
DT4 76
DT7 76
DT9 76
DTV 76
DU-D3L 231
DW-6 289
DZL28 17
DZL28-2 18

E

E1 175
E2 175
E3 175
E4 175
E5 175
EASYVAC25 90
EB-11L 31
EB-12L 32
EB-450 31
EB-4L 31
EB-600 31
EB-6L 31
EB-800 31
EB-8L 31
ECM-16 109
EF-11L-2 33
EF-12L-2 33
EF-4L-2 33
EF-6L-2 33
EF-8L-2 33
EF-T 103
EGG-C 317
EGG-CG 317
EGG-CS 317
EGG-H 317
EGS-RS-1 251
EGS-RS-2 251
EGS-SP 251
EGS-SS 251
ELM1/1 332
ELM1/10 332
ELM1/11 332
ELM1/1-1 332
ELM1/12 332
ELM1/13 332
ELM1/14 332
ELM1/15 332
ELM1/16 332
ELM1/17 332
ELM1/18 332
ELM1/19 332
ELM1/2 332
ELM1/2-1 332
ELM1/27 332
ELM1/28 332
ELM1/3 332
ELM1/33 332
ELM1/7 332
ELM1/8 332
ELM1/9 332
ELM1/9-1 332
ELM-S24 335
ELM-S4 335
EOD1-20C 98
EOD2-40C 98
EOD2-40CS 98
EOD3-60C 98
EOD3-60CS 98
EP-2 99
EP-2-1 99
EQSNB 182
ESK-10L 48
ESK-10LS 48
ESU183672 214
ESU184872 214
ESU186072 214
ESU213664 214
ESU213672 214
ESU214264 214
ESU214272 214
ESU214864 214
ESU214872 214
ESU215464 214
ESU215472 214
ESU216064 214
ESU216072 214
EWB-20 110
EWB-30 110
EWR-04-23-L 39
EWR-06-11-H 40
EWR-06-11-L 40
EWR-10-11-H 41
EWR-10-11-L 41
EWR-10-11-M 42
EWR-20-11-H 42
EWR-20-21-H 43
EXIL 197
EXILFRA 198
EXW 197
EXWFRA 198

F

FAB1/1 333
FAB1/10 333
FAB1/11 333
FAB1/12 333
FAB1/13 333
FAB1/14 333
FAB1/14-O 333
FAB1/14-R 333
FAB1/15 333
FAB1/17 333
FAB1/18 333
FAB1/18-10 333
FAB1/19 333
FAB1/2 333
FAB1/2-3 333
FAB1/27 333
FAB1/28 333
FAB1/29-L 333
FAB1/29-S 333
FAB1/3 333
FAB1/30 333
FAB1/3-3 333
FAB1/35 333
FAB1/36 333
FAB1/36-1 333
FAB1/37 333
FAB1/4 333
FAB1/40 333
FAB1/5 333
FAB1/6 333
FAB1/7 333
FAB1/8 333
FAB1/9-1 333
FAB1/9-2 333
FAB1/9-3 333
FAB1/9-4 333
FAB1/9-5 333
FAB-S130 335
FAB-S24 335
FAB-S72 335
FBT10 241
FBT11 241
FBT12 241
FBT4 241
FBT5 241
FBT6 241
FBT7 241
FBT8 241
FBT9 241
FC1NM 264
FC2NM 264
FC3 264
FC4 264
FCH1-3 264
FCH1-4 264
FCH2-4 264
FCH2-6 264
FCYL-P1/3 264
FCYL-P1/4 264
FCYL-P1/5 264
FCYL-P2/2 264
FCYL-P2/3 264
FCYL-P2/4 264
FCYL-S2/4 264
FCY-P 264
FCY-S 264
FEBS1 250
FEBS10 250
FEBS2 250
FEBS3 250
FEBS4 250
FEBS5 250
FEBS6 250
FEBS7 250
FEBS8 250
FEBS9 250
FEM1 250
FEM2 250
FEMB1 250
FEMB1H 250
FEMB2 250
FEMH1 250
FEMH2 250
FET1/1 328
FET1/10 328
FET1/11 328
FET1/12 328
FET1/13 328
FET1/14 328
FET1/15 328
FET1/16 328
FET1/17 328
FET1/18 328
FET1/2 328
FET1/27 328
FET1/28 328
FET1/3 328
FET1/31 328
FET1/32 328
FET1/33 328
FET1/4 328
FET1/5 328
FET1/6 328
FET1/7 328
FET1/8 328
FET1/9 328
FFD8 243
FFR8 243
FFS1 244
FFS2 244
FFSB1 244
FFSB2 244
FN-S-PC 242
FOR1/1 332
FOR1/11 332
FOR1/12 332
FOR1/15 332
FOR1/16 332
FOR1/2 332
FOR1/27 332
FOR1/29-10 332
FOR1/29-10P 332
FOR1/29-11 332
FOR1/29-11P 332
FOR1/3 332
FOR1/33 332
FOR1/5 332
FOR1/6 332
FOR1/7 332
FOR-S24 335
FOR-S4/1 335
FOR-S4/2 335
FPA-AL-16BH 240
FPA-AL-18BH 240
FPA-AL-20BH 240
FPA-AL-22BH 240
FPA-AL-24BH 240
FPA-AL-26BH 240
FPA-AL-28BH 240
FPA-AL-30BH 240
FPA-AL-32BH 240
FPA-AL-36BH 240
FP-AL-20 240
FP-AL-22 240
FP-AL-24 240
FP-AL-26 240
FP-AL-28 240
FP-AL-30 240
FP-S-10 240
FP-S-20 240
FP-S-22 240
FP-S-24 240
FP-S-26 240
FP-S-28 240
FP-S-30 240
FRBT-1830 385
FRBT-2134 385
FRBT-2438 385
FSP-W 259
FUH-10 252
FUH-13 252
FUH-15 252
FUN1 242
FUN1H 242
FUNH-35 242
FUN-OL 242
FUN-OLH 242
FUN-S 242
FUN-SH 242
FWC56 176

G

GALILEO350AUTO 70
GALILEO380AUTO 70
GAN1/1 333
GAN1/11 333
GAN1/11-2 333
GAN1/12 333
GAN1/12-R 333
GAN1/13 333
GAN1/15 333
GAN1/16 333
GAN1/17 333
GAN1/18 333
GAN1/2 333
GAN1/2-1 333
GAN1/27 333
GAN1/28 333
GAN1/3 333
GAN1/3-1 333
GAN1/34-1 333
GAN1/34-2 333
GAN1/5 333
GAN1/6 333
GAN1/9 333
GAN1/9-1 333
GAN1/9-M 333
GAN-S24 335
GAN-S72 335
GB03 317
GB05 317
GB08 317
GB1200CW 296
GB850CW 296
GCM-2700 371
GCSSS-1 38
GDO1-20CS 98
GDO-20AS 98
GDO2-40AS 98
GDO3-60AS 98
GH-811A 34
GH-811AE 35
GH-813A 35
GH-813B 35
GH-813C 35
GH-818 26
GH-822 26
GN11100 226
GN11150 226
GN1120 226
GN11200 226
GN1140 226
GN1165 226
GN11L 227
GN12100 226
GN12150 226
GN1220 226
GN12200 226
GN1240 226
GN1265 226
GN12L 227
GN13100 226
GN13150 226
GN1320 226
GN13200 226
GN1340 226
GN1365 226
GN13L 227
GN14L 227
GN16100 226
GN16150 226
GN16200 226
GN1665 226
GN16L 227
GN19100 226
GN19150 226
GN1965 226
GN19L 227
GN21100 227
GN21150 227
GN2120 227
GN21200 227
GN2140 227
GN2165 227
GN21L 227
GN23100 227
GN23150 227
GN2320 227
GN23200 227
GN2340 227
GN2365 227
GN23L 227
GN24100 227
GN24150 227
GN2420 227
GN2440 227
GN2465 227
GN24L 227
GNTL 204
GRA1 252
GRI-S 320
GSTR 187
GT3-R 43
GT6-P 43

H

HB-200 344
HB-300 344
HBB250-CE RIO 117
HBB908-CE 116
HB-D1 344
HBF500S-CE 83
HBF600-CE 82
HBH450-CE 118
HBH550-CE 119
HBH650-CE 120
HBH750-CE 121
HBH850-CE 122
HBR258 175
HCA-OAK 379
HCA-S45 379
HCA-S50 379
HD1000-BL 342
HD1000-BLS 342
HD1000-IV 342
HD1500-BLS 342
HD1600-BL 342
HD1600-IV 342
HD1875-BL 342
HD1875-IV 342
HDWS1200-IV 343
HDWSF1200-IV 343
HDWV1200-IV 343
HE3 175
HKC1300 379
HLCH2S-SSM 56
HLCR1C-MSS 55
HLCR1-RW 58
HLCR1WS 55
HLCR2-BG 58
HLCR2C-MSS 56
HLCR2C-SW 58
HLCR2-OW 58
HLCR2-SSBG 58
HLCR2S-SSM 56
HLCR2WS 56
HLCR3C-MSS 57
HLCR3WS 57
HLCS2-SSG 58
HLCS3-SSG 58
HLCS4-SSBG 58
HLH1S-SB 55
HLH2S-SB 56
HLR1C-SSRB 55
HLR1-OB 55
HLR1S-SB 55
HLR2S-SB 56
HLRB1S-SB 55
HLRB2S-SB 56
HLS1S-SB 55
HLS2S-SB 56
HMD200-CE 124
HMD400-CE 124
HMD900-CE 125
HMI200-CE 85
HOW1/1 333
HOW1/11 333
HOW1/11-1 333
HOW1/12 333
HOW1/12-1 333
HOW1/13 333
HOW1/14-O 333
HOW1/14-R 333
HOW1/15 333
HOW1/17 333
HOW1/2 333
HOW1/3 333
HOW1/4 333
HOW1/5 333
HOW1/6 333
HOW1/9 333
HOW1/9-2 333
HOW-S24 335
HP-400W 325
HS100 94
HS130 94
HS20 94
HS30A 94
HS40A 94
HS50A 94
HS80 94
HT10CW 295
HT10CW 356
HT120CW 295
HT120W 356
HT12CW 295
HT12CW 356
HT14CW 295
HT14CW 356
HT-15BE 341
HT-16BL 341
HT16CW 295
HT16CW 356
HT-17BE 341
HT22CW 295
HT22CW 356
HT5CW 295
HT5CW 356
HT8CW 295
HT8CW 356
HTT-15BE 341
HTT-T10BL 341
HUB1/1 334
HUB1/12 334
HUB1/2-1 334
HUB1/2-2 334
HUB1/2-3 334
HUB1/2-4 334
HUB1/3-1 334
HUB1/3-2 334
HUB1/3-3 334
HUB1/34 334
HUB1/3-4 334
HUB1/9-1 334
HUB1/9-2 334
HUB1/9-3 334
HUB1/9-4 334
HW-350W-1 325

I

IB27 230
IB32 230
IB36 230
IB44 230
IBA1/1 334
IBA1/12 334
IBA1/2-1 334
IBA1/2-2 334
IBA1/2-3 334
IBA1/2-4 334
IBA1/3-1 334
IBA1/3-2 334
IBA1/3-3 334
IBA1/34 334
IBA1/3-4 334
IBA1/9-1 334
IBA1/9-2 334
IBA1/9-3 334
IBA1/9-4 334
IBC 182
IBCB 182
IBS20 230
IBS27 230
IBS37 230
IBSF27 230
ICB1 303
ICB2 303
ICB2-1L 303
ICB2-2L 303
ICB2-3L 303
ICBP-1 303
ICBP-2 303
ICBP-3 303
ICED-L1 304
ICED-L2 304
ICED-L3 304
ICED-L4 304
ICED-L5 304
ICED-L6 304
ICED-NB 304
ICED-NS 304
ICS100L 234
ICS125L 234
ICS125LB 234
ICS125T 234
ICS175L 234
ICS175LB 234
ICS175T 234
ICS175TB 234
ICS200TB 234
ICS7 304
ICS8 304
ID4002 88
IK30 261
IK40 261
IND-2000 23
IND-3500 24
IND-3500W 24
IND-5000 24
IR1000 59
IR510 59
IR810 59
IRW1/1 333
IRW1/12 333
IRW1/2-1 333
IRW1/2-2 333
IRW1/2-3 333
IRW1/2-4 333
IRW1/3-1 333
IRW1/3-2 333
IRW1/3-3 333
IRW1/34 333
IRW1/3-4 333
IRW1/9-1 333
IRW1/9-2 333
IRW1/9-3 333
IRW1/9-4 333
IS V 15 IDRA TF 74
IS V 25 IDRA TF 74
ISC1/1 329
ISC1/10 329
ISC1/11 329
ISC1/12 329
ISC1/13 329
ISC1/14 329
ISC1/15 329
ISC1/16 329
ISC1/17 329
ISC1/18-L 329
ISC1/19 329
ISC1/2 329
ISC1/27 329
ISC1/28 329
ISC1/3 329
ISC1/33 329
ISC1/4 329
ISC1/46 329
ISC1/5 329
ISC1/6 329
ISC1/7 329
ISC1/8 329
ISC1/9 329
ISC2-12 244
ISC2-24 244
ISC2-36 244
ISC2-6 244
ISC3-1 244
ISC3-2 244
ISC3-3 244
ISC3-4 244
ISC3-5 244
ISC-S130 335
ISC-S24 335
ISC-S4 335
ISC-S72 335
ITO-65 303

J

J80 ULTRA 111
JAY1/1 334
JAY1/11 334
JAY1/2 334
JAY1/3 334
JD118 JET 25 126
JD118 MIX 25 126
JD218 JET 25 126
JD218 MIX 25 126
JD318 JET 25 126
JD318 MIX 25 126
JD-5LD 327
JD-5LS 327
JD-8LD 327
JD-8LDB 327

Index

JD-8LD-PC 327
JD-8LS 327
JD-8LSB 327
JD-8LS-PC 327
JES1/1 334
JES1/11 334
JES1/2 334
JES1/3 334
JG-210 73
JG-300 73
JG-650 73
JIG-D1 302
JIG-D2 302
JIG-D3 302
JOR1/1 334
JOR1/11 334
JOR1/2 334
JOR1/3 334
JT6 318
JU-HM 251
JUS1/1 334
JUS1/11 334
JUS1/2 334
JUS1/3 334
JUS-600 36
JUS-DGH-60 25
JUS-DM-3 34
JUS-RA-4 9
JUS-RA-6 12
JUS-RQ-4 10
JUS-RQ-6 12
JUS-TEF-2 32
JUS-TH-60 29
JUS-TQ-4 10
JUS-TRB60 51
JUS-TRC-2 32
JUS-TRG60 24
JUS-TRH60 29
JUS-TRM60 33
JUS-TY-2 51
JUS-TZ-4 23
JZH-GT360 36
JZH-HP-4 14
JZH-HQ-4 14
JZH-RA-4 8
JZH-RA-6 10
JZH-RB 50
JZH-RC-1 16
JZH-RC-2 17
JZH-RE 13
JZH-RG 15
JZH-RH 16
JZH-RM-12 20
JZH-RM-S4 19
JZH-RO 20
JZH-RQ-4 8
JZH-RQ-6 11
JZH-RS 21
JZH-RT 13
JZH-TB 50
JZH-TC-1 17
JZH-TC-2 18
JZH-TE-4 13
JZH-TG 15
JZH-TH 15
JZH-TM-12 20
JZH-TM-S4 19
JZH-TO 21
JZH-TQ-4 9
JZH-TQ-6 12
JZH-TS 21
JZH-TT-4 14

K

K20 301
K220FT 301
K45 301
K85 301
K85FT 301
K85TGO 301
K85TGRT 301
K99 301
KAT1/1 328
KAT1/10 328
KAT1/11 328
KAT1/12 328
KAT1/13 328
KAT1/15 328
KAT1/17 328
KAT1/18 328
KAT1/19 328
KAT1/2 328
KAT1/3 328
KAT1/34 328
KAT1/4 328
KAT1/5 328
KAT1/6 328
KAT1/7 328
KAT1/8 328
KAT1/9 328
KB-SNB 307
KB-SR 307
KB-SSR 307
KB-SSS 307
KB-WD115 307
KB-WD150 307
KB-WDR 307
KB-WL115 307
KB-WL150 307
KCTL 203
KCTLSWD 203
KEN1/1 334
KEN1/11 334
KEN1/2 334
KEN1/3 334
KF25-1 132
KF25-2 132
KF45-2 132
KF45-4 132
KF65-3 132
KF65-6 132
KG-165F 51
KHR12-2 138
KHR15-2 138
KHR18-3 138
KHR9-1 138
KIN1/1 333
KIN1/11 333
KIN1/2 333
KIN1/3 333
KNBK-10WH 248
KNBKR-10WH 248
KNBKR-12WH 248
KNBS-9WH 248
KNBU-3WH 248
KNC-10BK 253
KNC-10BL 253
KNC-10BR 253
KNC-10GR 253
KNC-10RD 253
KNC-10WH 253
KNC-10YL 253
KNC-12BK 253
KNC-12BL 253
KNC-12BR 253
KNC-12GR 253
KNC-12RD 253
KNC-12WH 253
KNC-12YL 253
KNC-6BK 253
KNC-6BR 253
KNC-6GR 253
KNC-6WH 253
KNC-6YL 253
KNC-7BK 253
KNC-7BL 253
KNC-7BR 253
KNC-7GR 253
KNC-7RD 253
KNC-7WH 253
KNC-7YL 253
KNC-8BK 253
KNC-8BL 253
KNC-8BR 253
KNC-8GR 253
KNC-8RD 253
KNC-8WH 253
KNC-8YL 253
KNC-RD 253
KNCT-3WH 248
KNCT-4WH 248
KNCT-5WH 248
KNCT-60WH 248
KNGT-4WH 248
KNGT-5WH 248
KNH-GR 253
KNPI-27WH 248
KNPT-3WH 248
KNSC-3WH 248
KNSM230 87
KNSM280 87
KNSP-10WH 248
KNSP-12WH 248
KNSP-14WH 248
KNST-2WH 248
KNT-24WH 248
KNT-3WH 248
KNT-4WH 248
KNTT-4WH 248
KR25-1 132
KR25-2 132
KR45-2 132
KR45-4 132
KR65-3 132
KR65-6 132
KRF25-2 134
KRF45-4H 134
KRF65-6 134
KSR12-2 139
KSR15-2 139
KSR18-3 139
KSR9-1 139
KT1200-D 110
KT1200DD 343
KT1200DW 343
KT1200-DW 110
KT1500D 343
KT1500-D 110
KUF12-2 135
KUF12-3D-3 137
KUF12-3D-6 137
KUF15-2 135
KUF15-3D-3 137
KUF15-3D-6 137
KUF18-3 135
KUF9-1 135
KUF9-3D-3 137
KUR12-2 135
KUR12-3D-3 137
KUR12-3D-6 137
KUR15-2 135
KUR15-3D-3 137
KUR15-3D-6 137
KUR18-3 135
KUR18-3D-3 137
KUR18-3D-6 137
KUR18-3D-9 137
KUR9-1 135
KUR9-3D-3 137
KURF12-2 136
KURF15-2 136
KURF18-3 136

L

LAD-10 245
LAD-10P 245
LADL-10 245
LADL-11 245
LADL-12 245
LADL-14 245
LADL-16 245
LADL-18 245
LADL-20 245
LADL-5 245
LADL-6 245
LADL-7 245
LADL-8 245
LADL-9 245
LADLP-10 245
LADLP-11 245
LADLP-12 245
LADLP-14 245
LADLP-16 245
LADLP-18 245
LADLP-20 245
LADLP-5 245
LADLP-6 245
LADLP-7 245
LADLP-8 245
LADLP-9 245
LAD-W10 245
LAD-W2 245
LAD-W3 245
LAD-W4 245
LAD-W6 245
LAD-W8 245
LC-SB12 367
LCU-GR 247
LD105 311
LD105A 311
LD130 311
LD130A 311
LD85 311
LD85A 311
LEN1/1 334
LEN1/11 334
LEN1/2 334
LEN1/3 334
LEONARDO385VCS 69
LFB-10 375
LFB-18 374
LFB-24 374
LFB-2S 22
LFB-4S 22
LFH-400S 27
LFH-900S 28
LG-20 18
LOBS-C 312
LOBS-P 312
LOP005 245
LOP01 245
LOP015 245
LOP02 245
LOP03 245
LOP04 245
LOP05 245
LOP06 245
LOP07 245
LOP08 245
LOP-10 245
LOP12 245
LOP-12 245
LOP-14 245
LOP16 245
LOP-16 245
LOP-6 245
LOP-8 245
LOP-9 245
LS(B) 36
LS01-BMP 345
LS01-CP2 345
LS01-CS 345
LS01-RCS 345
LS01-RDB 345
LS01-RTB 345
LS01-SGF 345
LS01-SMP 345
LS01-ST 345
LS01-STB 345
LS01-T 345
LS01-TCC 345
LS02-BMP 346
LS02-CP2 346
LS02-CS 346
LS02-RCH 346
LS02-RTB 346
LS02-SBD 346
LS02-SGF 346
LS02-SMP 346
LS02-STB 346
LS02-T 346
LS02-TCC 346
LS03-CP2 347
LS03-RTB 347
LS03-SGF 347
LS03-SMP 347
LS03-STB 347
LS03-T 347
LS03-TCC 347
LS03-TH 347
LS04-CP2 347
LS04-RTB 347
LS04-SGF 347
LS04-SMP 347
LS04-STB 347
LS04-T 347
LS04-TCC 347
LS04-TH 347
LS05-CBPB2 348
LS05-RCS 348
LS05-RTB 348
LS05-STB 348
LS05-TH 348
LS06-BF 348
LS06-BMP 348
LS06-RTB 348
LS06-SGF 348
LS06-SMP 348
LS06-STB 348
LS06-T 348
LS07-BF 350
LS07-RTB 350
LS07-SGF 350
LS07-SMP 350
LS07-STB 350
LS07-TBB 350
LS08-BMP 349
LS08-C 349
LS08-CBPB1 349
LS08-CP2 349
LS08-CS 349
LS08-RCH 349
LS08-RDB 349
LS08-RTB 349
LS08-SGF 349
LS08-SMP 349
LS08-ST 349
LS08-STB 349
LS08-T 349
LS08-TCC 349
LS09-BMP 350
LS09-CP2B1 350
LS09-RTB 350
LS09-SGF 350
LS09-SMP 350
LS09-STB 350
LS09-TBB 350
LS09-TCRCS 350
LS-D1300 387
LS-D700 387
LT10 295
LT10 356
LT12 295
LT12 356
LT14 295
LT14 356
LT16 295
LT16 356
LT22 295
LT22 356
LT6 295
LT6 356
LT8 295
LT8 356
LT-B 378
LT-BR 378
LT-B-X 378
LUGC17-SR 366
LUGC18-SSR 366
LUGC19-GB 366
LUGC19-GR 366
LUGC19-SR 366
LUGC19-SSR 366
LUK1/1 330
LUK1/10 330
LUK1/11 330
LUK1/12 330
LUK1/13 330
LUK1/14 330
LUK1/15 330
LUK1/16 330
LUK1/17 330
LUK1/18 330
LUK1/19 330
LUK1/2 330
LUK1/27 330
LUK1/28 330
LUK1/3 330
LUK1/32 330
LUK1/33 330
LUK1/4 330
LUK1/5 330
LUK1/6 330
LUK1/7 330
LUK1/8 330
LUK1/9 330
LUK-S24 335

M

M27 RE C2 107
M27 RE DT2 107
M98E-0SV 166
M98E-101 166
M98E-505SG03 170
M98E-505SN12 170
M98E-HRW11 171
MAGNUM AUTO SILVER 107
MAND-L 252
MAND-M 252
MAND-S 252
MAND-SLI 252
MAS1/1 334
MAS1/11 334
MAS1/2 334
MAS1/3 334
MAX1/1 332
MAX1/11 332
MAX1/11-1 332
MAX1/11-S 332
MAX1/12 332
MAX1/13 332
MAX1/14 332
MAX1/15 332
MAX1/17 332
MAX1/18 332
MAX1/19 332
MAX1/2 332
MAX1/20 332
MAX1/27 332
MAX1/28 332
MAX1/29-1 332
MAX1/29-1P 332
MAX1/29-2 332
MAX1/29-2P 332
MAX1/29-S 332
MAX1/3 332
MAX1/4 332
MAX1/5 332
MAX1/6 332
MAX1/7 332
MAX1/8 332
MAX1/9 332
MAX1/9-M 332
MBCF35-BC 340
MBCF50-BL 340
MBF28-A 340
MBF28-B 340
MBF36-A 340
MBF36-B 340
MBF40-A 340
MBF40-B 340
MBFL 204
MBGB 204
MBIBSD 204
MBIBSW 204
MBM-175 371
MBS-1220 387
MBS-1828 387
MC1 124
MCS05 243
MCS1 243
MCS1000 243
MCS2 243
MCS4 243
MCS500 243
MCSH04 321
MCSH08 321
MCSH12 321
MCSH18 321
MCUP4 243
MFBT-1220 388
MFBTS-455 388
MFBTS-760 388
MFC3535-BL 375
MFC3535-GR 375
MFC3535-RD 375
MFC3535-WH 375
MFC3535-YL 375
MFM 252
MFP-16 315
MFP-H16 315
MFR 306
MFR400 306
MFR800 306
MFS 306
MFS1 252
MFS3 252
MFS400 306
MFS5 252
MFS800 306
MG12 65
MG22 65
MG22H 66
MG32H 66
MG42A 66
MIA1/1 331
MIA1/10 331
MIA1/11 331
MIA1/12 331
MIA1/13 331
MIA1/14 331
MIA1/15 331
MIA1/16 331
MIA1/17 331
MIA1/18 331
MIA1/18-L 331
MIA1/19 331
MIA1/2 331
MIA1/27 331
MIA1/28 331
MIA1/3 331
MIA1/33 331
MIA1/4 331
MIA1/5 331
MIA1/6 331
MIA1/7 331
MIA1/8 331
MIA1/9 331
MIR-2M8-1 357
MIR-2M8-2 357
MIR-3M6 357
MIR-3M8 357
MIRRA250C 67
MIRRA300 67
MJ05 243
MJ1 243
MJ100 243
MJ2 243
MJ250 243
MJS100 306
MJS15 306
MJS150 306
MJS200 306
MJS24 306
MJS35 306
MJS48 306
MJS60 306
MJS75 306
MJSW16 306
MJSW20 306
MJSW24 306
MJSW32 306
MKR-340 253
MKR-470 253
MKR-620 253
MLK100 243
MLK150 243
MLK200 243
MLK-200 317
MLK35 243
MLK-400 317
MLK60 243
MLK-600 317
MLK-A1 317
MLK-A2 317
MLK-A3 317
MLK-A4 317
MLK-A5 317
MLK-A6 317
MLKH1 318
MLKH2 318
MLKH3 318
MLKH4 318
MLKH5 318
MLK-R 317
MLKS-300 317
MLKS-350 317
MLKS-600 317
MLT1 310
MLT2 310
MME-600H-S 53
MMG-L 259
MMG-M 259
MMG-S 259
MOP-CL 374
MOP-CL12 374
MOP-LO-42S 374
MOP-MO 374
MOR-HE5 270
MOR-OC1 270
MOR-OC10 270
MOR-OC2 270
MOR-OC3 270
MOR-OC7 270
MOR-OC9 270
MOR-SH8 270
MR-2 109
MS220-120W 71
MS250-150W 71
MS-4S2-1 243
MS-4S2-2 243
MSC2000 243
MSC3000 243
MSS-10H 74
MSS-10V 74
MSS-12H 74
MSS-12V 74
MSS-16H 74
MSS-16V 74
MSS-3H 74
MSS-5H 74
MSS-7H 74
MT-20L 373
MT-30L 373
MT-35L-2B 373
MT-35L-3B 373
MT-40L 373
MT-43L-2B 373
MT-50L 373
MTZ-1 252
MTZ-2L 252
MTZ-2S 252
MTZ-L 252
MTZ-R 252
MTZ-S 252
MU-10L 326
MU-D8L 326
MU-D8LB 326
MUR1/1 330
MUR1/10 330
MUR1/11 330
MUR1/12 330
MUR1/13 330
MUR1/14 330
MUR1/15 330
MUR1/16 330
MUR1/17 330
MUR1/18 330
MUR1/18-2 330
MUR1/19 330
MUR1/2 330
MUR1/27 330
MUR1/28 330
MUR1/3 330
MUR1/4 330
MUR1/5 330
MUR1/6 330
MUR1/7 330
MUR1/8 330
MUR1/9 330
MVP1000M 322
MVP1500M 322
MVP2000M 322
MVP750M 322
MW-2 109
MWR-2 109

N

N32A 299
N32LPA 299
N4244 88
N6970 88
N8001 88
N8002 88
N80021 88
N80022 88
N8003 88
N80031 88
N8004 88
NCT-01 288

NCT-02 288
NCT-03 288
NCT-04 288
NCT-05 288
NCT-06 288
NCT-07 288
NCT-08 288
NCT-09 288
NCT-10 288
NCT-11 288
NCT-12 288
NCT-13 288
NCT-14 288
NCT-15 288
NCT-16 288
NCT-17 288
NCT-18 288
NCT-19 288
NCT-20 288
NCT-21 288
NCT-22 288
NCT-23 288
NCT-24 288
NCT-25 288
NCT-26 288
NCT-27 288
NCT-28 288
NDRA 193
NKM300 87
NKM350 87
NOA1/1 331
NOA1/10 331
NOA1/11 331
NOA1/12 331
NOA1/13 331
NOA1/14 331
NOA1/15 331
NOA1/16 331
NOA1/17 331
NOA1/18-1 331
NOA1/18-2 331
NOA1/19 331
NOA1/2 331
NOA1/27 331
NOA1/28 331
NOA1/3 331
NOA1/33 331
NOA1/4 331
NOA1/5 331
NOA1/6 331
NOA1/7 331
NOA1/8 331
NOA1/9 331
NOV1/1 333
NOV1/11 333
NOV1/11-1 333
NOV1/12 333
NOV1/13 333
NOV1/14-1 333
NOV1/14-2 333
NOV1/15 333
NOV1/17 333
NOV1/2 333
NOV1/2-2 333
NOV1/26 333
NOV1/29-10 333
NOV1/29-10P 333
NOV1/29-11 333
NOV1/29-11P 333
NOV1/29-8 333
NOV1/3 333
NOV1/3-2 333
NOV1/5 333
NOV1/6 333
NOV1/9 333
NOV1/9-2 333
NOV1/9-3 333
NYGF300-RF 16

O

OETR314 176
OJC1 251
OJC2 251
OP25 304
OP30 304
OP35 304
OP40 304
OP45 304
OP50 304
OP55 304
OP60 304
OP65 304
OPC 183
OPCB 183
OPCS 183
OPCSB 183
OPN01 302
OPN02 302
OPN03 302
OPN04 302
OPN05 302
OPN06 302
OPN07 302
OPN08 302
OPN09 302
OPN10 302
OPN11 302
OPN12 302
OPN13 302
OPN14 302
OPN15 302
OPN21 301
OPN22 301
ORA12 242
ORA18 242
ORA24 242
ORA36 242
ORA48 242
ORA60 242
ORA72 242
OVM-L 291
OVM-M 291
OVM-S 291
OVMS-L 291
OVMS-M 291
OVMS-S 291
OVRCS 201
OVS 201

P

P320CW 297
P480CW 297
P600CW 297
P60CW 297
P64CW 297
PALLADIO350ING 69
PAN-R1 240
PAN-R2 240
PAN-R3 240
PAS-S 312
PBD1 313
PBD2 313
PBD3 313
PBPO-14 291
PBPO-16 291
PBPO-18 291
PBPO-20 291
PBSI-WH14 291
PBSI-WH16 291
PBSI-WH18 291
PBSI-WH20 291
PBSI-WH22 291
PBSI-WH24 291
PBSI-WH26 291
PBSI-WH28 291
PBSI-YL14 291
PBSI-YL16 291
PBSI-YL18 291
PBSI-YL20 291
PBSI-YL22 291
PBSI-YL24 291
PBSI-YL26 291
PBSI-YL28 291
PBUK-185 247
PC1 315
PC2N 315
PC64CW 297
PCCM-001 275
PCCM-002 275
PCCM-003 275
PCCM-004 275
PCCM-005 275
PCCM-006 275
PCCM-007 275
PCCM-008 275
PCCM-009 275
PCCM-010 275
PCCM-011 275
PCCM-012 275
PCCM-013 275
PCCM-014 275
PCCM-015 275
PCCM-016 275
PCCM-017 275
PCCM-018 275
PCCM-019 275
PCCM-020 275
PCCM-021 275
PCCM-022 275
PCCM-023 275
PCCM-024 275
PCCM-025 275
PCCM-026 275
PCCM-027 275
PCCM-028 275
PCCM-029 275
PCCM-030 275
PCCM-031 275
PCCM-032 275
PCCM-033 275
PCCM-034 275
PCCM-035 275
PCCM-036 275
PCCM-037 275
PCCM-038 275
PCCM-039 275
PCCM-040 275
PCCM-041 275
PCCM-042 275
PCCM-043 275
PCCM-044 275
PCCM-045 275
PCCM-046 275
PCCM-047 275
PCCM-048 275
PCCM-049 275
PCCM-050 275
PCCM-051 275
PCCM-052 275
PCCM-053 275
PCCM-054 275
PCCM-055 275
PCCM-056 275
PCCM-057 275
PCCM-058 275
PCCM-059 275
PCCM-060 275
PCCM-061 275
PCCM-062 275
PCCM-063 275
PCCM-064 275
PCCM-065 275
PCCM-066 275
PCCM-067 275
PCCM-068 275
PCCM-069 275
PCCM-070 275
PCCM-071 276
PCCM-072 276
PCCM-073 276
PCCM-074 276
PCCM-075 276
PCCM-076 276
PCCM-077 276
PCCM-078 276
PCCM-079 276
PCCM-080 276
PCCM-081 276
PCCM-082 276
PCCM-083 276
PCCM-084 276
PCCM-085 276
PCCM-086 276
PCCM-087 276
PCCM-088 276
PCCM-089 276
PCCM-090 276
PCCM-091 276
PCCM-092 276
PCCM-093 276
PCCM-094 276
PCCM-095 276
PCCM-096 276
PCCM-097 276
PCCM-098 276
PCCM-099 276
PCCM-100 276
PCCM-101 276
PCCM-102 276
PCCM-103 276
PCCM-104 276
PCCM-105 276
PCCM-106 276
PCCM-107 276
PCCM-108 276
PCCM-109 276
PCCM-110 276
PCCM-111 276
PCCM-112 276
PCCM-113 276
PCCM-114 276
PCCM-115 276
PCCM-116 276
PCCM-117 276
PCCM-118 276
PCCM-119 276
PCCM-120 276
PCCM-121 276
PCCM-122 276
PCCM-123 276
PCCM-124 276
PCCM-125 276
PCCM-126 276
PCCM-127 276
PCCM-128 276
PCCM-129 276
PCCM-130 276
PCCM-131 276
PCCM-132 276
PCCM-133 276
PCCM-134 276
PCCM-135 276
PCCM-136 276
PCCM-137 276
PCCM-138 276
PCCM-139 276
PCCM-140 277
PCCM-141 277
PCCM-142 277
PCCM-143 277
PCCM-144 277
PCCM-145 277
PCCM-146 277
PCCM-147 277
PCCM-148 277
PCCM-149 277
PCCM-150 277
PCCM-151 274
PCCM-152 274
PCCM-153 274
PCCM-154 274
PCCM-155 274
PCCM-156 274
PCCM-157 274
PCCM-158 274
PCCM-159 274
PCCM-160 274
PCCM-3D-1 274
PCCM-3D-10 274
PCCM-3D-11 274
PCCM-3D-2 274
PCCM-3D-3 274
PCCM-3D-4 274
PCCM-3D-5 274
PCCM-3D-6 274
PCCM-3D-7 274
PCCM-3D-8 274
PCCM-3D-9 274
PCCM-P-01 274
PCCM-P-02 274
PCCM-P-03 274
PCCM-P-04 274
PCCM-P-05 274
PCCM-P-06 274
PCCM-P-07 274
PCCM-P-08 274
PCCM-P-09 274
PCCM-P-10 274
PCCM-P-11 274
PCCM-P-12 274
PCCM-P-13 274
PCCM-P-14 274
PCCM-P-15 274
PCCM-P-16 274
PCCM-P-17 274
PCCM-P3D-01 274
PCCM-P3D-02 274
PCCM-P3D-03 274
PCCM-P3D-04 274
PCCM-P3D-05 274
PCCM-P3D-06 274
PCCM-P3D-07 274
PCCM-P3D-08 274
PCCM-P3D-09 274
PCCM-P3D-10 274
PCCM-P3D-11 274
PCHK-230 247
PCOR-95 247
PCU-42 290
PCU-57 290
PCU-65 290
PCU-85 290
PCU-BL55 290
PCU-BL75 290
PDC-40D 290
PDC-60 290
PE101BD1 41
PE600CW 297
PE601BD1 39
PER1/1 332
PER1/10 332
PER1/11 332
PER1/12 332
PER1/13 332
PER1/13-S 332
PER1/15 332
PER1/16 332
PER1/17 332
PER1/18 332
PER1/19 332
PER1/2 332
PER1/27 332
PER1/28 332
PER1/3 332
PER1/33 332
PER1/34 332
PER1/4 332
PER1/5 332
PER1/6 332
PER1/7 332
PER1/8 332
PER1/9 332
PER1/9-2 332
PFB14 97
PFB28 97
PFRS-10 247
PFRS-15 247
PFRS-22 247
PFRS-25 247
PFRS-30 247
PFRSD-25 247
PFRSD-30 247
PFRSH-30 247
PFRSOV-26 247
PFRSSC-30 247
PFRSSO-D 247
PFTD-1300 361
PFTD-400 361
PFTD-750 361
P-GRIP 246
PIEM-16 271
PIEM-20 271
PIEM-24 271
PIZB-12 284
PIZB-8 284
PIZD-18 289
PKN-11 247
PLACEMAT 336-
PLC10 337
PLC11 317
PLC12 317
PLC8 317
PLC9 317
PLEK-150 317
PLEK-154 247
PLEK-D 247
PLTL 247
PLWMC 204
PLWMCB 194
PM1908 194
PM1912 310
PM1918 310
PM25 310
PM30 87
PM35 87
POR1/1 87
POR1/10 332
POR1/11-O 332
POR1/11-R 332
POR1/12 332
POR1/13 332
POR1/14-O 332
POR1/14-R 332
POR1/15 332
POR1/17 332
POR1/18 332
POR1/18-1 332
POR1/19 332
POR1/2 332
POR1/26 332
POR1/27 332
POR1/28 332
POR1/29 332
POR1/3 332
POR1/30 332
POR1/4 332
POR1/5 332
POR1/6 332
POR1/7 332
POR1/9 332
POR1/9-1 332
POT-BR 332
PP30 259
PP370-8 75
PP45120 75
PP45150 384
PP-48 384
PP54180 385
PP-60 384
PP60120 385
PP60150 384
PP60180 384
PP-60W 384
PP-72 385
PP-72W 385
PP750-15 385
PP75120 75
PP75150 384
PP75180 384
PP-78W 384
PP-87W 385
PP-96W 385
PPB 385
PPBK 301
PPEL-20 301
PPEL-220 247
PPEL-225 247
PPEL-55 247
PPEL-65 247
PPFR 247
PPKG 301
PPM-B10 310
PPM-B12 310
PPM-B14 310
PPM-B16 310
PPM-B4 310
PPM-B5 310
PPM-B6 310
PPM-B8 310
PPMG 301
PPM-G10 310
PPM-G12 310
PPM-G14 310
PPM-G16 310
PPM-G6 310
PPM-G8 310
PPM-W10 310
PPM-W12 310
PPM-W14 310
PPM-W16 310
PPM-W4 310
PPM-W5 310
PPM-W6 310
PPM-W8 310
PPO 301
PPP-1 251
PPP-2 251
PPP-3 251
PPR-9 247
PPSG 301
PPSR 301
PPT 301
PPW 301
PPY 301
PR314 176
PR59314 176
PRI1/1 332
PRI1/10 332
PRI1/11-O 332
PRI1/11-R 332
PRI1/12 332
PRI1/13 332
PRI1/14 332
PRI1/15 332
PRI1/16 332
PRI1/17 332
PRI1/18 332
PRI1/18-1 332
PRI1/19 332
PRI1/2 332
PRI1/26 332
PRI1/27 332
PRI1/28 332
PRI1/29 332
PRI1/3 332
PRI1/30 332
PRI1/4 332
PRI1/5 332
PRI1/6 332
PRI1/7 332
PRI1/9 332
PRI1/9-2 332
PSB10 313
PSB12 313
PSB15 313
PSB18 313
PSB23 313
PSB6 313
PSB8 313
PST-10 313
PST-8 313
PST-9 313
PT1014 306
PT1100 306
PT1216 306
PT1400 306
PT1418 306
PT1600 306
PT20 292
PT20-1 292
PT20-2 292
PT24 292
PT35 292
PT48 292
PT56 292
PT60 292
PTD-250 360
PTD-400 360
PTIP-19BL 293
PTIP-19BL-17 293
PTIP-19BL-24 293
PTIP-19TR 293
PTIP-19TR-17 293
PTIP-20BL 293
PTIP-26BL 293
PTIP-26TR 293
PTIP-32H 293
PTIP-33TR 293
PTO-1S 312
PTO-2S 312
PTR 202
PTS-FM2 292
PTS-FM3 292
PTS-M10 292
PTS-M12 292
PTS-M13 292
PTS-M15 292
PTS-M16 292
PTS-M18 292
PTS-M4 292
PTS-M6 292
PTS-M7 292
PTS-M9 292
PTS-TM10 292
PTS-TM12 292
PTS-TM13 292
PTS-TM15 292
PTS-TM16 292
PTS-TM18 292
PTS-TM4 292
PTS-TM6 292
PTS-TM7 292
PTS-TM8 292
PTS-TM9 292
PTS-TMC10 292
PTS-TMC11 292
PTS-TMC12 292
PTS-TMC6 292
PTS-TMC9 292
PTS-TMCL5 292
PTS-TMCL6 292
PTS-TMS10 292
PTS-TMS13 292
PTS-TMS15 292
PTS-TMS7 292
PTS-TMS9 292
PWF-CP01P 365
PWF-CP02 365
PWF-CP03 363
PWF-CP04 363
PWF-CP05 363
PWF-CP06 363
PWF-CP07 363
PWF-CP08 365
PWF-CP09 363
PWF-CP10 363
PWF-CP11 365
PWF-CP12 365
PWF-CP13 363
PWF-CP14 363
PWF-CPA01W 365
PWF-HP316P 364
PWF-HP45P 364
PWF-HP46P 364
PWF-HP612P 364
PWF-HP810P 364
PWF-HP812P 364
PWF-HP88P 364

Q

QR-24 28
QR-36 28

R

R1616 314
R1818 314
R201 ULTRA E 77
R2020 314
R2212 314
R244 314
R247 314
R301 ULTRA 77
R401 78
R402-220 78
R402-380 78
R502VV 79
RAM15FBK 321
RAM15FW 321
RAM1FBK 321
RAM1FW 321
RAM2FBK 321
RAM2FW 321
RAM3FBK 321
RAM3FW 321
RB128 314
RB1313 313
RB134 313
RB138 313
RB1515 314
RB169 314
RB235 314
RB2813 314
RB336 314
RB-4 22
RB-6 23
RBB-120BL 380
RBB-120GR 380
RBT-455 384
RBT-760 384
RBT-D1200 385

Index

RBT-D1520 385
RC-50 43
RCH21 321
RCH41 321
RCS4GM 150
RCS4SB 150
RCS4SM 150
RCS5GM 150
RCS5SB 150
RCS5SM 150
RCS6GM 150
RCS6SB 150
RCS6SM 150
RCTL 204
RCW1 321
RD3 318
RD4 318
RDHLCR7-SS 57
REB-02 29
REB-03 30
RF258 176
RFSCW1 228
RFSCW12 228
RFSCW18 228
RFSCW2 228
RFSCW22 228
RFSCW4 228
RFSCW6 228
RFSCW8 228
RFSCWC1 228
RFSCWC12 228
RFSCWC2 228
RFSCWC6 228
RG-11 59
RG-11X 59
RG-11XB 59
RG-14 30
RG-16 30
RG-5 59
RG-7 59
RG-7T 59
RG-7X 59
RG-9 59
RG-9X 59
RGS-SA 251
RGT-24 25
RGT-36 25
RIT1/18 331
RIT1/19 331
RIT1/41 331
RMS510TS 44
ROB1/1 331
ROB1/10 331
ROB1/11 331
ROB1/12 331
ROB1/13 331
ROB1/17 331
ROB1/18 331
ROB1/19 331
ROB1/2 331
ROB1/3 331
ROB1/38 331
ROB1/5 331
ROB1/6 331
ROB1/9 331
ROB1/9-1 331
ROP-50W 286
ROP-55W 286
ROP-60W 286
ROP-75W 286
ROPC-30 286
ROPC-40 286
ROPC-50 286
ROPS30 286
ROPS45 286
ROPS60 286
ROPS75 286
ROPS90 286
ROPS-W1 286
ROPS-W2 286
ROPS-W3 286
ROS1/1 328
ROS1/10 328
ROS1/11 328
ROS1/12 328
ROS1/13 328
ROS1/15 328
ROS1/17 328
ROS1/18 328
ROS1/19 328
ROS1/2 328
ROS1/3 328
ROS1/34 328
ROS1/4 328
ROS1/5 328
ROS1/6 328
ROS1/7 328
ROS1/8 328
ROS1/9 328
RPD2415 315
RR2821 240
RR3728 240
RR4332 240
RS-2 367
RS-4 367
RSCRSQ 204
RS-PT 375
RSTT-11 344
RT3 313
RT-600730 388
RUC-AL 378

S

S24 9
S24-2 8
S36 11
S36-2 11
SA130 75
SA150 75
SA180 75
SAK1/1 329
SAK1/10 329
SAK1/11 329
SAK1/12 329
SAK1/13 329
SAK1/14 329
SAK1/15 329
SAK1/16 329
SAK1/17 329
SAK1/18 329
SAK1/2 329
SAK1/27 329
SAK1/28 329
SAK1/3 329
SAK1/33 329
SAK1/4 329
SAK1/5 329
SAK1/6 329
SAK1/7 329
SAK1/8 329
SAK1/9 329
SALB-14 313
SALB-15 313
SALB-16 313
SALB-17 313
SB1 390
SB13-3G 141
SB2 390
SB6-1G 141
SB9-2G 141
SBA-1200 147
SBA-1500 147
SBA-1800 147
SBA-900 147
SB-CL 375
SBD1200-2 148
SBD1500-2 148
SBD1800-2 148
SBD2100-2 148
SBD2400-2 148
SBD900-2 148
SBG-1200F 144
SBG-1500F 144
SBG-1800F 144
SBL-10 241
SBL15-1 241
SBL15-2 241
SBL15-3 241
SBL15-4 241
SBL24-1 241
SBL24-2 241
SBL24-3 241
SBL24-4 241
SBL-4 241
SBL-6 241
SBL-8 241
SBLS1 241
SBLS2 241
SBLS3 241
SBLS4 241
SBM-001 279
SBM-002 279
SBM-003 279
SBM-004 279
SBM-005 279
SBM-006 279
SBM-007 279
SBM-008 279
SBM-009 279
SBM-010 279
SBM-011 279
SBM-012 279
SBM-013 279
SBM-014 279
SBM-015 279
SBM-016 279
SBM-017 279
SBM-018 279
SBM-019 279
SBM-020 279
SBM-021 279
SBM-022 279
SBM-023 279
SBM-024 279
SBM-025 279
SBM-026 279
SBM-027 279
SBM-028 279
SBM-029 279
SBM-030 279
SBM-031 279
SBM-032 279
SBM-033 279
SBM-034 279
SBM-035 279
SBM-036 279
SBM-037 279
SBM-038 279
SBM-039 279
SBM-040 279
SBM-041 279
SBM-042 279
SBM-043 279
SBM-044 279
SBM-045 279
SBM-046 279
SBM-047 279
SBM-048 279
SBM-049 279
SBM-050 279
SBM-051 279
SBM-052 279
SBM-053 279
SBM-054 279
SBM-055 279
SBM-056 279
SBM-057 279
SBM-058 279
SBM-059 279
SBM-060 279
SBM-061 279
SBM-062 279
SBM-063 279
SBM-064 279
SBM-065 280
SBM-066 280
SBM-067 280
SBM-068 280
SBM-069 280
SBM-070 280
SBM-071 280
SBM-072 280
SBM-073 280
SBM-074 280
SBM-075 280
SBM-076 280
SBM-077 280
SBM-078 280
SBM-079 280
SBM-080 280
SBM-081 280
SBM-082 280
SBM-083 280
SBM-084 280
SBM-085 280
SBM-086 280
SBM-087 280
SBM-088 280
SBM-089 280
SBM-090 280
SBM-091 280
SBM-092 280
SBM-093 280
SBM-094 280
SBM-095 280
SBM-096 280
SBM-097 280
SBM-098 280
SBM-099 280
SBM-100 280
SBM-101 280
SBM-102 280
SBM-103 280
SBM-104 280
SBM-105 280
SBM-106 280
SBM-107 280
SBM-108 280
SBM-109 281
SBM-110 281
SBM-111 281
SBM-112 281
SBM-113 281
SBM-114 281
SBM-115 281
SBM-116 281
SBM-117 281
SBM-118 281
SBM-119 281
SBM-120 281
SBM-121 281
SBM-122 281
SBM-123 281
SBM-124 281
SBM-125 281
SBM-126 281
SBM-127 281
SBM-128 281
SBM-129 281
SBM-130 281
SBM-131 281
SBM-132 281
SBM-133 281
SBM-134 281
SBM-135 281
SBM-136 281
SBM-137 281
SBM-138 281
SBM-139 281
SBM-140 281
SBM-141 281
SBM-142 281
SBM-143 281
SBM-144 281
SBM-145 281
SBS-1200 145
SBS-1500 145
SBS-1800 145
SBS-900 145
SBT-D1220 384
SB-WF 375
SC1 244
SC2 244
SC3 244
SC4 244
SCIS-BL 259
SCIS-GY 259
SCIS-PS-P 259
SCIS-PS-S 259
SCIS-RD 259
SCM-01 277
SCM-02 277
SCM-03 277
SCM-04 277
SCM-05 277
SCM-06 277
SCM-07 278
SCM-08 277
SCM-09 277
SCM-10 277
SCM-11 277
SCM-12 277
SCM-13 277
SCM-14 277
SCM-15 277
SCM-16 277
SCM-17 277
SCM-18 277
SCM-19 277
SCM-20 277
SCM-21 278
SCM-22 277
SCM-23 277
SCM-24 277
SCM-25 277
SCM-26 277
SCM-27 277
SCM-28 277
SCM-29 277
SCM-30 277
SCM-31 278
SCM-32 277
SCM-33 277
SCM-34 277
SCM-35 277
SCM-36 277
SCM-37 278
SCM-38 278
SCM-39 278
SCM-40 277
SCM-41 277
SCM-42 278
SCM-43 278
SCM-44 277
SCM-45 277
SCM-46 277
SCM-47 278
SCM-48 277
SCM-49 277
SCM-50 277
SCM-51 277
SCM-52 277
SCP-001 383
SCP12CW 244
SCP24CW 244
SCP64CW 244
SCP6CW 244
SCRA-40S 286
SCRA-40SBH 286
SCRA-60L 286
SCRA-60LBH 286
SCRA-60M 286
SCRA-60MBH 286
SD-1200 360
SD-500 360
SD-500-2 360
SF-B42BL 339
SF-B42WH 339
SFC12 228
SFC2 228
SFC6 228
SFS1 389
SFS2 389
SFS3 389
SF-T42BL-CS 339
SGB1 318
SGB-B 318
SGB-TH 318
SGB-TH 318
SH-24 26
SH3 304
SH30 94
SH-36 27
SH-48 27
SH5 304
SH9 304
SHR-BK 259
SHR-WH 259
SIDC-47W 143
SIDC-70W 143
SIDC-91W 143
SIM-100A 156
SIM-300A 156
SIM-40A 156
SINK404030 205
SINK404030-M 205
SINK454530-AMO 206
SINK504028-AS 206
SINK505030 205
SINK505030-ASO 207
SINK505030-M 205
SINK505030-S 206
SINK524028-AS 207
SINK705030-ASO 207
SKIM-10 246
SKIM-12 246
SKIM-14 246
SKIM-16 246
SKIM-18 246
SKIM-20 246
SKIM-8 246
SKIMM-14 246
SKIMM-16 246
SKIMM-18 246
SKIMM-20 246
SKIMM-24 246
SKIMM-28 246
SKIM-S10 246
SKIM-S12 246
SKS4 246
SKS5 246
SKTL 204
SN0491 266
SN0506 266
SN0507 266
SN1049 266
SN1050 266
SN1071 266
SN1072 266
SN1077 266
SN1078 266
SN1092 266
SN1093 266
SN1332 266
SN1526 266
SN1534 266
SN1543 266
SN1575 266
SN1586 266
SN1587 266
SN1961 267
SN1971 267
SN2000 268
SN2003 268
SN2004 268
SN2006 268
SN2007 268
SN2009 268
SN2012 268
SN2015 268
SN2019 268
SN202 268
SN2021 268
SN2022 268
SN2025 268
SN2029 268
SN2031 268
SN2032 268
SN2042 268
SN2044 268
SN20442 268
SN2045 268
SN20452 268
SN2051 268
SN2052 268
SN2054 269
SN20542 269
SN2057 269
SN2058 268
SN2059 268
SN2082 269
SN2083 269
SN2092 269
SN2093 269
SN2094 269
SN2095 269
SN2096 269
SN2097 269
SN2103 268
SN2121 269
SN2124 269
SN2179 269
SN2182 269
SN2303 269
SN2306 269
SN2307 269
SN2897 268
SN2906 268
SN3223 270
SN3224 270
SN3225 270
SN3243 270
SN3244 270
SN3245 270
SN3246 270
SN3247 270
SN3263 270
SN3283 270
SN3285 270
SN3287 270
SN3305 270
SN3306 270
SN3327 270
SN3343 270
SN3345 270
SN3363 270
SN3364 270
SN3365 270
SN3366 270
SN3367 270
SN3380 270
SN3381 270
SN3382 270
SN3403 270
SN3405 270
SN3407 270
SN3503 270
SN3505 270
SN3507 270
SN3523 270
SN3525 270
SN3527 270
SN3570 270
SN3571 270
SN3572 270
SN3573 270
SN3594 270
SN3595 270
SN3596 270
SN3820 287
SN3840 287
SN3860 270
SN3861 270
SN3865 270
SN3867 270
SN4017 311
SN4018 311
SN4019 311
SN4021 311
SN4022 311
SN4024 311
SN4027 311
SN4050 285
SN4051 285
SN4052 285
SN4053 285
SN4055 285
SN4056 285
SN4061 287
SN4063 287
SN4065 287
SN40715 285
SN4072 285
SN4073 285
SN4081 285
SN4082 285
SN4091 285
SN4092 285
SN4096 285
SN4098 285
SN4101 287
SN4103 287
SN4105 287
SN4106 287
SN4107 287
SN4108 287
SN4117 285
SN4118 285
SN41194 285
SN4120 285
SN4121 285
SN4125 285
SN4126 285
SN41274 285
SN4128 285
SN4129 285
SN4130 285
SN4133 285
SN4134 285
SN4140 287
SN4141 287
SN4151 284
SN4181 287
SN42124 287
SN42134 287
SN4214 289
SN4215 289
SN4216 289
SN4217 289
SN4218 289
SN4219 289
SN4220 289
SN4223 289
SN4233 290
SN4237 287
SN4237E00 287
SN4241 290
SN4243 290
SN4244 290
SN4245 290
SN4308 282
SN4329 282
SN4335 282
SN4375 282
SN4382 282
SN4384 282
SN4386 282
SN4391 282
SN4392 282
SN4394 282
SN4397 282
SN4437 315
SN4541 282
SN4543 282
SN4551 282
SN4553 282
SN4561 282
SN4563 282
SN4625 287
SN4690 284
SN4691 284
SN4692 284
SN4706 284
SN4707 284
SN4708 284
SN4709 284
SN4710 284
SN4742 287
SN4744 287
SN4745 287
SN4751 287
SN4755 287
SN4756 287
SN4757 287
SN4758 287
SN4775 287
SN4778 283
SN4779 283
SN4780 283
SN4830 283
SN4831 283
SN4832 283
SN4856 283
SN4857 283
SN4858 283
SN48594 283
SN48604 283
SN4861 283
SN4866 283
SN4871 283
SN4872 283
SN4873 283
SN4874 283
SN4875 283
SN4876 283
SN4877 283
SN4878 283
SN4883 284
SN4885 284
SN4887 284

SN4951 284
SN4952 284
SN4953 284
SN4954 284
SN4955 284
SN4956 284
SN4957 284
SN4958 284
SN5011 271
SN5013 271
SN5021 271
SN5026 271
SN5027 271
SN5028 271
SN5035 271
SN5036 271
SN5037 271
SN5038 271
SN5041 271
SN5045 271
SN5046 271
SN5048 271
SN5056 271
SN5057 271
SN5065 271
SN5066 271
SN5067 271
SN5075 271
SN5076 271
SN5077 271
SN5081 271
SN5085 271
SN5086 271
SN5094 271
SN5214 272
SN5221 271
SN5231 271
SN5251 271
SN5261 271
SN5271 271
SN5280 272
SN5281 272
SN5283 272
SN5284 272
SN5285 272
SN5293 272
SN5294 272
SN5295 272
SN5296 272
SN5431 271
SN5440 271
SN5441 271
SN5442 271
SN5443 271
SN5515 271
SN5516 271
SN5517 271
SN5535 271
SN5538 271
SN5552 271
SN5553 271
SN5554 271
SN5722 271
SN5723 271
SN5724 271
SN5725 271
SN5726 271
SN5727 271
SN5728 271
SN5741 271
SN5742 271
SN5743 271
SN5744 271
SN5745 271
SN5763 271
SN5765 271
SN5768 271
SN5782 271
SN5786 271
SN5821 272
SN5831 272
SN5841 272
SN5851 272
SN5861 272
SN58706 282
SN58716 282
SN6001 273
SN6002 273
SN6003 273
SN6004 273
SN6005 273
SN601 273
SN6011 273
SN6012 273
SN6014 273
SN6017 273
SN6021 273
SN6022 273
SN6023 273
SN6025 273
SN6026 273
SN6033 273
SN6043 273
SN6046 273
SN6047 273
SN6048 273
SN6050 273
SN6051 273
SN6052 273
SN6061 273
SN6064 273
SN6065 273
SN6082 273
SN6102 273
SN6105 273
SN6106 273
SN6109 273
SN6111 273
SN6123 273
SN6141 273
SN6143 273
SN6145 273
SN6147 273
SN6161 273
SN6162 273
SN6172 273
SN6182 273
SN6183 273
SN6184 273
SN6185 273
SN6194 273
SN6211 273
SN6215 273
SN6221 273
SN6226 273
SN6236 273
SN6238 273
SN6251 273
SN6252 273
SN6253 273
SN6281 273
SN6282 273
SN6291 273
SN6292 273
SN6293 273
SN6301 273
SN6303 273
SN637 273
SN6400 273
SN6401 273
SN6402 273
SN6403 273
SN6405 273
SN6406 273
SN6411 272
SN6412 272
SN6413 272
SN6414 272
SN6415 272
SN6416 272
SN6417 272
SN6418 272
SN6419 272
SN642 273
SN6420 272
SN6421 272
SN6422 272
SN6423 272
SN6424 272
SN6425 272
SN6601 273
SN6602 273
SN6801 273
SN6802 273
SN6803 273
SN6812 273
SN6813 273
SN6820 273
SN6821 273
SN6823 273
SN6824 273
SN6831 272
SN6832 272
SN6833 272
SN6834 272
SN6835 272
SN6836 272
SN6837 272
SN6838 272
SN6851 271
SN6852 271
SN6861 272
SN6863 272
SN6871 272
SN6880 272
SN6904 272
SN6908 272
SN6916 272
SN6918 272
SN7011 292
SN7014 292
SN7016 292
SN77914 292
SN7792 292
SN79516 291
SN79519 291
SN79526 291
SN79529 291
SN79536 291
SN79539 291
SN79616 291
SN79626 291
SN79636 291
SN79646 291
SN79656 291
SN79666 291
SN79676 291
SN7976 291
SN7977 291
SN7978 291
SN7979 291
SN7991 291
SN7992 291
SN7996 291
SN8012 286
SN8015 286
SN8021 286
SN8022 286
SN8023 286
SN8024 286
SN8033 286
SN8035 286
SN8036 286
SN85746 282
SN85906 282
SN85916 282
SN8612 282
SN8613 282
SN8614 282
SN8639 282
SN8640 282
SN8641 282
SN9023 267
SN9035 267
SN9044 267
SN9051 267
SN9053 267
SN9054 267
SN9066 270
SN9069 270
SN9070 267
SN9071 270
SN9072 270
SN9073 270
SN9075 267
SN9079 270
SN9083 267
SN9088 267
SN9089 267
SN9103 267
SN9111 268
SN9121 267
SN9132 267
SN9133 267
SN9207 267
SN9213 267
SN9222 267
SN9423 267
SN9427 267
SN9433 267
SN9436 267
SN9453 267
SO1650INOX 72
SO2020INOX 72
SO2400INOX 72
SO3100INOX 72
SODSCR 203
SODSTB1SGHBL-S 190
SODSTB2SFB 189
SODSTB2SGHBL-S 190
SODSTB2SGHFB 189
SODSTBSGHB 189
SOFTCOOKER 89
SP-AL-10 239
SP-AL-10H 239
SP-AL-12 239
SP-AL-12H 239
SP-AL-14 239
SP-AL-14H 239
SP-AL-16 239
SP-AL-16H 239
SP-AL-18 239
SP-AL-18H 239
SP-AL-20 239
SP-AL-20H 239
SP-AL-22 239
SP-AL-22H 239
SP-AL-24 239
SP-AL-24H 239
SP-AL-26 239
SP-AL-26H 239
SP-AL-28 239
SP-AL-28H 239
SP-AL-30 239
SP-AL-30H 239
SPB1 320
SPB2 320
SPB3 320
SPB4 320
SPCW-AL-15 239
SPCW-AL-18 239
SPCW-AL-21 239
SPG30 312
SPG33 312
SPGF25-1 142
SPGR25-1 142
SPL-AL-16 239
SPL-AL-16H 239
SPL-AL-18 239
SPL-AL-18H 239
SPL-AL-20 239
SPL-AL-20H 239
SPL-AL-22 239
SPL-AL-22H 239
SPL-AL-24 239
SPL-AL-24H 239
SPL-AL-26 239
SPL-AL-26H 239
SPL-AL-28 239
SPL-AL-28H 239
SPL-AL-30 239
SPO10CW 311
SPO11CW 311
SPO13CW 311
SPO8CW 311
SPOP10CW 311
SPOP11CW 311
SPOP13CW 311
SPRA 193
SPRE-19 249
SPSB-HI 193
SPSB-LOW 193
SPSW-AL-15 239
SPSW-AL-18 239
SPSW-AL-21 239
SPT23 245
SPT23P 245
SP-WH 252
SQM-LM-3 251
SQSB1 241
SQSB12 241
SQSB16 241
SQSB2 241
SQSB3 241
SQSB4 241
SQSB5 241
SQSB6 241
SQSB8 241
SQZ-LM-1 251
SQZ-LM-2 251
SQZ-LM-3 251
SQZ-OR 251
S-RESER 321
SS120-1 151
SS120-2 151
SS150-1 151
SS150-2 151
SS16 284
SS18 284
SS180-1 151
SS180-2 151
SS21 284
SS210-1 151
SS210-2 151
SS23 284
SS26 284
SS29 284
SS35 284
SS40 284
SS45 284
SSG-25 376
SSG-30 374
SSG-35 376
SSG-40 376
SSG-45 376
SSG-P-30 374
ST363B-1 306
ST365R-1 306
ST76 304
ST-760 388
ST77 304
ST-900 344
STA1/1 330
STA1/10 330
STA1/11 330
STA1/12 330
STA1/13 330
STA1/14 330
STA1/15 330
STA1/17 330
STA1/18 330
STA1/19 330
STA1/2 330
STA1/27 330
STA1/28 330
STA1/3 330
STA1/4 330
STA1/5 330
STA1/6 330
STA1/7 330
STA1/8 330
STA1/9 330
STEEL9-3 165
STEELTECH14-00 162
STEELTECH16-03 163
STEELTECH18-00 164
STF 186
STFB 186
STO1 318
STO2 318
STO3 318
STP-AL-20H 236
STP-AL-25H 236
STP-AL-28H 236
STP-AL-30 236
STP-AL-32 236
STP-AL-36 236
STP-AL-40 236
STP-AL-40H 236
STP-AL-45 236
STP-AL-45H 236
STP-AL-50 236
STP-AL-50H 236
STP-AL-55 236
STP-AL-60 236
STRA-10 246
STRA-12 246
STRA-14 246
STRA-16 246
STRA-18 246
STRA-20 246
STRA-22 246
STRA-24 246
STRA-8 246
STRA-D24 246
STRA-D26 246
STRA-D30 246
STRA-D33 246
STRA-D36 246
STREET VENDOR6 45
SUP1 318
SUP2 318
SUP3 318
SUP4 318

T

TABS-A10 321
TABS-A12 321
TABS-A4 321
TABS-A6 321
TABS-A8 321
TABS-B10 321
TABS-B12 321
TABS-B6 321
TABS-B8 321
TAL-12-2 376
TAL-24-2 376
TAL-36-2 376
TAL-45-3 376
TAL-60-3 376
TB 180
TB2DW 181
TB2DWB 181
TBB 180
TBDS 181
TBDSB 181
TBDW 181
TBDWB 181
TBNFB 191
TBS 180
TBS2DW 182
TBS2DWB 182
TBSB 180
TBSDW 182
TBSDWB 182
TC12E 64
TC22 63
COLORADO 63
TC22 DAKOTA 64
TC22E 64
TC32 RIO 63
TC8 VEGAS 233
TDC30 42
TE101BQ1 40
TE601BQ1 318
TEA-A1 318
TEA-A2 318
TEA-A3 318
TEA-A4 318
TEA-B1 318
TEA-B3 318
TEA-B4 318
TEA-B5 318
TEA-B6 318
TEA-B7 318
TEA-B8 318
TEA-C1 318
TEA-C2 318
TEA-C3 318
TEA-C4 318
TG6 312
TG9 312
TGA11 312
TGA8 312
THM-1 306
TLS-1180 387
TM ALUMIMIUM 76
TM-6 34
TMB-2 52
TOH-12 252
TOH-14 252
TOH-16 252
TOH-9 252
TON-A 312
TON-B 312
TOPAZ250C 67
TOR-1 339
TPH-1 358
TPH-2 358
TRAY-S 306
TRU-BR005BK 299
TRU-M008BK 302
TRU-MP012R 300
TRU-MP012RC 300
TRU-MP034R 300
TRU-MP034RC 300
TRU-MP058R 300
TRU-MP058RC 300
TRU-MP078R 300
TRU-MP078RC 300
TRU-MP100R 300
TRU-MP100RC 300
TRU-MP112RC 300
TRU-MP114R 300
TRU-MP114RC 300
TRU-MP115R 300
TRU-MP118R 300
TRU-MP118RC 300
TRU-MP200R 300
TRU-MP200RC 300
TRU-MP2012R 300
TRU-MP2012RC 300
TRU-MP2034R 300
TRU-MP2034RC 300
TRU-MP2058R 300
TRU-MP2058RC 300
TRU-MP2078R 300
TRU-MP2078RC 300
TRU-MP2100R 300
TRU-MP2100RC 300
TRU-MP2112RC 300
TRU-MP2114R 300
TRU-MP2114RC 300
TRU-MP2115R 300
TRU-MP2118R 300
TRU-MP2118RC 300
TRU-MP2200R 300
TRU-MP2200RC 300
TRU-NHP01-1B 299
TRU-TBM-1212BK 302
TRU-TBM-1218BK 302
TRU-TBM-243BK 302
TRU-TBM-273BK 302
TRU-TC-03BK 298
TRU-TC-04BK 298
TRU-TC-06BK 298
TRU-TG-003BK 302
TS6 304
TS-782 292
TS-783 292
TT-150 104
TT-300 104
TT-450 104
TTURW-10 249
TTURW-12 249
TTURW-6 249
TTURW-7 249
TTURW-8 249
TUL1/1 330
TUL1/10 330
TUL1/11-O 330
TUL1/11-R 330
TUL1/12 330
TUL1/13 330
TUL1/14 330
TUL1/15 330
TUL1/16 330
TUL1/17 330
TUL1/18 330
TUL1/2 330
TUL1/2-2 330
TUL1/29-10 330
TUL1/29-10P 330
TUL1/29-8 330
TUL1/29-8P 330
TUL1/3 330
TUL1/30 330
TUL1/3-2 330
TUL1/39 330
TUL1/4 330
TUL1/5 330
TUL1/6 330
TUL1/7 330
TUL1/8 330
TUL1/9 330
TUL1/9-2 330
TUL-S72 335
TUR-N 245
TUR-P 245
TURW-2 249
TURW-3 249
TURW-4 249
TURW-5 249
TURW-6 249
TW-32S 60
TW-7S 60
TYSD 202

U

UCPS400 219
UO-1120-AU 390
UO23-SF 390
UO23-WF 390
UO27-WF 390
UPC1200 219
UPC1600 219
UPC400 219
UPC600 219
UPC800 219
UPCH400 216
UPCH4002 218
UPCH800 216
UPCH8002 218
UR-B 367
UT07M 312
UT09EH 312
UT12EH 312
UWB-1 102
UWB-2 102
UWB-2H 102
UWB-2HF 102
UWB-H 102
UWB-HF 102

V

VC10-MP 322
VC15-MP 322
VC20-MP 322
VCB10-MP 322
VCB15-MP 322
VCB20-MP 322
VCP-100S 322
VCP-150S 322
VCP-200S 322
VCP-75S 322
VD-01 262
VD-01 381
VD-02 262
VD-02 381
VD-03 262
VD-03 381
VD-04 262
VD-04 381
VD-05 262
VD-05 381
VD-06 262
VD-06 381
VEG-CL1 241
VEG-CL2 241
VEG-CL3 241
VEG-CL4 241
VEG-CL5 241
VEG-CL6 241
VEG-CL7 241
VF-8 54
VIB-V23 308
VORTEX43VV 86
VORTEX55VV 86
VORTEX75VV 86
VTC10-ME 322
VTC15-ME 322
VTC20-ME 322

W

W8-30-BX 90
W8-40-BX 90
WALK IN COLD ROOM 157
WASC-16 238
WASC-18 238
WASC-20 238

WASCS-16 238
WASCS-18 238
WASCS-20 238
WBS225 301
WC 199
WCS 199
WCSD 199
WCSSD 200
WCSSW 200
WCSW 200
WDV-15L 372
WDV-30L 372
WDV-60L 372
WDV-80L 372
WH-S 249
WHS12-10 250
WHS12-12 250
WHS12-14 250
WHS12-16 250
WHS12-18 250
WHS12-20 250
WHS12-22 250
WHS12-24 250
WHS8-10 250
WHS8-12 250
WHS8-14 250
WHS8-16 250
WHS8-18 250
WHS8-20 250
WHS8-22 250
WHS8-24 250
WHS8-L100 250
WHS8-L120 250
WHS8-L85 250
WH-T2 249
WH-T3 249
WH-TA 249
WIB-2V 308
WIB-A1 308
WIB-A2 308
WIB-AG1 307
WIB-AS12-6 308
WIB-B2 307
WIB-BG2 307
WIB-BS20-6 308
WIB-C20 308
WIB-CS20-6 308
WIB-CS20-7 308
WIB-CV1 308
WIB-CV2 308
WIB-CV3 308
WIB-CVS 308
WIB-D19 307
WIB-D22-G 308
WIB-D22-S 308
WIB-D23 307
WIB-G20 308
WIB-GR18 308
WIB-GR23 308
WIB-H2 308
WIB-HG2 308
WIB-HS1 308
WIB-HS19-6 308
WIB-HSG1 308
WIB-HSS12-7 308
WIB-S25-F 308
WIB-S25-W 308
WIB-S30 308
WIB-SF5 308
WIB-SF6 308
WIB-SR19-5 308
WIB-SR19-7 308
WIB-SR20-6 308
WIB-SR30 308
WIB-SS19 308
WIB-SS25 308
WIB-VS 308
WIB-XL27 308
WIC-1 307
WIC-2 307
WIN1/1 328
WIN1/10 328
WIN1/11 328
WIN1/12 328
WIN1/13 328
WIN1/15 328
WIN1/16 328
WIN1/17 328
WIN1/18 328
WIN1/2 328
WIN1/27 328
WIN1/28 328
WIN1/3 328
WIN1/33 328
WIN1/4 328
WIN1/5 328
WIN1/6 328
WIN1/7 328
WIN1/8 328
WIN1/9 328
WIN-D100DI 154
WIN-D100ST 154
WIN-D168DI 155
WIN-D168ST 155
WIN-D54ST 153
WIN-D85ST 153
WIN-S100DI 154
WIN-S100ST 154
WIN-S168DI 155
WIN-S168ST 155
WIN-S54ST 153
WIN-S85ST 153
WJPM16 19
WL-02 53
WMBH21 303
WMBH31 303
WMBH41 303
WP1 301
WP25F 250
WP25HK 250
WP25P 250
WP30F 250
WP30HK 250
WP30P 250
WP35F 250
WP35HK 250
WP35P 250
WP40F 250
WP40HK 250
WP40P 250
WP45F 250
WP45HK 250
WP45P 250
WRCS 201
WS 201
WS12N 246
WS14N 246
WS18N 246
WS20N 246
WS22N 246
WS24N 246
WW1000CW 296
WW1000L 296
WW1000LS 296
WW1500CW 296
WW250CW 296
WW250L 296
WW500CW 296

X

XDF5100 171
XDF-5188W 171

Y

YXD-06 101
YXD-1AE 100
YXD-4A 100
YXD-6A 100
YXD-8A 101

Z

ZG-01 262
ZG-01 381
ZG-02 262
ZG-02 381
ZG-03 262
ZG-03 381
ZG-04 262
ZG-04 381